WA 6814

CB 100

SWMU 2-87.65 MACHINE PIT, SWMU 77 PCB RETENTION TANK, SWMU 78.B OIL/WATER SEPARATOR, AND OA 16 FORMER HAZARDOUS WASTE STORAGE FACILITY

INTERIM MEASURES WORK PLAN

Boeing—Plant 2 Seattle/Tukwila, Washington FILE COPY

Submitted To:
The Boeing Company
Energy and Environmental Affairs
Seattle, Washington

October 1998





SWMU 2-87.65 MACHINE PIT, SWMU 77 PCB RETENTION TANK, SWMU 78.B OIL/WATER SEPARATOR, AND OA 16 FORMER HAZARDOUS WASTE STORAGE FACILITY INTERIM MEASURES WORK PLAN

BOEING—PLANT 2 SEATTLE/TUKWILA, WASHINGTON

Prepared for

The Boeing Company Energy and Environmental Affairs

October 1998

Prepared by

Roy F. Weston, Inc. 700 Fifth Avenue Suite 5700 Seattle, WA 98104-5057

WO 3709-034-410-0007

TABLE OF CONTENTS

Secti	_		Page
1.	INT	RODUCTION	1
2.	SW	MU/AOC/OA DESCRIPTION	1
3.	BAG	CKGROUND	2
	3.1	SUMMARY OF NATURE AND EXTENT	
	3.2		
4.	INT	TERIM MEASURES OBJECTIVES	3
5.	PRO	OJECT PARTICIPANTS AND RESPONSIBILITIES	3
6.	SCC	OPE OF WORK (PLANS AND SPECIFICATIONS)	4
	6.1	HEALTH AND SAFETY PLAN (HASP)	4
	6.2	MOBILIZATION	4
	6.3	SOIL REMOVAL	4
	6.4	CONFIRMATORY SOIL SAMPLING	5
	6.5	DECONTAMINATION	5
	6.6	BACKFILL	6
	6.7	TRANSPORTATION AND DISPOSAL (T&D)	6
	6.8	DEMOBILIZATION	6
7.	OPI	ERATION AND MAINTENANCE	6
8.	SCI	HEDULE	6
9.	INT	TERIM MEASURE CONSTRUCTION QUALITY ASSURANCE	6
10.	REI	PORTING REQUIREMENTS	6
11.	REI	FERENCES	7
APP	ENDL	X A—ANALYTICAL DATA	
APP	ENDL	X B—CONFIRMATORY SAMPLING PLAN	

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>
1	Facility Map
2	Organization Chart
3	SWMUs 2-87.65 and 78.B Excavation Plan
4	SWMU 77 Excavation Plan
5	OA-16 Excavation Plan
6	Interim Measures Schedule

LIST OF TABLES

Table	<u>Title</u>
1	SWMU 2-87.65 and 78.B Constituent Concentrations
2	SWMU 77 Constituent Concentrations
3	OA 16 Constituents of Concern
4	Soil Cleanup Goals
5	SWMU Excavation Dimensions
6	SWMU 2-87.65 and 78.B Confirmatory Sample Analytics
7	SWMU 77 Confirmatory Sample Analytics
8	OA 16 Confirmatory Sample Analytics
9	Confirmatory Sample Details
10	Stockpile Sampling Requirements
11	QA Checklist

SWMU 2-87.65 MACHINE PIT, SWMU 77 PCB RETENTION TANK, SWMU 78.B OIL/WATER SEPARATOR, AND OA 16 FORMER HAZARDOUS WASTE STORAGE FACILITY INTERIM MEASURES WORK PLAN

BOEING—PLANT 2 SEATTLE, WASHINGTON

1. INTRODUCTION

This plan describes the proposed scope of work to accomplish interim measures (IMs) at the SWMU 2-87.65 (Machine Pit), SWMU 77 (PCB Retention Tank), SWMU 78.B (Oil/Water Separator), and OA 16 (Former Hazardous Waste Storage Facility) located at Boeing Plant 2. This work is being done prior to completion of the Corrective Measures Study (CMS) in order to support redevelopment of the area where Building 2-87 now sits.

This scope of work focuses on soil cleanup only to support building construction in the area where the solid waste management units (SWMUs) and other area (OA) exist. Groundwater remediation is not addressed in this IM work plan. Groundwater remediation, if required, will be addressed during completion of the CMS.

This Interim Measures Work Plan has been prepared to comply with the requirements of the Administrative Order on Consent (Order) issued by the U.S. Environmental Protection Agency (EPA) to The Boeing Company (Boeing) under the authority of Section 3008(h) of the Resource Conservation and Recovery Act of 1976 (RCRA), as amended, 42 USC 6928(h). This Order [RCRA Docket No 1092-01-22-3008(h)] became effective on 18 January 1994.

2. SWMU/AOC/OA DESCRIPTION

The 2-87.65 machine pit was a reinforced concrete trench approximately 3 feet wide by 2.5 feet deep by 26 feet long. The trench has a floor drain and trap in the center. The trench was used to collect oil that dripped from machinery.

SWMU 77 served as secondary containment for PCB-containing transformer oil. The containment was for electrical transformers and consisted of a bermed concrete area. The containment area was connected to an underground storage tank (UST) via piping. The tank and piping have been removed. SWMU 77 is located approximately 50 feet southwest of Cistern 4 (SWMU 79). SWMU 77 consists of 3 areas. Reference to SWMU 77 within this document refers to the area located north of Building 2-110.

SWMU 78.B is an oil/water separator that collects stormwater runoff to remove oil. Oil from the separator is regularly pumped out and shipped off-site for disposal. SWMU 78.B is located on the south side of Building 2-87.

OA 16 is a former RCRA container storage area (Building 2-104 TSD) that has gone through aboveground closure (WESTON 1994). The former container storage area has since been used for covered parking.

Figure 1 shows the location of these SWMUs.

3. BACKGROUND

3.1 Summary of Nature and Extent

Nine locations were sampled near the 2-87.65 machine pit and 78.B oil/water separator for soil constituents of concern. Samples were analyzed for metals, polychlorinated biphenyls (PCBs), volatile organic compounds (VOCs), and oil-range petroleum hydrocarbons. Low concentrations of metals and elevated concentrations of PCBs were found in the immediate vicinity of these SWMUs. A summary of the constituent of concern (CoC) concentrations is shown in Table 1.

Soil samples were collected from three locations around SWMU 77. Soil samples were analyzed for metals, PCBs and total petroleum hydrocarbon (TPH). Low concentrations of metals were detected in the soil samples. No PCBs or TPH was detected. A summary of the CoC concentrations is shown in Table 2.

WESTON conducted near-surface and subsurface soil sampling during closure of the aboveground portion of OA 16 (WESTON 1994). Two samples were collected from near-surface soils immediately beneath the concrete pad of the easternmost storage cell, and two samples were collected from depths of 8 to 10 feet below ground surface (bgs) near the same locations. A total of 13 VOC constituents, 2 SVOC constituents, and 12 metals was detected in one or more of the four samples. Cadmium and copper were detected in both of the near-surface soil samples at elevated concentrations.

Additional soil sampling was conducted at OA 16 based on the exceedances of RFI reference levels for soils reported during the aboveground closure. In total, 9 (plus 1 duplicate) soil samples were collected from three soil borings surrounding the previous soil sampling locations. No metals were detected above RFI reference levels in any of the samples from the later three borings indicating that the extent of releases to soil from OA 16 were very limited in extent. A summary of the CoC concentrations is shown on Table 3.

A detailed description of the soil quality for these four units can be found in WESTON 1998. Appendix A contains a summary of the laboratory analytical information.

3.2 Rationale for Interim Measures

Boeing desires to complete these IMs in order to allow facility redevelopment in the area where these units now exist. Removal of soil as IMs will allow redevelopment with the intent of preventing any future soil removal under the new building to be constructed in the area.

Site conditions and data indicate the soil currently presents no immediate risk to human health or the environment.

4. INTERIM MEASURES OBJECTIVES

The objectives of these IMs are to:

- Allow construction of new structures and remove soil to the extent that no potential
 future risks to human health or the environment above accepted guidelines is likely
 given the proposed use of the facility.
- Remove soil to the extent that it will be at least as protective as final remedies selected for similar sites in the CMS.
- Remove impacted soil such no short-term risks occur to workers during construction of the new facility.

5. PROJECT PARTICIPANTS AND RESPONSIBILITIES

Three primary participants are anticipated in the performance of this project, including: (1) The Boeing Company, (2) Roy F. Weston, Inc., and (3) An Interim Measure construction subcontractor. The responsibilities of these participants are as follows:

The Boeing Company

Boeing's responsibilities include project direction and oversight, site security, integration of the interim measures with ongoing facility operations, disposal of hazardous wastes, personnel access badges, space allocation, site usage, and other miscellaneous support items associated with planning and performance of the work.

Roy F. Weston, Inc.

WESTON's responsibilities will be to prepare the work plan, ensure project safety, sub-contractor management, and construction oversight. WESTON will also perform confirmatory sampling of the remaining soil upon completion of removal. WESTON will prepare the final interim action completion report.

Interim Measure Construction Subcontractor

The interim action construction subcontractor will be responsible for site preparation, soil excavation, truck/roll-off loading, backfill provisions, worker health and safety monitoring, equipment decontamination, exclusion zones, decontamination stations, tarping truck/roll-offs, spill protection, and general labor. The interim action construction subcontractor will report directly to WESTON's on-site construction manager.

An overall organization chart is shown in Figure 2.

6. SCOPE OF WORK (PLANS AND SPECIFICATIONS)

6.1 Health And Safety Plan (HASP)

An OSHA/WISHA-compliant HASP covering all personnel will be prepared. A HASP will be prepared by the interim measure construction subcontractor. The HASP will address protective equipment, a task-by-task risk analysis, safety procedures, and training.

It is anticipated that the work will be performed in modified Level-D personal protective equipment (PPE). This includes the following equipment:

- Hard hats
- Safety glasses
- Steel-toed boots/leather steel-toed work boots
- Tyvek coveralls
- Work gloves

6.2 Mobilization

An exclusion zone will be set up around each work area. Level-D PPE will be required within the exclusion zone. A small decontamination station will be set up adjacent to the exclusion zone which will include PPE, a decontamination tub, brushes, disposal bin for used PPE, first aid kit and other supplies.

6.3 Soil Removal

Limits of excavation will be marked. Preliminary soil removal limits for SWMU 2-87.65, SWMU 77, SWMU 78.B, and OA 16 are shown in Figures 3, 4, and 5. These limits are based on the estimate of soil exceeding the soil cleanup goals listed in Table 4. These cleanup goals are 100 times MTCA Method B surface water criteria. Cleanup goals for PCBs are to achieve non-detectable concentrations using EPA Method 8082 modified.

Soil will be removed using a small excavator or backhoe. Soil will be excavated until the limits of excavation shown in Figures 3, 4, and 5 are reached consistent with Section 6.4.

SWMU 77 served as secondary containment for PCBs. No PCBs were detected in soil near this SWMU. However, chrome was detected above performance objectives. Since chrome was not handled in this SWMU, the presence of chrome is believed to be from Cistern 4. Therefore, the limits of excavation for SWMU 77 will be based on its physical features. Chrome exceedances to the north of SWMU 77 will be further investigated during interim measure activities planned for Cistern 4.

Soil removal will proceed to a depth no deeper than groundwater. Soil contaminants below the water table will be addressed in the CMS as a groundwater remediation issue.

Soil will be kept moist as necessary to prevent dusting. Excavated soil will be loaded directly into dump trucks and taken to a stockpile area where it will be placed into a stockpile cell. The cell will consist of jersey barriers or equivalent arranged in a rectangular pattern lined with plastic. A separate stockpile cell will be constructed for each of the SWMUs to prevent comingling of contaminants. The soil stockpile cell will be covered at the end of each day to prevent run-on and runoff.

The area of excavation, depth and estimated volume for each of the units is shown in Table 5.

6.4 Confirmatory Soil Sampling

Post-excavation confirmatory sampling will occur after excavation limits have been reached. The purpose is to document conditions prior to backfill and/or direct additional excavation. These samples will be sent to an off-site laboratory for a quick turnaround. Depending on the rate of excavation, some of the confirmatory samples may be collected upon completing excavation of a portion of the area.

Tables 6, 7, and 8 provide a listing of the confirmatory analyses to be performed on the soil samples. The analytes selected for confirmatory analyses are those constituents that exceeded the performance objectives. In the case of SWMU 77, confirmatory analysis analytes will be PCBs only since chrome concentrations will be addressed as part of the Cistern 4 investigation.

IM cleanup goals are listed in Table 4. During excavation, confirmatory samples falling within an order of magnitude of Table 4 cleanup goals will be deemed compliant with the IM cleanup performance objectives. For SWMU 77, excavation to the north and east may be terminated at the limits shown on Figure 4 since impacted soil beyond these boundaries will be addressed as part of Cistern 4.

The sample density and spacing of confirmatory sampling program will depend upon the configuration of the excavated area. Details for confirmatory sampling are shown in Table 9.

Confirmatory sampling is discussed in more detail in Appendix B.

6.5 Decontamination

The hoe bucket and thumb will be the only equipment requiring decontamination. Decontamination will be performed first using dry methods (brush and rags) to remove gross contamination. Subsequent decontamination will be performed using a pressure washer and soap solution. The quantity of decontamination water generated will be kept to a minimum and is expected to be less than 10 gallons per SWMU. Decontamination water will be collected and placed in a temporary storage container. The decontamination water will be collected in a

temporary container and disposed of properly. Decontamination brushes, PPE, and small quantities of other miscellaneous materials will be disposed with the soil.

6.6 Backfill

Backfill will be placed by an excavator or backhoe. Backfill will consist of a granular well compacted fill as specified by Boeing. Compaction requirements will be specified by Boeing.

6.7 Transportation and Disposal (T&D)

The soil stockpiles will be sampled and analyzed prior to disposal. The number of samples from each stockpile will depend upon the quantity of soil generated. Table 10 provides a listing of the number of soil samples based on stockpile size.

Soil will be profiled and disposed in accordance with all applicable regulations. Manifests or bills of lading will be generated for all material disposed. Boeing will be responsible for disposal of all materials.

6.8 Demobilization

Demobilization will occur upon completion of the work. Demobilization will consist of removal of the exclusion zones, decontamination stations, portable equipment and site cleanup. Areas that are visually observed to contain soil from the work will be cleaned as needed.

7. OPERATION AND MAINTENANCE

Because this is a removal action, no long- or short-term operation and maintenance requirements are required.

8. SCHEDULE

A proposed schedule for the work is shown in Figure 6.

9. INTERIM MEASURE CONSTRUCTION QUALITY ASSURANCE

Construction quality assurance requirements will be implemented and verified per the checklist provided in Table 11.

10. REPORTING REQUIREMENTS

Daily reports will be prepared in the field by the on-site construction engineer during each day work is performed. The reports will be prepared throughout the day and be completed for each

day before the construction engineer leaves the site. The reports will be prepared on preprinted forms in ink. The reports will be maintained in a dry secure location. The daily reports will include the following information:

- Construction engineers name
- Date
- Weather (temperature, precipitation, other observations)
- Equipment on-site
- Personnel (contractors, visitors, agency)
- Work start and end time
- Work performed
- Testing/inspections performed
- Problems/issues
- Critical conversations/directions received or given
- Materials brought on-site
- Wastes/debris disposed off-site
- Other pertinent information (sketches, test data, unknown conditions, etc.)


Monthly status reports will be prepared by Boeing for submittal to EPA. Progress updates will be provided to the EPA as requested.

11. REFERENCES

WESTON (Roy F. Weston, Inc.). 1998. Comprehensive RCRA Facility Investigation, Boeing—Plant 2, Seattle/Tukwila, Washington. Prepared for The Boeing Company, Energy and Environmental Affairs, Seattle, WA. Roy F. Weston, Inc., Seattle, WA. August.

WESTON. 1994. Closure Certification Report, TSD Areas 1, 2, and 3, Seattle/Tukwila, Washington. Prepared for The Boeing Company, Seattle, WA.


FIGURES






FIGURE










SWMUs 2-87.65 and 78.B Excavation Plan

FIGURE





SWMU 77 Excavation Plan

FIGURE






Figure 5

				The same of the					1999								
ID	Task Name	Durati	Start	Finish	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	SWMU 78.B, 87.65, 77 & OA 16 Interim Mea:	173d	Thu 10/1/98	Mon 5/31/99		-											
2	SWMU 78.B, 87.65, 77 & OA 16 I.M. Wol	22d	Thu 10/1/98	Fri 10/30/98			h										
3	Mtg w/EPA & DOE re: Proj. Scope, I.M.	1d	Wed 10/21/98	Wed 10/21/98													
4	Submit I.M. Work Plan to EPA	1d	Mon 11/2/98	Mon 11/2/98			*										
5	EPA Review & Comment	10d	Tue 11/3/98	Mon 11/16/98													
6	I.M. Work Plan Revision	15d	Tue 11/17/98	Mon 12/7/98				™ 7	100					- 1			
7	Submit Final I.M. Work Plan to EPA	1d	Tue 12/8/98	Tue 12/8/98				*									
8	EPA Approval	10d	Wed 12/9/98	Tue 12/22/98													
9	Conduct Interin Measures	114d	Wed 12/23/98	Mon 5/31/99				*									
10	1. SWMU 78.B, -87.65, -77 & OA16	93d	Wed 12/23/98	Fri 4/30/99									h				
11	Develop I.M. Completion Report	20d	Mon 5/3/99	Fri 5/28/99										1			
12	Submit Completion Report to EPA	1d	Mon 5/31/99	Mon 5/31/99		T got											

Project:	Task Progress		Summary Rolled Up Task		Rolled Up Progress	
Date: Fri 10/30/98	Milestone	•	Rolled Up Milestone	>		
Annual desirability and a state of the contract of the state of the st	CANADA AND AND AND AND AND AND AND AND AN					

Interim Measures Schedule

FIGURE



TABLES

Table 1— SWMU 2-87.65 and 78.B Constituent Concentrations

Sample Location	SB0	8707	SB0	8708		SB08711	
Constituent Depth (feet)	3	3 Dup.	3	3 Dup.	2	7	10
Inorganics (Total)(mg/kg)							
Arsenic	7U	-	5U	5U			-
Cadmium	0.20U	-	0.20U	0.20U	-	-	-
Chromium	15.50J	-	11J	11J	-	-	-
Copper	12.5		8.4	8.5	-		_
Lead	5J	_	7J	8J	-	-	
Thallium	5U	-	6	5U		-	-
PCBs (ug/kg)							
Total PCBs	2,000T	1,900T	36UT	_	37UT	47UT	43UT
Total Petroleum Hydrocarbons (mg/kg)	100						
Oil Range	50U	-	50U				-
Volatile Organic Compounds (ug/kg)							
cis-1,2-Dichloroethene	1.10U		1.2	1 - AM	-	-	-
Trichloroethene	23	- 7	47	-			
Vinyl Chloride	2.20U	-	2.10U	-	-		-

Notes:

-- = Not analyzed

U = The analyte was not detected at the given quantitation limit

UT = Totalized value of undetected analyte

Table 1— SWMU 2-87.65 and 78.B Constituent Concentrations

S	ample Location		SB08712			SB08713			SB08714	
Constituent	Depth (feet)	2	6.5	10	2	6	10	2	7	10
Inorganics (Total)(mg/kg)										
Arsenic										
Cadmium	=									
Chromium										
Copper										
Lead										
Thallium										
PCBs (ug/kg)										
Total PCBs		36UT	47UT	46UT	1,050T	47UT	200T	42UT	48UT	43UT
Total Petroleum Hydrocarbons (mg/k	g)									
Oil Range										
Volatile Organic Compounds (ug/kg)										
cis-1,2-Dichloroethene										
Trichloroethene										
Vinyl Chloride										

Table 1— SWMU 2-87.65 and 78.B Constituent Concentrations

Sample Loc	ation		SB0	3715			SB1	09B	
Constituent Depth	(feet)	2	7	9.5	2 Dup.	9	14	45	55
Inorganics (Total)(mg/kg)	FILE PR	12-7-13-7							
Arsenic	100				-	4	1.3	1.7	_
Cadmium	9.6	7	-	-	_	0.30U	0.30U	0.30U	
Chromium			-		-	19.5	12	13.7	-
Copper		_			-	24.1	10.9	14.2	
Lead	1	-	_	4	-	8	3U	3U	-
Thallium	edi.	-	-	-	-	0.10U	0.10U	0.10U	
PCBs (ug/kg)		The state of							
Total PCBs	3	39UT	50UT	44UT	36UT	15UT	15UT		
Total Petroleum Hydrocarbons (mg/kg)		100							
Oil Range	THE PARTY	-	-	-	- C	-			
Volatile Organic Compounds (ug/kg)								- 1 3 4-4	
cis-1,2-Dichloroethene		-	-	-	-	780	170	1.30U	-
Trichloroethene		-	-	-	-	480	260	1.30U	1U
Vinyl Chloride	4 18	-		-	496	32	8.10U	2.70U	2U

Table 1— SWMU 2-87.65 and 78.B Constituent Concentrations

Sample Location			SB1	09C		
Constituent Depth (feet)	6	9	14	45	56	71.5
Inorganics (Total)(mg/kg)						
Arsenic	3.2	2	1.2	1.7		1.8
Cadmium	0.30U	0.30U	0.30U	0.30U		0.30U
Chromium	11.8	15.2	12.1	13.1		12
Copper	12.2	15.5	9.5	16.5		15.9
Lead	6	3U	3U	3U		3U
Thallium	0.10U	0.10U	0.10U	0.10U		0.10U
PCBs (ug/kg)						
Total PCBs	15UT	15UT	174T			
Total Petroleum Hydrocarbons (mg/kg)						
Oil Range						
Volatile Organic Compounds (ug/kg)						
cis-1,2-Dichloroethene	1.20U	2.4	6.7	1.40U		1.40U
Trichloroethene	58	18	24	1.40U	2.1	1.40U
Vinyl Chloride	2.40U	2.70U	2.50U	2.80U	0.20U	2.90U

Table 2—SWMU 77 Constituent Concentrations

	Sample Location		SB08705			SB08706			SB1	1001	E-139
Constituent	Depth (feet)	2.5	5	7.5	7.5	10	12.5	1.5	6	9.5	9.5 Dup
Inorganics (Total)(mg/kg)	" 不是是是是是		39675				NA AL			Jest 15	
Arsenic		5U	6U	7U	6U	6U	7U		-		
Cadmium		0.20U	0.20U	0.30U	0.20U	0.30U	0.30U	-	10a		
Chromium		12.1	115	18.8	14.9	14.3	15.8				
Copper		8.3	19.5	21.6	14.9	11.5	15.8		-		
Lead		2	7	5	5	4	6		-		§ 4
PCBs (ug/kg)			Part Same					State of the	- 3/2 (198)	1 20	
Total PCBs	No. of the control of	73UT	96UT	88UT	84UT	87UT	87UT	70UT	90UT	90UT	7 2-7
Total Petroleum Hydrocarbo	ons (mg/kg)										
Oil Range		-	-	7-	-	- m	4	50 U	50 U	50 U	50 U

Notes:

-- = Not analyzed

U = The analyte was not detected at the given quantitation limit

UT = Totalized value of undetected analyte

Table 3—OA 16 Constituent Concentrations (mg/kg)

Sample Loca	ion NS-01-104	NS-02-104	SB-10401	SB-10402		SB-10403			SB-10404			SB-10405	
Constituent Depth (fe	et) Surface	Surface	8	10	1.5	6	10.5	1.5	6.5	10.5	1.5	6.5	10.5
Cadmium	198	240	0.4	0.3	0.2U	0.3U	0.3U	0.2U	0.3U	0.3U	0.2U	0.3U	0.3U
Chrome	14.2	75.9	28.2	11.8	10.9	12.7	13.3	19.5	12.9	10.6	12.1	20.5	19.2
Copper	3430	4350	42.5	10.2	8.6	11.2	10.4	7.5	10.4	9.2	9.0	26.3	25.4
Lead	11.0	4.0	19.0	5.0	4.0	4.0	4.0	3.0	5.0	3.0	3.0	14.0	6.0
Mercury	0.04U	0.05U	0.11	0.05U	0.05U	0.05U	0.05U	0.05U	0.06U	0.07U	0.05U	0.09	0.0U
bis(2-Ethylhexyl)phthalate	0.65	0.062U	0.090U	0.079U	-	-	- C		-	-	-		

Notes:

U = The analyte was not detected at the given quantitation limit

^{-- =} Not analyzed

Table 4—Soil Cleanup Goals

Analyte	Cleanup Criteria (mg/kg)
bis(2-Ethylhexyl)phthalate	0.35
Cadmium	2.0
Chrome	48.1 ^a
Copper	266
Mercury	0.07 ^a
PCB	Non detect
TPH	200

^a Based on background.

Table 5—SWMU Excavation Dimensions

SWMU/AOC	Length (feet)	Width (feet)	Depth (feet)	Volume (cubic yards)
SWMU 2-87.65	30	25	5-10	80
SWMU 77	17	13	5	40
SWMU 78.B	10	8	5	15
OA 16	10	10	10	40

Table 6—SWMUs 2-87.65 and 78.B Confirmatory Sample Analytics

Analyte	Cleanup Goal (mg/kg)			
TPH	200			
PCB	Non detect			

Table 7— SWMU 77 Confirmatory Sample Analytics

Analyte	Cleanup Goal (mg/kg)
PCB	Non detect

Table 8—OA 16 Confirmatory Sample Analytics

Analyte	Cleanup Goal (mg/kg)		
Cadmium	2		
Chromium	48.1		
Copper	266		
Mercury	0.07		
bis(2-Ethylhexyl)phthalate	0.35		

Table 9—Confirmatory Sample Details

SWMU	Excavated Area (square feet)	Number of Bottom Samples	Number of Sidewall Samples	Comments
SWMU 2-87.65	375	2	3	Two bottom samples spaced equidistant down the center. One sample from each sidewall
SWMU 77	220	2	4	Two bottom samples spaced equidistant down the center. One sample from each sidewall
SWMU 78.B	80	1	4	One bottom sample in the center. One sample from each sidewall
OA 16	100	1	4	One bottom sample in the center. One sample from each sidewall

Table 10—Stockpile Sampling Requirements

Stockpile Size (cubic yards)	Number of Samples
0 to 100	3
101 to 500	5

Table 11—QA Checklist

SWMU	
------	--

		Criteria	Inspection Method	Inspected by	Approved (initial)
1.	Mark Soil Excavation Area	+- 1 foot	Tape measure	Construction Engineer	
2.	Soil Manifesting	NA	visual	Boeing	
3.	Spill Prevention	Place plastic inside stockpile cell	Visual	Construction Engineer	
		Cover stockpile cell	Visual	Construction Engineer	
		No free liquid in soil	Visual	Construction Engineer	
	Verify no soil is spilled in route to stockpile cell	Visual	Construction Engineer	16.	
4.	Sampling	Confirmatory bottom samples and sidewall samples spaced over bottom and sides of excavation as specified in Work Plan	Visual	Construction Engineer	
5.	Decontamination	Decontaminate hoe bucket	Observation	Construction Engineer	
6.	Backfill	As specified by Boeing	Visual- verify before shipment to site	Boeing Engineer	
7.	Excavation area and depth	As delineated based on Work Plan Figures	Measure (using tape measure or equivalent). Measure area and depth in 4 corners and 2 locations in midsection	Construction Engineer	

APPENDIX A ANALYTICAL DATA

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

	Station ID:	PL2-109B	PL2-109B	PL2-109B	PL2-109C	PL2-109C	PL2-109C
	Sample ID:	L09-MW109B-14	L09-MW109B-45	L09-MW109B-9	L09-MW109C-14	L09-MW109C-45	L09-MW109C-6
Constituent	Depth (feet bgs):	14	45	9	14	45	6
Semi-Volatile Organic	Compounds (ug/kg)						
2,4-Dimethylphenol		52.00 U		56.00 U	49.00 U		51.00 U
Acenaphthylene		26.00 U		28.00 U	25.00 U		26.00 U
Anthracene		26.00 U		28.00 U	25.00 U		26.00 U
Benzo(a)anthracene		26.00 U		28.00 U	25.00 U		26.00 U
Benzo(a)pyrene	ew 1	26.00 U		28.00 U	25.00 U		26.00 U
Benzo(b)fluoranthene		26.00 U		28.00 U	25.00 U		26.00 U
Benzo(k)fluoranthene		26.00 U		28.00 U	25.00 U	70	26.00 U
ois(2-Ethylhexyl)phthala	te	26.00 U		28.00 U	41.00		26.00 U
Chrysene		26.00 U		28.00 U	25.00 U		26.00 U
Di-n-butylphthalate		26.00 U		28.00 U	25.00 U	4	26.00 U
Dibenz(a,h)anthracene		26.00 U		28.00 U	25.00 U		26.00 U
luoranthene		26.00 U		14.00 J	27.00		26.00 U
luorene		26.00 U		28.00 U	25.00 U		26.00 U
ndeno(1,2,3-cd)pyrene		26.00 U		28.00 U	25.00 U		26.00 U
Naphthalene		26.00 U		28.00 U	25.00 U	the state of the s	26.00 U
yrene		26.00 U	Salah Tanah	14.00 J	26.00		26.00 U
norganics (Total) (mg/	/kg)	The second second	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	- 7424/177			
Aluminum					2.2		
Antimony							
Arsenic		1.30	1.70	4.00	1.20	1.70	3.20
Beryllium					ka . C		
Cadmium		0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U
Chromium	uj.	12.00	13.70	19.50	12.10	13.10	11.80
Chromium VI	=======================================		-0"	-4	Jan Baran Ba		
Copper		10.90	14.20	24.10	9.50	16.50	12.20

result was rejected during validation.

Shaded Cell Standard: BP2S1098

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

Station ID:	PL2-109B L09-MW109B-14	PL2-109B L09-MW109B-45	PL2-109B L09-MW109B-9	PL2-109C L09-MW109C-14	PL2-109C L09-MW109C-45	PL2-109C L09-MW109C-6
Sample ID:						
Constituent Depth (feet bgs):	14	45	9	14	45	6
Cyanide					le s	
Lead	3.00 U	3.00 U	8.00	3.00 U	3.00 U	6.00
Manganese						
Mercury	0.10 U	0.10 U	0.10 U	0.05 U	0.05 U	0.10 U
Nickel						
Selenium	0.10 U	0.10 U	0.10 U	0.20	0.20	0.30
Silver						-
Thallium	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U
Vanadium						
Zinc	21.70	19.80	40.10	20.80	22.50	20.40
Pesticides/PCBs (ug/kg)						
Aroclor 1016/1242	15.00 U		15.00 U	300.00 U	× 7 % s	15.00 U
Aroclor 1242						
Aroclor 1248	15.00 U		15.00 U	300.00 U		15.00 U
Aroclor 1254	15.00 U		15.00 U	140.00		15.00 U
Aroclor 1260	15.00 U		15.00 U	34.00		15.00 U
Total PCB	15.00 UT		15.00 UT	174.00 T		15.00 UT
Total Petroleum Hydrocarbons (mg/kg)		4 R T				
TPH by 418.1						
TPH by Washington HCID 8015	10.00 U		10.00 U	290.00		10.00 U
Volatile Organic Compounds (ug/kg)		L 24 %				na ^{al}
1,1,1-Trichloroethane	20.00	1.30 U	13.00	1.80	1.40 U	2.30
1,1,2-Trichloroethane	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
1,1-Dichloroethene	4.00 U	1.30 U	8.10	1.30 U	1.40 U	1.20 U
Benzene	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Ethylbenzene	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
A blank cell indicates analysis was not performed or the	Boxed Cell Standard: BP2S1098					

A blank cell indicates analysis was not performed or the result was rejected during validation.

Boxed Cell Standard: BP2S1098 Shaded Cell Standard: BP2S1098

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

Station ID: Sample ID: Constituent Depth (feet bgs):					PL2-109B L09-MW109B-14	PL2-109B L09-MW109B-45	PL2-109B L09-MW109B-9	PL2-109C L09-MW109C-14	PL2-109C L09-MW109C-45	PL2-109C L09-MW109C-6
	14	45	9	14	45	6				
Methylene Chloride		8.10 U	2.70 U	2.50 U	1.30 U	3.50 B	1.20 U			
Tetrachloroethene		6.30	1.30 U	3.70	1.60	1.40 U	6.50			
Toluene		4.00 U	1.30 U	5.10	1.30 U	1.40 U	2.10			
Total Xylene		8.10 U	2.70 U	2.50 U	2.50 U	2.80 U	1.20 J			
Trichloroethene		260.00	1.30 U	480.00	24.00	1.40 U	58.00			
Vinyl Chloride	42 TO 18 W	8.10 U	2.70 U	32.00	2.50 U	2.80 U	2.40 U			

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

	Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
	Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent Dep	th (feet bgs):	71.5	9	3 to N/A	3 to N/A	3 to N/A	3 to N/A
Semi-Volatile Organic Compo	unds (ug/kg)	AV					
2,4-Dimethylphenol	-		53.00 U	230.00 U	230.00 U	220.00 U	
Acenaphthylene	- 1		27.00 U	75.00 U	76.00 U	72.00 U	
Anthracene			27.00 U	75.00 U	76.00 U	72.00 U	
Benzo(a)anthracene		——————————————————————————————————————	27.00 U	75.00 U	76.00 U	72.00 U	· .
Benzo(a)pyrene	7		27.00 U	75.00 U	76.00 U	72.00 U	
Benzo(b)fluoranthene			27.00 U	75.00 U	76.00 U	72.00 U	
Benzo(k)fluoranthene			27.00 U	75.00 U	76.00 U	72.00 U	
ois(2-Ethylhexyl)phthalate			27.00 U	75.00 U	76.00 U	72.00 U	
Chrysene	Page 1		27.00 U	75.00 U	76.00 U	72.00 U	
Di-n-butylphthalate		\.	27.00 U	75.00 U	76.00 U	72.00 U	
Dibenz(a,h)anthracene			27.00 U	75.00 U	76.00 U	72.00 U	
Fluoranthene	1		27.00 U	75.00 U	76.00 U	72.00 U	
Fluorene	4 1		27.00 U	75.00 U	76.00 U	72.00 U	
Indeno(1,2,3-cd)pyrene	E-mar 1		27.00 U	75.00 U	76.00 U	72.00 U	
Naphthalene			27.00 U	75.00 U	76.00 U	72.00 U	
Pyrene			27.00 U	75.00 U	76.00 U	72.00 U	No. of
norganics (Total) (mg/kg)	A A						
Aluminum				12900.00	24	9410.00	9760.00
Antimony							
Arsenic	40	1.80	2.00	5.00 U		5.00 U	5.00 U
Beryllium	10. 10. 10.	4		0.10 U		0.10	0.10
Cadmium	led	0.30 U	0.30 U	0.20 U		0.20 U	0.20 U
Chromium		12.00	15.20	15.50 J		11.00 J	11.00 J
Chromium VI	E 391		2-	0.23 UJH		0.22 UJH	4.5
Copper	f	15.90	15.50	12.50		8.40	8.50

A blank cell indicates analysis was not performed or the result was rejected during validation.

Boxed Cell Standard: BP2S1098 Shaded Cell Standard: BP2S1098

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

	Station ID: Sample ID:	PL2-109C	PL2-109C L09-MW109C-9 9	SB-08707 SB-08707-0030 3 to N/A	SB-08707 SB-08707-1030 3 to N/A	SB-08708 SB-08708-0030 3 to N/A	SB-08708 SB-08708-1030 3 to N/A
		L09-MW109C-71					
Constituent	Depth (feet bgs):	71.5					
Cyanide	27 00 77 -						
Lead	Egger of	3.00 U	3.00 U	5.00 J		7.00 J	8.00 J
Manganese				117.00		101.00	110.00
Mercury	1	0.10 U	0.05 U	0.06 UJ		0.05 UJ	0.04 UJ
Nickel				10.00 J+		9.00 J+	9.00 J+
Selenium	- 4	0.40	0.30	5.00 U		5.00 U	5.00 U
Silver				0.30 U		0.30 U	0.30 U
Thallium	1000	0.10 U	0.10 U	5.00 U		6.00	5.00 U
Vanadium				48.70		35.60	35.40
Zinc		21.50	27.30	26.70		21.80	22.60
Pesticides/PCBs (ug/kg)	La de ta			The state of the state of			
Aroclor 1016/1242			15.00 U				
Aroclor 1242	4 1			110.00 UI	61.00 UI	36.00 U	
Aroclor 1248			15.00 U	600.00	700.00	36.00 U	
Aroclor 1254			15.00 U	1400.00	1200.00	36.00 U	Share was a
Aroclor 1260			15.00 U	220.00 UI	140.00 UI	36.00 U	
Total PCB			15.00 UT	2000.00 T	1900.00 T	36.00 UT	
Total Petroleum Hydroca	rbons (mg/kg)						
TPH by 418.1							
TPH by Washington HCID	8015		10.00 U				
Volatile Organic Compou	nds (ug/kg)		Break Market St.				
1,1,1-Trichloroethane		1.40 U	1.30 U	1.10 U		1.80	
1,1,2-Trichloroethane		1.40 U	1.30 U	1.10 U		1.10 U	
1,1-Dichloroethene		1.40 U	1.30 U	1.10 U		1.10 U	
Benzene		1.40 U	1.30 U	1.10 U	THE STORY OF ME	1.10 U	e pt ?
Ethylbenzene		1.40 U	1.30 U	1.10 U		1.10 U	
A blank cell indicates analysis was n result was rejected during validation.		Boxed Cell Standard: BP2S1098					

Shaded Cell Standard: BP2S1098

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

	Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
	Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent	Depth (feet bgs):	71.5	9	3 to N/A	3 to N/A	3 to N/A	3 to N/A
Methylene Chloride		3.20 B	1.30 U	2.20 U		2.10 U	75
Tetrachloroethene		1.40 U	1.30 U	4.20		7.20	
Toluene	4.1	1.40 U	1.30 U	1.10 U		2.00	
Total Xylene	The Paris	2.90 U	2.70 U				
Trichloroethene	Ang over the second	1.40 U	18.00	23.00		47.00	
Vinyl Chloride		2.90 U	2.70 U	2.20 U		2.10 U	

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

Constituent	Station ID:	SB-08711 SB-08711-0020	SB-08711 SB-08711-0070 7 to N/A	SB-08711 SB-08711-0100 10 to N/A	SB-08712 SB-08712-0020 2 to N/A	SB-08712 SB-08712-0065 6.5 to N/A	SB-08712 SB-08712-0085 8.5 to N/A
	Sample ID:						
	Depth (feet bgs):	2 to N/A					
semi-Volatile Organi	ic Compounds (ug/kg)						
2,4-Dimethylphenol	all the set of						Net, a
Acenaphthylene	72						
Anthracene	100			* 1 - 52 - 2			
Benzo(a)anthracene							
Benzo(a)pyrene							
Benzo(b)fluoranthene)	A MAN AND AND AND AND AND AND AND AND AND A	A CONTRACTOR OF THE				- N 311
Benzo(k)fluoranthene)						
ois(2-Ethylhexyl)phtha	alate						
Chrysene			A THE PARTY OF THE		3,23	4 = 100,000	1,000
Di-n-butylphthalate							
Dibenz(a,h)anthracen	ne						
Fluoranthene		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	of the transfer of the second				
Fluorene							
ndeno(1,2,3-cd)pyrer	ne						
Naphthalene		4					
Pyrene	7 (1)						
norganics (Total) (n	mg/kg)					1 1/20	
Aluminum	*						
Antimony							
Arsenic	2.0	All All					
Beryllium		a to the second					
Cadmium							
Chromium		7.04 A		10 to			
Chromium VI	- 12	The Park Care	- 1, 12 11 12 32 4				
Copper							

A blank cell indicates analysis was not performed or the result was rejected during validation.

Boxed Cell Standard: BP2S1098 Shaded Cell Standard: BP2S1098

10/22/98

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

	Station ID:	SB-08711	SB-08711	SB-08711	SB-08712	SB-08712	SB-08712
	Sample ID:	SB-08711-0020	SB-08711-0070	SB-08711-0100	SB-08712-0020	SB-08712-0065	SB-08712-0085
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
Cyanide							
Lead							
Manganese							
Mercury							
Nickel		E v	Tes.				
Selenium	1 146						
Silver	9						
Thallium	- Y - Y						
Vanadium	40						
Zinc							
Pesticides/PCBs (u	ug/kg)						
Aroclor 1016/1242	0.00						
Aroclor 1242		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1248		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1254		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1260		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Total PCB		37.00 UT	47.00 UT	43.00 UT	36.00 UT	47.00 UT	46.00 UT
Total Petroleum Hy	ydrocarbons (mg/kg)						
TPH by 418.1							
TPH by Washington	HCID 8015						
Volatile Organic Co	ompounds (ug/kg)	30					
1,1,1-Trichloroethan	ne	7.14.1					
1,1,2-Trichloroethan	ne						
1,1-Dichloroethene							
Benzene		×					
Ethylbenzene							
A blank cell indicates analy result was rejected during	validation.	Boxed Cell Standard: BP2S1098					

10/22/98

Page 8 of 18

- 14-	Station ID: Sample ID:	SB-08711 SB-08711-0020	SB-08711 SB-08711-0070	SB-08711 SB-08711-0100	SB-08712 SB-08712-0020	SB-08712 SB-08712-0065	SB-08712 SB-08712-0085
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
Methylene Chloride							
Tetrachloroethene			Santa Carago				
Toluene							
Total Xylene							
Trichloroethene		and the same of the same					
Vinyl Chloride	taging and						

	Station ID:	SB-08713	SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
	Sample ID:	SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent	Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Semi-Volatile Organic Co	ompounds (ug/kg)	The state of					
2,4-Dimethylphenol			2				-
Acenaphthylene	-						
Anthracene							
Benzo(a)anthracene						1	
Benzo(a)pyrene							
Benzo(b)fluoranthene							
Benzo(k)fluoranthene					4		
ois(2-Ethylhexyl)phthalate							
Chrysene							
Di-n-butylphthalate							<
Dibenz(a,h)anthracene							
Fluoranthene							
Fluorene	8"						=1
ndeno(1,2,3-cd)pyrene	1.85						
Naphthalene							
Pyrene							
norganics (Total) (mg/kg	1)						
Aluminum	me where the					9	
Antimony	n						
Arsenic	3						
Beryllium		4 =					
Cadmium							
Chromium							
Chromium VI	A read to the						-
Copper	6 .						
A blank cell indicates analysis was r		Boxed Cell Standard: BP2S1098					

A blank cell indicates analysis was not performed or the result was rejected during validation.

Station I		SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
Sample I	D: SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent Depth (feet bg	s): 2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Cyanide				中国中央大学区域 3.44		
Lead						
Manganese						
Mercury					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Nickel						
Selenium						
Silver						
Thallium					N. T.	
Vanadium						
Zinc		and the second				
Pesticides/PCBs (ug/kg)						
Aroclor 1016/1242		W. T.				
Aroclor 1242	38.00 U	47.00 U	43.00 U	42.00 U	48.00 U	43.00 U
Aroclor 1248	38.00 U	47.00 U	43.00 U	42.00 U	48.00 U	43.00 U
Aroclor 1254	800.00	47.00 U	200.00	42.00 U	48.00 U	43.00 U
Aroclor 1260	250.00	47.00 U	43.00 U	42.00 U	48.00 U	43.00 U
Total PCB	1050.00 T	47.00 UT	200.00 T	42.00 UT	48.00 UT	43.00 UT
Total Petroleum Hydrocarbons (mg/kg)						1 1 1 1
TPH by 418.1				13.00 U	140.00	13.00 U
TPH by Washington HCID 8015						
Volatile Organic Compounds (ug/kg)						
1,1,1-Trichloroethane						
1,1,2-Trichloroethane						
1,1-Dichloroethene				100	4-1 -5	10
Benzene		A A A A A A A A A A A A A A A A A A A	Fig. 18 12 19 11			
Ethylbenzene						
A blank cell indicates analysis was not performed or the result was rejected during validation.	Boxed Cell Standard: BP2S1098 Shaded Cell Standard: BP2S1098					

	Station ID:	SB-08713	SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
	Sample ID:	SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent	Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Methylene Chloride							
Tetrachloroethene							9
Toluene							
Total Xylene							
Trichloroethene	1500						
Vinyl Chloride	9. 35.						

	Station ID:	SB-08715	SB-08715	SB-08715	SB-08715	SB-10401	SB-10403
	Sample ID:	SB-08715-0020	SB-08715-0070	SB-08715-0095	SB-08715-1020	W15-SB-10401-0100	W20-SB-10403-0015
Constituent D	epth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Semi-Volatile Organic Com	pounds (ug/kg)				and the second second		
2,4-Dimethylphenol						160.00 U	
cenaphthylene	-1.					79.00 U	
Anthracene	· a-	1 2 2 2 2				79.00 U	
Benzo(a)anthracene		The second second	and a second			79.00 U	
Benzo(a)pyrene	1200					79.00 U	
Benzo(b)fluoranthene		* #				79.00 U	
Benzo(k)fluoranthene	111					79.00 U	
is(2-Ethylhexyl)phthalate						79.00 U	
Chrysene			2010年の大学			79.00 U	
Di-n-butylphthalate						79.00 U	
Dibenz(a,h)anthracene						79.00 U	
Fluoranthene						79.00 U	
Fluorene						79.00 U	
ndeno(1,2,3-cd)pyrene						79.00 U	
Naphthalene	4					79.00 U	
Pyrene						79.00 U	
norganics (Total) (mg/kg)					A STATE OF	a Secretar	\$ 15 m
luminum							9270.00
Antimony						6.00 U	5.00 UJ
rsenic		The Property shall be	a chine a chine			6.00 U	5.00 U
Beryllium						0.10 U	0.10
Dadmium	_					0.30	0.20 U
Chromium	1 1	2-14/2		the state of the state of		11.80	10.90
Chromium VI		E Car		arg' to the	A COLUMN TO SERVICE	1001	
Copper						10.20	8.60
blank cell indicates analysis was not	performed or the	Boxed Cell Standard: BP2S1098					
esult was rejected during validation.	1 [Shaded Cell Standard: BP2S1098					
	*			9	SRFQ01SD.DBF - GenFt01.f	frx 10/22/98	Page 13 of 18

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

Station ID:	SB-08715	SB-08715	SB-08715	SB-08715	SB-10401	SB-10403
Sample ID:	SB-08715-0020	SB-08715-0070	SB-08715-0095	SB-08715-1020	W15-SB-10401-0100	W20-SB-10403-001
Constituent Depth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Cyanide					0.25 U	
Lead					5.00	4.00
Manganese						96.50
Mercury					0.05 U	0.05 U
Nickel					9.00	7.00
Selenium					6.00 U	5.00 U
Silver					0.40 U	0.30 U
Thallium					0.10 U	5.00 U
Vanadium						36.30
Zinc					23.80	26.80
Pesticides/PCBs (ug/kg)						11
Aroclor 1016/1242					78.00 U	
Aroclor 1242	39.00 U	50.00 U	44.00 U	36.00 U		
Aroclor 1248	39.00 U	50.00 U	44.00 U	36.00 U	78.00 U	
Aroclor 1254	39.00 U	50.00 U	44.00 U	36.00 U	78.00 U	
Aroclor 1260	39.00 U	50.00 U	44.00 U	36.00 U	78.00 U	
Total PCB	39.00 UT	50.00 UT	44.00 UT	36.00 UT	78.00 UT	
Total Petroleum Hydrocarbons (mg/kg)						
TPH by 418.1	12.00 U	51.00	13.00 U	11.00 U	9	
TPH by Washington HCID 8015						
Volatile Organic Compounds (ug/kg)						
1,1,1-Trichloroethane					150.00 U	
1,1,2-Trichloroethane					150.00 U	
1,1-Dichloroethene					150.00 U	
Benzene					150.00 U	
Ethylbenzene					150.00 U	
A blank cell indicates analysis was not performed or the result was rejected during validation.	Boxed Cell Standard: BP2S1098					

Shaded Cell Standard: BP2S1098

SRFQ01SD.DBF - GenFt01.frx

10/22/98

Page 14 of 18

	Station ID: Sample ID:	SB-08715 SB-08715-0020	SB-08715 SB-08715-0070	SB-08715 SB-08715-0095	SB-08715 SB-08715-1020	SB-10401 W15-SB-10401-0100	SB-10403 W20-SB-10403-0015
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Methylene Chloride						310.00 U	
Tetrachloroethene						150.00 U	
Toluene	1.0					150.00 U	
Total Xylene						310.00 U	
Trichloroethene						220.00	
Vinyl Chloride						310.00 U	

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

Shaded Cell Standard: BP2S1098

	Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
	Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent	Depth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
Semi-Volatile Organic C	ompounds (ug/kg)						
2,4-Dimethylphenol							
Acenaphthylene							
Anthracene							
Benzo(a)anthracene							
Benzo(a)pyrene							
Benzo(b)fluoranthene							
Benzo(k)fluoranthene							
ois(2-Ethylhexyl)phthalate	•						
Chrysene							
Di-n-butylphthalate							
Dibenz(a,h)anthracene	,						
Fluoranthene							
Fluorene				3. 5. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.			
ndeno(1,2,3-cd)pyrene							
Naphthalene						*	*
Pyrene							
norganics (Total) (mg/k	g)						
Aluminum		11400.00	10300.00	9420.00	11600.00	9710.00	* .
Antimony		7.00 UJ	6.00 UJ	5.00 UJ	7.00 UJ	7.00 UJ	
Arsenic		7.00 U	6.00 U	5.00 U	7.00 U	7.00 U	
Beryllium		0.10	0.10 U	0.10	0.20	0.10 U	
Cadmium		0.30 U	0.30 U	0.20 U	0.30 U	0.30 U	
Chromium		12.70	13.30	19.50	12.90	10.60	
Chromium VI							
Copper		11.20	10.40	7.50	10.40	9.20	

SRFQ01SD.DBF - GenFt01.frx

10/22/98

Page 16 of 18

Boeing Plant 2 - Soil Sampling Results for SWMU 2-87.65 (redefined 10/22/98)

	Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
	Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent	Depth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
Cyanide							
Lead	A S A LALE OF	4.00	4.00	3.00	5.00	3.00	
Manganese	29/11	92.80	122.00	86.90	96.60	121.00	
Mercury	D. #	0.05 U	0.05 U	0.05 U	0.06 U	0.07 U	
Nickel		9.00	9.00	7.00	9.00	8.00	
Selenium		7.00 U	6.00 U	5.00 U	7.00 U	7.00 U	
Silver		0.40 U	0.40 U	0.30 U	0.40 U	0.40 U	
Thallium		7.00 U	6.00 U	5.00 U	7.00 U	7.00 U	
Vanadium		41.30	46.40	35.80	41.00	39.40	
Zinc		22.80	24.70	20.40	24.00	22.60	
Pesticides/PCBs (u	g/kg)						
Aroclor 1016/1242		N. W. Caller	0				
Aroclor 1242							
Aroclor 1248	14						
Aroclor 1254	7						
Aroclor 1260							
Total PCB							
Total Petroleum Hy	drocarbons (mg/kg)			The second second			
TPH by 418.1							
TPH by Washington	HCID 8015						
Volatile Organic Co	mpounds (ug/kg)			The second second		THE RESERVE	
1,1,1-Trichloroethane	9	C		August By Holy			
1,1,2-Trichloroethane	e						
1,1-Dichloroethene	W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						7 7
Benzene	1 to 100		The Park of the Pa		The Section of the Se	The second of	
Ethylbenzene	6 C 1						
A blank cell indicates analyst result was rejected during vi	sis was not performed or the alidation.	Boxed Cell Standard: BP2S1098 Shaded Cell Standard: BP2S1098					

	Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
	Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent	Depth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
Methylene Chloride							
Tetrachloroethene	*						
Toluene	**						
Total Xylene							
Trichloroethene	×						
Vinyl Chloride							

Boeing Plant 2 - Soil Sampling Results for SWMU 77 (Redefined 10/22/98)

	Station ID:	SB-08704	SB-08704	SB-08704	SB-08705	SB-08705	SB-08705
	Sample ID:	W20-SB-08704-0025	W20-SB-08704-0050	W20-SB-08704-0075 7.5 to N/A	W20-SB-08705-0025	W20-SB-08705-0050	W20-SB-08705-0075
Constituent	Depth (feet bgs):	2.5 to N/A	5 to N/A		2.5 to N/A	5 to N/A	7.5 to N/A
Inorganics (Total)	(mg/kg)						A STATE OF THE STA
Aluminum	The second second	8640.00	17500.00	9490.00	8990.00	14200.00	19000.00
Antimony		5.00 UJ	6.00 UJ	6.00 UJ	5.00 UJ	6.00 UJ	7.00 UJ
Arsenic	- 5 B	5.00 U	6.00 U	6.00 U	5.00 U	6.00 U	7.00 U
Beryllium		0.10 U	0.20	0.10	0.10	0.30	0.30
Cadmium		0.20 U	0.30 U	0.20 U	0.20 U	0.20 U	0.30 U
Chromium	1.2.	9.50	34.10	252.00	12.10	115.00	18.80
Chromium VI		0.21 UJH	0.27 UJH	0.23 UJH	0.22 UJH	0.28 UJH	0.28 UJH
Copper		6.90	16.30	9.30	8.30	19.50	21.60
Lead		3.00	3.00	2.00 U	2.00	7.00	5.00
Manganese		85.40	266.00	97.80	94.40	143.00	238.00
Mercury		0.05 U	0.06 U	0.05 U	0.05 U	0.06	0.05
Nickel		7.00	13.00	8.00	8.00	15.00	15.00
Selenium		5.00 U	6.00 U	6.00 U	5.00 U	6.00 U	7.00 U
Silver		0.30 U	0.40 U	0.30 U	0.30 U	0.40 U	0.40 U
Thallium		5.00 U	6.00 U	6.00 U	5.00 U	6.00 U	7.00 U
Vanadium		33.90	47.10	36.50	36.40	47.40	53.40
Zinc		19.50	26.00	25.70	20.50	34.00	33.30
Pesticides/PCBs (u	ug/kg)		72			Cost No conservative	
Aroclor 1016/1242	7	71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Aroclor 1242							
Aroclor 1248	and the same	71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Aroclor 1254		71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Aroclor 1260	14 1	71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Total PCB		71.00 UT	86.00 UT	77.00 UT	73.00 UT	96.00 UT	88.00 UT

A blank cell indicates analysis was not performed or the result was rejected during validation.

Boeing Plant 2 - Soil Sampling Results for SWMU 77 (Redefined 10/22/98)

	Station ID:	SB-08706	SB-08706	SB-08706	SB-08709	SB-08709	SB-08709
	Sample ID:	W20-SB-08706-0075	W20-SB-08706-0100	W20-SB-08706-0125	SB-08709-0060	SB-08709-0070	SB-08709-0105
Constituent	Depth (feet bgs):	7.5 to N/A	10 to N/A	12.5 to N/A	6 to N/A	7 to N/A	10.5 to N/A
Inorganics (Total)	(mg/kg)						
Aluminum		11900.00	11100.00	14000.00	ni ya ka dha ka mininta sa ka da da dha mara Tay wata kili kuman aba ca kina au ma dha ak		
Antimony		6.00 UJ	6.00 UJ	7.00 UJ			
Arsenic		6.00 U	6.00 U	7.00 U			
Beryllium		0.20	0.20	0.20			1
Cadmium		0.20 U	0.30 U	0.30 U			
Chromium		14.90	14.30	15.80			
Chromium VI		0.25 U	0.26 U	0.28 U		,	
Copper		14.90	11.50	15.80			
Lead		5.00	4.00	6.00			
Manganese		143.00	161.00	140.00			
Mercury		0.05 U	0.06 U	0.07 U			
Nickel		10.00	9.00	10.00			
Selenium		6.00 U	6.00 U	7.00 U			i
Silver		0.40 U	0.40 U	0.40 U			
Thallium	1	6.00 U	6.00 U	7.00 U			
Vanadium		46.40	46.40	50.80			
Zinc	- A	25.50	23.50	28.10			
Pesticides/PCBs (u	ug/kg)						
Aroclor 1016/1242	7	84.00 UJH	87.00 U	87.00 UJH			
Aroclor 1242	- E-				45.00 U	56.00 U	43.00 U
Aroclor 1248	3. jan 3.	84.00 UJH	87.00 U	87.00 UJH	45.00 U	56.00 U	43.00 U
Aroclor 1254	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	84.00 UJH	87.00 U	87.00 UJH	45.00 U	56.00 U	43.00 U
Aroclor 1260		84.00 UJH	87.00 U	87.00 UJH	45.00 U	56.00 U	43.00 U
Total PCB	a. Va. g	84.00 UT	87.00 UT	87.00 UT	45.00 UT	56.00 UT	43.00 UT

A blank cell indicates analysis was not performed or the result was rejected during validation.

Boeing Plant 2 - Soil Sampling Results for SWMU 77 (Redefined 10/22/98)

	Station ID:	SB-08712	SB-08712	SB-08712	SB-11001	SB-11001	SB-11001
	Sample ID:	SB-08712-0020	SB-08712-0065	SB-08712-0085	W20-SB-11001-0015	W20-SB-11001-0060	W20-SB-11001-0095
Constituent	Depth (feet bgs):	2 to N/A	6.5 to N/A	8.5 to N/A	1.5 to N/A	6 to N/A	9.5 to N/A
norganics (Total) (mg/l	kg)						
Aluminum	-						
Antimony	7.5						
Arsenic	and the same of the same of						
Beryllium							
Cadmium							
Chromium							
Chromium VI							
Copper							
ead							
Manganese					Parella de la companya della company		
Mercury							
Nickel	4						
Selenium	*	THE WEST STATES					
Silver							
Thallium							
/anadium		The Park					6-3
Zinc							
Pesticides/PCBs (ug/kg	1)						
Aroclor 1016/1242	T			The State of the S	70.00 U	90.00 U	90.00 U
Aroclor 1242		36.00 U	47.00 U	46.00 U			
Aroclor 1248		36.00 U	47.00 U	46.00 U	70.00 U	90.00 U	90.00 U
Aroclor 1254		36.00 U	47.00 U	46.00 U	70.00 U	90.00 U	90.00 U
Aroclor 1260		36.00 U	47.00 U	46.00 U	70.00 U	90.00 U	90.00 U
Total PCB		36.00 UT	47.00 UT	46.00 UT	70.00 UT	90.00 UT	90.00 UT

A blank cell indicates analysis was not performed or the result was rejected during validation.

	Station ID:	SB-11001	
	Sample ID:	W20-SB-11001-1095	
Constituent	Depth (feet bgs):	9.5 to N/A	
Inorganics (Total)	(mg/kg)		
Aluminum			
Antimony			
Arsenic			
Beryllium			
Cadmium	×		
Chromium			
Chromium VI			
Copper			
Lead			
Manganese			
Mercury			
Nickel			
Selenium			
Silver			
Thallium			
Vanadium			
Zinc	,		
Pesticides/PCBs (u	ıg/kg)	7	
Aroclor 1016/1242			
Aroclor 1242			
Aroclor 1248	⊕		
Aroclor 1254	V 17 (17)		
Aroclor 1260	1		
Total PCB		•	

A blank cell indicates analysis was not performed or the result was rejected during validation.

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	NS-01-104	NS-02-104	SB-10401	SB-10402	SB-10403	SB-10403
	Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10401-0100	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060
Constituent	Depth (feet bgs):					1.5 to N/A	6 to N/A
Volatile Organic Co	ompounds (ug/kg)	1744		Fire the string of the	The second		
1,1,1-Trichloroethane	е	120.00 U	1.10 U	150.00 U	6.70		
1,1,2,2-Tetrachloroet	thane	120.00 U	1.10 U	150.00 U	1.40 U		
1,1,2-Trichloroethane	е	120.00 U	1.10 U	150.00 U	3.70		
1,1,2-Trichlorotrifluor	roethane	250.00 U	2.20 U	310.00 U	2.80 U		388
1,1-Dichloroethane		120.00 U	1.10 U	150.00 U	210.00		
1,1-Dichloroethene		120.00 U	1.10 U	150.00 U	12.00		
1,2-Dichloroethane		120.00 U	1.10 U	150.00 U	8.10		
1,2-Dichloropropane		120.00 U	1.10 U	150.00 U	1.40 U		
2-Butanone		2300.00 UB	5.40 U	2000.00 UB	12.00 UB		
2-Chloroethylvinyleth	ner	620.00 U	5.40 U	770.00 U	7.00 U		
2-Hexanone		620.00 U	5.40 U	770.00 U	7.00 U		
4-Methyl-2-Pentanon	ne	620.00 U	5.40 U	770.00 U	7.00 U		
Acetone		620.00 U	7.90	770.00 U	54.00		
Benzene		120.00 U	1.10 U	150.00 U	1.40		
Bromodichlorometha	ane	120.00 U	1.10 U	150.00 U	1.40 U		
Bromoform		120.00 U	1.10 U	150.00 U	1.40 U		
Bromomethane	D. D.	250.00 U	2.20 U	310.00 U	2.80 U		
Carbon Disulfide	- 6	120.00 U	1.10 U	150.00 U	1.70		
Carbon Tetrachloride	9	120.00 U	1.10 U	150.00 U	1.40 U		
Chlorobenzene		120.00 U	1.10 U	150.00 U	1.40 U		
Chloroethane	#	250.00 U	2.20 U	310.00 U	2.80 U		
Chloroform	20	120.00 U	1.10 U	150.00 U	1.40 U		The state of the second
Chloromethane		250.00 U	2.20 U	310.00 U	2.80 U		
cis-1,2-Dichloroether	ne	120.00 U	1.10 U	150.00 U	530.00 D		
cis-1,3-Dichloroprope	ene	120.00 U	1.10 U	150.00 U	1.40 U		4 17 1 2 3444 1007

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	NS-01-104	NS-02-104	SB-10401	SB-10402	SB-10403	SB-10403
	Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10401-0100	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060
Constituent D	epth (feet bgs):					1.5 to N/A	6 to N/A
Dibromochloromethane		120.00 U	1.10 U	150.00 U	1.40 U		
Ethylbenzene		120.00 U	1.10 U	150.00 U	1.40 U		
Methylene Chloride		250.00 U	2.20 U	310.00 U	2.80 U		
Styrene	1	120.00 U	1.10 U	150.00 U	1.40 U		
Tetrachloroethene		120.00 U	1.10 U	150.00 U	170.00		
Toluene		120.00 U	1.10 U	150.00 U	10.00		
Total Xylene	1	250.00 U	2.20 U	310.00 U	2.80 U		
trans-1,2-Dichloroethene		120.00 U	1.10 U	150.00 U	37.00		
trans-1,3-Dichloropropene		120.00 U	1.10 U	150.00 U	1.40 U		
Trichloroethene		120.00 U	4.60	220.00	5900.00 D		
Trichlorofluoromethane		250.00 U	2.20 U	310.00 U	2.80 U		
Vinyl Acetate		620.00 U	5.40 U	770.00 U	7.00 U		
Vinyl Chloride	4	250.00 U	2.20 U	310.00 U	2.80 U		
Semi-Volatile Organic Com	pounds (ug/kg)			The state of the s	The state of the s		
1,2,4-Trichlorobenzene	T	69.00 U	62.00 U	79.00 U	90.00 U		
1,2-Dichlorobenzene	- 1	69.00 U	62.00 U	79.00 U	90.00 U		
1,3-Dichlorobenzene		69.00 U	62.00 U	79.00 U	90.00 U		
1,4-Dichlorobenzene		69.00 U	62.00 U	79.00 U	90.00 U		
2,2'-Oxybis(1-Chloropropane)	69.00 U	62.00 U	79.00 U	90.00 U		
2,4,5-Trichlorophenol	ŀ	350.00 U	310.00 U	390.00 U	450.00 U		
2,4,6-Trichlorophenol		350.00 U	310.00 U	390.00 U	450.00 U		
2,4-Dichlorophenol		210.00 U	190.00 U	240.00 U	270.00 U		
2,4-Dimethylphenol		140.00 U	120.00 U	160.00 U	180.00 U		
2,4-Dinitrophenol		690.00 U	620.00 U	790.00 U	900.00 U		
2,4-Dinitrotoluene		350.00 U	310.00 U	390.00 U	450.00 U		
2,6-Dinitrotoluene		350.00 U	310.00 U	390.00 U	450.00 U		

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

Station ID:	NS-01-104	NS-02-104	SB-10401	SB-10402	SB-10403	SB-10403
Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10401-0100	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060
Constituent Depth (feet bgs):		All the second			1.5 to N/A	6 to N/A
2-Chloronaphthalene	69.00 U	62.00 U	79.00 U	90.00 U		
2-Chlorophenol	69.00 U	62.00 U	79.00 U	90.00 U		
2-Methylnaphthalene	69.00 U	62.00 U	79.00 U	90.00 U		
2-Methylphenol	69.00 U	62.00 U	79.00 U	90.00 U		
2-Nitroaniline	350.00 U	310.00 U	390.00 U	450.00 U		
2-Nitrophenol	350.00 U	310.00 U	390.00 U	450.00 U		
3,3'-Dichlorobenzidine	350.00 U	310.00 U	390.00 U	450.00 U		
3-Nitroaniline	350.00 U	310.00 U	390.00 U	450.00 U		
4,6-Dinitro-2-methylphenol	690.00 U	620.00 U	790.00 U	900.00 U		
4-Bromophenyl-phenylether	69.00 U	62.00 U	79.00 U	90.00 U		
4-Chloro-3-methylphenol	140.00 U	120.00 U	160.00 U	180.00 U		
4-Chloroaniline	210.00 U	190.00 U	240.00 U	270.00 U		
4-Chlorophenyl-phenylether	69.00 U	62.00 U	79.00 U	90.00 U		
4-Methylphenol	69.00 U	62.00 U	79.00 U	90.00 U		
4-Nitroaniline	350.00 U	310.00 U	390.00 U	450.00 U	**	
4-Nitrophenol	350.00 U	310.00 U	390.00 U	450.00 U	The same of the sa	
Benzoic acid	690.00 U	620.00 U	790.00 U	900.00 U		
Benzyl alcohol	350.00 U	310.00 U	390.00 U	450.00 U		
ois(2-Chloroethoxy)methane	69.00 U	62.00 U	79.00 U	90.00 U	2	
bis(2-Chloroethyl)ether	69.00 U	62.00 U	79.00 U	90.00 U		
bis(2-Ethylhexyl)phthalate	650.00	62.00 U	79.00 U	90.00 U		
Butylbenzylphthalate	69.00 U	62.00 U	79.00 U	90.00 U		
Carbazole	69.00 U	62.00 U	79.00 U	90.00 U		
Di-n-butylphthalate	69.00 U	62.00 U	79.00 U	90.00 U		
Di-n-octylphthalate	69.00 U	62.00 U	79.00 U	90.00 U		
Dibenzofuran	69.00 U	62.00 U	79.00 U	90.00 U		
Diethylphthalate	69.00 U	62.00 U	79.00 U	90.00 U		

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	NS-01-104	NS-02-104	SB-10401	SB-10402	SB-10403	SB-10403
	Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10401-0100	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060
Constituent	Depth (feet bgs):			9		1.5 to N/A	6 to N/A
Dimethylphthalate		160.00	62.00 U	79.00 U	90.00 U		
Hexachlorobenzene		69.00 U	62.00 U	79.00 U	90.00 U		
Hexachlorobutadiene		140.00 U	120.00 U	160.00 U	180.00 U		
Hexachlorocyclopenta	adiene	350.00 U	310.00 U	390.00 U	450.00 U		
Hexachloroethane		140.00 U	120.00 U	160.00 U	180.00 U		
Isophorone		69.00 U	62.00 U	79.00 U	90.00 U		
N-Nitroso-di-n-propyla	amine	69.00 U	62.00 U	79.00 U	90.00 U		
N-Nitrosodiphenylami	ine	69.00 U	62.00 U	79.00 U	90.00 U		
Nitrobenzene		69.00 U	62.00 U	79.00 U	90.00 U		
Pentachlorophenol		350.00 U	310.00 U	390.00 U	450.00 U		
Phenol		140.00 U	120.00 U	160.00 U	180.00 U		
Naphthalene	**Sage	69.00 U	62.00 U	79.00 U	90.00 U		
Acenaphthylene		69.00 U	62.00 U	79.00 U	90.00 U		
Acenaphthene		69.00 U	62.00 U	79.00 U	90.00 U		
Fluorene	rdg. 7	69.00 U	62.00 U	79.00 U	90.00 U		
Phenanthrene		69.00 U	62.00 U	79.00 U	90.00 U	-	
Anthracene		69.00 U	62.00 U	79.00 U	90.00 U		
Total LPAH	3	69.00 UT	62.00 UT	79.00 UT	90.00 UT		
Fluoranthene		69.00 U	62.00 U	79.00 U	90.00 U		
Pyrene		69.00 U	62.00 U	79.00 U	90.00 U		
Benzo(a)anthracen	e	69.00 U	62.00 U	79.00 U	90.00 U		
Chrysene		69.00 U	62.00 U	79.00 U	90.00 U		
Benzo(b)fluoranthe	ene	69.00 U	62.00 U	79.00 U	90.00 U		
Benzo(k)fluoranther	ne	69.00 U	62.00 U	79.00 U	90.00 U		
Benzo(a)pyrene	5 2 110 4	69.00 U	62.00 U	79.00 U	90.00 U		
Indeno(1,2,3-cd)pyr	rene	69.00 U	62.00 U	79.00 U	90.00 U		
Dibenz(a,h)anthrace	ene	69.00 U	62.00 U	79.00 U	90.00 U		

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

Station ID:	NS-01-104	NS-02-104	SB-10401	SB-10402	SB-10403	SB-10403
Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10401-0100	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060
Constituent Depth (feet bgs):					1.5 to N/A	6 to N/A
Benzo(g,h,i)perylene	69.00 U	62.00 U	79.00 U	90.00 U		The contract of
Total HPAH	69.00 UT	62.00 UT	79.00 UT	90.00 UT		
Pesticides/PCBs (ug/kg)			The second second second			
Aroclor 1248	160.00 UI	62.00 U	78.00 U	90.00 U		n 192
Aroclor 1254	90.00 UI	62.00 U	78.00 U	90.00 U		
Aroclor 1260	69.00 U	62.00 U	78.00 U	90.00 U		
Aroclor 1016/1242	300.00 UI	62.00 U	78.00 U	90.00 U		
Total PCB	300.00 UT	62.00 UT	78.00 UT	90.00 UT		
Inorganics (Total) (mg/kg)						
Aluminum				177	9270.00	11400.00
Antimony	6.00	5.00 U	6.00 U	6.00 U	5.00 UJ	7.00 UJ
Arsenic	5.00 U	5.00 U	6.00 U	6.00 U	5.00 U	7.00 U
Barium	22.70	21.80	25.00	66.10	24.20	26.70
Beryllium	0.10	0.10	0.10 U	0.40	0.10	0.10
Cadmium	198.00	240.00	0.30	0.40	0.20 U	0.30 U
Calcium					5190.00	5530.00
Chromium	14.20	75.90	11.80	28.20	10.90	12.70
Cobalt			4-1	M .	3.50	4.10
Copper	3430.00	4350.00	10.20	42.50	8.60	11.20
Cyanide	0.20 U	5.50	0.25 U	0.22 U		
Iron					10500.00	11600.00
Lead	11.00	4.00	5.00	19.00	4.00	4.00
Magnesium					1980.00	2240.00
Manganese					96.50	92.80
Mercury	0.04 U	0.05 U	0.05 U	0.11	0.05 U	0.05 U
Nickel	11.00	8.00	9.00	22.00	7.00	9.00

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

A CONTRACTOR OF THE PARTY OF TH	Station ID: Sample ID:	NS-01-104 W15-W1-NS-01	NS-02-104 W15-W1-NS-02	SB-10401 W15-SB-10401-0100	SB-10402 W15-SB-10402-0080	SB-10403 W20-SB-10403-0015	SB-10403 W20-SB-10403-0060
Constituent	Depth (feet bgs):					1.5 to N/A	6 to N/A
Potassium	THE WAR STORY					650.00	850.00
Selenium		5.00 U	5.00 U	6.00 U	6.00 U	5.00 U	7.00 U
Silver		0.30 U	0.30 U	0.40 U	0.40	0.30 U	0.40 U
Sodium						849.00	1150.00
Thallium		0.10	0.10 U	0.10 U	0.60 U	5.00 U	7.00 U
Vanadium						36.30	41.30
Zinc		49.00	83.60	23.80	54.50	26.80	22.80

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	SB-10403 W20-SB-10403-0105	SB-10404 W20-SB-10404-0015	SB-10404 W20-SB-10404-0065	SB-10404 W20-SB-10404-0105	SB-10405 W20-SB-10405-0015	SB-10405 W20-SB-10405-0065
Strand As on	Sample ID:						
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A
Volatile Organic Con	npounds (ug/kg)			4. 74.75			The second second
1,1,1-Trichloroethane							
1,1,2,2-Tetrachloroeth	nane						
1,1,2-Trichloroethane							
1,1,2-Trichlorotrifluoro	ethane					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1,1-Dichloroethane							
1,1-Dichloroethene	The second second						
1,2-Dichloroethane							
1,2-Dichloropropane							
2-Butanone							
2-Chloroethylvinylethe	er					7 3	
2-Hexanone							
4-Methyl-2-Pentanone							
Acetone							
Benzene							
Bromodichloromethan	ie –						
Bromoform							8 4 1.0
Bromomethane	2						
Carbon Disulfide							
Carbon Tetrachloride							
Chlorobenzene	. 5						
Chloroethane							
Chloroform	ž - a.		5-25-5-				
Chloromethane	5						
cis-1,2-Dichloroethene							
cis-1,3-Dichloroproper	ne		to be a second of the second		The state of the s		The state of the s

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	SB-10403	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405 W20-SB-10405-0065
	Sample ID:	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A
Dibromochloromethane	9						
Ethylbenzene					Control of the contro		
Methylene Chloride		K 53 8 9 10 10 10 10 10 10 10 10 10 10 10 10 10					
Styrene							
Tetrachloroethene							*
Toluene							
Total Xylene							
trans-1,2-Dichloroether	ne						
trans-1,3-Dichloroprope	ene						200
Trichloroethene							
Trichlorofluoromethane							4
Vinyl Acetate			War and the second				
Vinyl Chloride							
Semi-Volatile Organic	Compounds (ug/kg)			100		the state of the s	
1,2,4-Trichlorobenzene							
1,2-Dichlorobenzene							
1,3-Dichlorobenzene							
1,4-Dichlorobenzene			San Park Control		. 1		
2,2'-Oxybis(1-Chloropre	opane)						
2,4,5-Trichlorophenol							
2,4,6-Trichlorophenol		4.40		4.47		3	
2,4-Dichlorophenol							
2,4-Dimethylphenol	180						
2,4-Dinitrophenol							
2,4-Dinitrotoluene							
2,6-Dinitrotoluene							

Boxed Cell Standard: RFI1CSOI

10/26/98

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

to an analysis of the second	Station ID: Sample ID:	SB-10403 W20-SB-10403-0105	SB-10404 W20-SB-10404-0015	SB-10404 W20-SB-10404-0065	SB-10404 W20-SB-10404-0105	SB-10405 W20-SB-10405-0015	SB-10405 W20-SB-10405-0065
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A
2-Chloronaphthalene	0.7					Page 1	
2-Chlorophenol	·						
2-Methylnaphthalene				and the same	161 277	2,	
2-Methylphenol							
2-Nitroaniline							
2-Nitrophenol						A STATE OF THE STA	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3,3'-Dichlorobenzidine	Los Tilles						The state of the s
3-Nitroaniline							
4,6-Dinitro-2-methylph	enol						
4-Bromophenyl-pheny	lether			43		2	
4-Chloro-3-methylpher	nol						
4-Chloroaniline							
4-Chlorophenyl-pheny	lether		VE-9- 100 A 100				
4-Methylphenol							
4-Nitroaniline							
4-Nitrophenol		The second second					
Benzoic acid							
Benzyl alcohol					Section According	4 1 5	
bis(2-Chloroethoxy)me	ethane						
bis(2-Chloroethyl)ethe	r						
bis(2-Ethylhexyl)phtha	late				e dilinia a la		
Butylbenzylphthalate	17,14.3					THE STATE OF THE S	
Carbazole							
Di-n-butylphthalate	3-11						1 1 2 2 3 3 4 4
Di-n-octylphthalate				1,47	कर्ता अध्यक्ति वर्षे नी		48.80
Dibenzofuran	, at 2		AND DESCRIPTION OF THE PARTY OF				
Diethylphthalate							

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID: Sample ID:	SB-10403 W20-SB-10403-0105	SB-10404 W20-SB-10404-0015	SB-10404 W20-SB-10404-0065	SB-10404 W20-SB-10404-0105	SB-10405 W20-SB-10405-0015	SB-10405 W20-SB-10405-0065
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A
Dimethylphthalate Hexachlorobenzene Hexachlorobutadiene							
Hexachlorocyclopentadi Hexachloroethane sophorone	ene						
N-Nitroso-di-n-propylam N-Nitrosodiphenylamine Nitrobenzene							
Pentachlorophenol Phenol Naphthalene							
Acenaphthylene Acenaphthene Fluorene							
Phenanthrene Anthracene Total LPAH					J		
Fluoranthene Pyrene Benzo(a)anthracene						1 4 3	
Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene							
Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenz(a,h)anthracene							

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	SB-10403	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405 W20-SB-10405-0065
	Sample ID:	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A
Benzo(g,h,i)peryler Total HPAH	ne					natur .	
Pesticides/PCBs (u	g/kg)		The second second	nger same and	Mark to the St.		
Aroclor 1248							
Aroclor 1254							
Aroclor 1260							Section with the
Aroclor 1016/1242		1 pt 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		*		F	
Total PCB							
Inorganics (Total) (mg/kg)						
Aluminum		10300.00	9420.00	11600.00	9710.00	9990.00	17300.00
Antimony		6.00 UJ	5.00 UJ	7.00 UJ	7.00 UJ	5.00 UJ	7.00 UJ
Arsenic		6.00 U	5.00 U	7.00 U	7.00 U	5.00 U	7.00
Barium		30.50	21.50	26.40	33.40	23.60	46.30
Beryllium		0.10 U	0.10	0.20	0.10 U	0.10	0.30
Cadmium	415	0.30 U	0.20 U	0.30 U	0.30 U	0.20 U	0.30 U
Calcium		4520.00	4660.00	5560.00	4380.00	5220.00	6990.00
Chromium		13.30	19.50	12.90	10.60	12.10	20.50
Cobalt	74	4.40	3.30	4.20	4.20	3.60	7.00
Copper		10.40	7.50	10.40	9.20	9.00	26.30
Cyanide							
Iron		13000.00	10100.00	11700.00	13000.00	11100.00	20800.00
Lead		4.00	3.00	5.00	3.00	3.00	14.00
Magnesium	- 3	2070.00	1890.00	2240.00	2050.00	2040.00	4030.00
Manganese	A 2	122.00	86.90	96.60	121.00	94.80	169.00
Mercury		0.05 U	0.05 U	0.06 U	0.07 U	0.05 U	0.09
Nickel	No. 201	9.00	7.00	9.00	8.00	8.00	16.00

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	SB-10403	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405
	Sample ID:	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	W20-SB-10405-0065
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A
Potassium		670.00	610.00	860.00	640.00	730.00	1490.00
Selenium		6.00 U	5.00 U	7.00 U	7.00 U	5.00 U	7.00 U
Silver		0.40 U	0.30 U	0.40 U	0.40 U	0.30 U	0.40 U
Sodium		979.00	919.00	1140.00	983.00	984.00	1260.00
Thallium		6.00 U	5.00 U	7.00 U	7.00 U	5.00 U	7.00 U
Vanadium		46.40	35.80	41.00	39.40	41.10	53.60
Zinc		24.70	20.40	24.00	22.60	24.90	44.40

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

Value Sample III Value Value		Station ID:	SB-10405	SB-10405		
Volatile Organic Compounds (ug/kg) 1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1,2-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 2,2-Dichloroethane 2-Butanone 2-Butanone 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromofform Bromomethane Carbon Disulfide Carbon Tetrachloride Chloroethane Chloroethane Chloromethane Chloromethane		Sample ID:	W20-SB-10405-0105	W20-SB-10405-1015		
1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1,2-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 2-Eutanone 2-Eutanone 2-Eutanone 2-Ehazanone 3-Eutanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disutfide Carbon Tetrachloride Chloroethane Chloroethane Chloroethane Chloroethane Chloroethane Chloroethane	Constituent D	epth (feet bgs):	10.5 to N/A	1.5 to N/A		
1,1,2-Trichloroethane 1,1,2-Trichloroethane 1,1,1-Dichloroethane 1,1-Dichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 2-Butanone 2-Butanone 2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone 4-Methyl-2-Pentanone Benzene Benzene Bromodichloromethane Bromodinomethane Bromodiromethane Bromodiromethane Carbon Disulfide Carbon Tetrachloride Chloroethane Chloroethane Chloroethane Chloroethane Chlorofform Chloromethane	Volatile Organic Compound	ds (ug/kg)				
1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloropropane 2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chloroebrane Chloroebrane Chloroform Chloroethane Chloroethane Chloroethane	1,1,1-Trichloroethane	CHARLES				
1,1,2-Trichlorotifluoroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloropropane 2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobezene Chloroform Chloroform Chloroform Chloroform Chloromethane	1,1,2,2-Tetrachloroethane	1.0				
1,1-Dichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloropthane 2-Butanone 2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromodichloromethane Bromodind Carbon Tetrachloride Chloroebnzene Chloroform Chloroform Chloroform Chloromethane	1,1,2-Trichloroethane				[17] 보이 마면에 되었다. 영화 (18] 보이 보이 되는 [18]	-
1,1-Dichloroethene 1,2-Dichloroethane 1,2-Dichloropropane 2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chloroethane Chloroform Chloroform Chloroform Chloromethane	1,1,2-Trichlorotrifluoroethane	100				
1,2-Dichloroethane 1,2-Dichloropropane 2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloroform Chloromethane	1,1-Dichloroethane					
1,2-Dichloropropane 2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloroform Chloromethane	1,1-Dichloroethene					
2-Butanone 2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloroform Chloromethane	1,2-Dichloroethane					
2-Chloroethylvinylether 2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chloroethane Chloroethane Chloroethane Chloroform Chloroform Chloromethane	1,2-Dichloropropane					
2-Hexanone 4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroethane Chlorootm Chloroform Chloroform Chloromethane	2-Butanone					
4-Methyl-2-Pentanone Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chloroethane Chloroethane Chloroethane Chloroethane Chloroform Chloroform Chloroform Chloromethane	2-Chloroethylvinylether	1911				
Acetone Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroothane Chloroform Chloroform Chloroform	2-Hexanone					
Benzene Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroethane Chloroform Chloroform	4-Methyl-2-Pentanone	3 ' Y				
Bromodichloromethane Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloroform	Acetone	- 9	ACCEPTED TO THE PARTY OF THE PA	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Bromoform Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane	Benzene					
Bromomethane Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane	Bromodichloromethane	1 6				-
Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane	Bromoform					
Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform Chloromethane	Bromomethane	1 18 11				
Chlorobenzene Chloroethane Chloroform Chloromethane	Carbon Disulfide	Land Land				
Chloroethane Chloromethane	Carbon Tetrachloride	THE REAL PROPERTY.				
Chloroform Chloromethane	Chlorobenzene					
Chloromethane			are the property of	and the same of the		
	Chloroform	10 10				
cis-1,2-Dichloroethene	Chloromethane	2				
	cis-1,2-Dichloroethene	11.45				

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	SB-10405	SB-10405	
	Sample ID:	W20-SB-10405-0105	W20-SB-10405-1015	
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	
Dibromochlorometha	ine			
Ethylbenzene		400		
Methylene Chloride				
Styrene				
Tetrachloroethene				
Toluene				
Total Xylene				
trans-1,2-Dichloroeth				
trans-1,3-Dichloropro	ppene			
Trichloroethene				
Trichlorofluoromethan	ne ·			
Vinyl Acetate				
Vinyl Chloride				
Semi-Volatile Organ	nic Compounds (ug/kg)			
1,2,4-Trichlorobenzer	ne			
1,2-Dichlorobenzene				
1,3-Dichlorobenzene				
1,4-Dichlorobenzene			\$	
2,2'-Oxybis(1-Chlorop	propane)			
2,4,5-Trichlorophenol				
2,4,6-Trichlorophenol				
2,4-Dichlorophenol				
2,4-Dimethylphenol				
2,4-Dinitrophenol	The state of the s			
2,4-Dinitrotoluene				
2,6-Dinitrotoluene	The second second			

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	SB-10405	SB-10405	
	Sample ID:	W20-SB-10405-0105	W20-SB-10405-1015	
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	
2-Chloronaphthalene				
2-Chlorophenol				
2-Methylnaphthalene				
2-Methylphenol				
2-Nitroaniline				
2-Nitrophenol				
3,3'-Dichlorobenzidine				
3-Nitroaniline				
4,6-Dinitro-2-methylpher	nol			
4-Bromophenyl-phenyle	ther			
4-Chloro-3-methylpheno	ol			
4-Chloroaniline				
4-Chlorophenyl-phenyle	ther			
4-Methylphenol				
4-Nitroaniline				
4-Nitrophenol				v
Benzoic acid				
Benzyl alcohol				
bis(2-Chloroethoxy)meth	nane	Made and		
bis(2-Chloroethyl)ether				
bis(2-Ethylhexyl)phthala	ite			
Butylbenzylphthalate				
Carbazole	100			
Di-n-butylphthalate	1 41 -41			
Di-n-octylphthalate		English Sales		
Dibenzofuran				
Diethylphthalate	The state of the s			

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID: Sample ID:	SB-10405 W20-SB-10405-0105	SB-10405 W20-SB-10405-1015	
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	
Dimethylphthalate				
Hexachlorobenzene				
Hexachlorobutadiene				
Hexachlorocyclopentadien	ie			
Hexachloroethane	not have		285	
Isophorone		The state of the s		
N-Nitroso-di-n-propylamine	θ .		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
N-Nitrosodiphenylamine				
Nitrobenzene	is the			
Pentachlorophenol			5/3	
Phenol				
Naphthalene	Mary and the			
Acenaphthylene				
Acenaphthene				
Fluorene				
Phenanthrene				
Anthracene				
Total LPAH				
Fluoranthene	2 3			
Pyrene				
Benzo(a)anthracene				
Chrysene				
Benzo(b)fluoranthene	A second			
Benzo(k)fluoranthene				
Benzo(a)pyrene	THE THE THE			
Indeno(1,2,3-cd)pyrene	and the second second			
Dibenz(a,h)anthracene				

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

	Station ID:	SB-10405	SB-10405	
	Sample ID:	W20-SB-10405-0105	W20-SB-10405-1015	
Constituent	Depth (feet bgs):	10.5 to N/A	1.5 to N/A	
Benzo(g,h,i)perylen	ne	and the second		
Total HPAH				
Pesticides/PCBs (ug	g/kg)			
Aroclor 1248	- X	No. 10 Personal Property of the Control of the Cont		
Aroclor 1254				
Aroclor 1260				
Aroclor 1016/1242				
Total PCB	37.00			
Inorganics (Total) (r	ng/kg)	THE STATE OF THE S		
Aluminum		20600.00	9870.00	
Antimony	100	7.00 UJ	5.00 UJ	
Arsenic	186 × 11	7.00 U	5.00 U	경기 열차 가지 않아요? 나는 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
Barium		81.90	24.10	
Beryllium		0.40	0.20	
Cadmium	-	0.30 U	0.20 U	
Calcium		5580.00	5430.00	
Chromium		19.20	12.70	
Cobalt		8.70	3.50	
Copper		25.40	11.60	
Cyanide	B" "			
Iron	g .	20700.00	10900.00	
Lead		6.00	3.00	
Magnesium		4090.00	2010.00	
Manganese	4. 14.54	417.00	92.90	
Mercury	25 - 45 - 12	0.06 U	0.05 U	
Nickel		15.00	9.00	

Table 3: Summary of Existing Sample Results - OA 16 Constituents of Concern

Constituent	Station ID: Sample ID: Depth (feet bgs):	SB-10405 W20-SB-10405-0105 10.5 to N/A	SB-10405 W20-SB-10405-1015 1.5 to N/A	
	Deptil (leet bgs):	10.5 to 14/A	1.5 to N/A	
Potassium		1300.00	710.00	
Selenium		7.00 U	5.00 U	
Silver		0.40 U	0.30 U	
Sodium		1350.00	994.00	
Thallium		7.00 U	5.00 U	
Vanadium	m	58.40	40.60	
Zinc		39.30	24.00	

APPENDIX B CONFIRMATORY SAMPLING PLAN

APPENDIX B SWMU 2-87.65, 77, 78.B, AND OA 16 CONFIRMATORY SAMPLING PLAN

BOEING—PLANT 2 SEATTLE, WASHINGTON

B.1 INTRODUCTION

This Field Sampling Plan (FSP) has been prepared in accordance with WAC 173-340-820 as a field guide for conducting soil sampling in support of the remedial actions at the former Solid Waste Management Units (SWMU) 2-87.65, 77, 78.B, and OA 16. The plan covers:

· Confirmatory soil sampling to verify cleanup has been achieved.


Field procedures are described in Section 2 of this plan. Section 3 describes the methodology.

B.2 PROCEDURES

The procedures to be followed are designed to ensure that the resulting data are representative of conditions in the field, capable of supporting sound remedial decisions, and legally defensible. Samples will be assigned a sample designator as outlined in Section B.2.1, sample stations will be located as provided in Section B.2.2, field and sampling equipment will be decontaminated before and during use as indicated in Section B.2.3, samples will be handled as provided in Section B.2.4 and field activities will be documented per Section B.2.10. Field quality control (QC) and waste management are covered in Sections B.2.11 and B.2.12, respectively.

B.2.1 Sample Designation

For tracking and data management, samples will be assigned a unique 20-character alphanumeric identifier according to the method described in this section. The numbering system will be used to identify each sample collected; to facilitate tracking, retrieval, and data processing; and to maintain relationships between samples. The sample designation scheme is illustrated as follows and defined in the following table.



Each sample number consists of two components separated by a dash (-) that correspond to the location identification and sample type/depth, as described below:

Station —A five-character alphanumeric designation to identify the geographic sample location and station number according to the project area sampling station map:

Sample Type/Depth —A four-character numeric designation, consisting of a number to indicate sample type:

0###	, N =	Field sample (No QA/QC)	
1###	h: -	Field duplicate	
2###		VOC trip blank	
3###	-	Ambient field blank	
4###	- ,	Equipment rinsate blank	

and a three-character field to indicate sample depth in tenths of feet:

#010	_	1 foot
#050	-	5 feet
#125	-	12.5 feet

Sample depth determinations will be made to the nearest 0.5 foot. The three-character field is a component of the four-character numeric designation.

If a sample is not being collected for QA/QC purposes and does not have an associated depth (e.g., surface soil sample, groundwater sample), the characters of the third component will default to "0000." The third component will be retained in order to accommodate a field duplicate sample.

VOC trip blanks (2###), ambient field blanks (3###), and equipment rinsate blanks (4###) present a unique situation as they are not associated with a sampling depth, nor are they necessarily the same matrix for which they are being collected. Instead of depth, the last three characters of the fourth component will be sequentially numbered, as in the examples below:

Under the sample designation method described above, the identifier will be unique (i.e., no two samples will have the same one), and informative (i.e., will show sampling round, method of collection, location, sample type, and depth interval).

If the data will be entered into an existing database, the sample numbering scheme will be consistent with the existing data. In any event, it will be unique to each sample. This designation scheme will facilitate data management and tracking during the evaluation and reduction of data.

B.2.2 Sample Positioning

Sample coordinates will be surveyed or measured with a graduated tape from a known reference, as appropriate.

B.2.3 Sampling Equipment Decontamination

Soil sampling equipment will be decontaminated between sampling points to prevent contamination of clean areas, to prevent cross-contamination between sampling areas, and to assist in maintaining the health and safety of field personnel and the general public.

Dedicated or disposable sampling equipment will be used where feasible to reduce the possibility of sample cross-contamination. The majority of the sampling equipment will be decontaminated in the field. Equipment that cannot be effectively decontaminated will be disposed of after each sampling event.

The following is a partial list of sampling equipment that will be decontaminated in the field:

- Stainless-steel trowels or sampling spoons
- Stainless-steel mixing bowls
- Stainless-steel hand augers
- Shovels
- Split-spoon samplers
- Decontamination will consist of the following steps:
- Liquinox[™] detergent wash
- Tap water rinse
- Distilled, carbon-free water rinse

Air dry, away from potential sources of contamination (e.g., splashes, airborne particulates)

B.2.4 Sample Handling

Sample containers will be labeled with the required information on the label. Each label will include the information in Section A.2.7 written in indelible ink. Labels will be affixed to the sample containers in a manner so as to prevent separation of the label from the container. The sample will be preserved as required. Sample chain-of-custody procedures outlined in Section A.2.7 will be observed. Samples will be packaged and prepared for shipping in a manner that will prevent damage.

B.2.5 Sample Preservation and Holding Times

Samples will be preserved as described in specific analytical procedures presented in EPA methods for analysis of solid wastes (EPA 1986a), or water and wastes (EPA 1986b).

B.2.6 Sample Containers

All sample containers will be precleaned following the requirements in EPA guidance documents (EPA 1989).

Container requirements vary according to analyte, sample matrix, and hazard classification. It is anticipated that all samples collected for the project will be low hazard.

B.2.7 Sample Custody

Custody procedures will be performed to provide a documented, legally defensible record that can be used to follow the possession and handling of a sample from collection through analysis. A sample is in custody if it meets at least one of the following conditions:

- Is in someone's physical possession or view
- Is secured to prevent tampering
- Is secured in an area restricted to authorized personnel

Sample control and chain-of-custody procedures in the field and during shipment will be performed in accordance with the procedures in the CLP Sampler's Guide (EPA 1990).

Except as noted below, sample containers will be labeled at the time of sampling with the following information:

- Sample number
- Sampling date
- Time
- Analyses required
- Preservation, if any
- Person sampling

When sample spillage during collection may obscure the sample labels, the label will be affixed immediately after sample collection but prior to collection of another sample. A chain-of-custody record will be completed for each container of samples (cooler) at the end of each day of sampling. Custody seals will be placed on each cooler or package containing samples so that the package cannot be opened without breaking the custody seals. The completed chain-of-custody forms will be delivered to the recipient laboratory with the respective samples.

The sample custodian at each laboratory will verify that the package custody seals are unbroken. The accompanying chain-of-custody records will be properly signed upon receipt of the samples by the sample custodian. Any questions or observations concerning sample integrity will be noted.

B.2.8 Shipping Requirements

Shipping and handling of samples will be done in a manner that protects both the sample integrity and shipment handlers from the possible hazardous nature of samples. All samples will be hand delivered by a WESTON representative to Analytical Resources, Inc., of Seattle, WA, or other laboratory services, as appropriate. Packaging, marking, labeling, and shipping of samples will comply with all applicable regulations promulgated by the U.S. Department of Transportation (DOT) in the Code of Federal Regulations (49 CFR 171-177).

B.2.9 Laboratory Coordination

Sample shipments, data packages, data validation, and document control will be performed as part of sample management. All scheduling for sample containers, analytical work, and data dispersal will be arranged in close conjunction with the laboratory. The following items will be completed:

- Review the number of samples to be submitted for analysis.
- Review the analytical requirements, number and type of containers needed, blanks requirements, and volumes required.
- Coordinate special analytical requirements with the laboratory QA manager.
- Inform the laboratory of the approximate dates of sampling.
- Schedule shipment of sample containers, labels, chain-of-custody forms.
- Inform the laboratory of the need for analytical results in both hardcopy and electronic formats.
- Scheduling oversight will be conducted by the project chemist.

B.2.10 Documentation

- All field activities will be documented in standard field forms. The following information will be recorded.
- Date and time of entry (24-hour clock)

- Task/activity identification
- Location
- · Field measurements
- Weather conditions
- Deviations from the FSP
- Field observations
- Signature of person making entries
- Methods of sample collection and preservation

Additional minimum documentation required for a given investigation (e.g., boring logs, field data sheets) will be completed as required

B.2.11 Quality Assurance/Quality Control Samples

Field QA/QC samples will not be collected though laboratory QC samples including method blanks, laboratory duplicate analysis, and matrix spike sample analysis will be analyzed.

B.2.12 Waste Management

All contaminated or potentially contaminated materials generated will be managed by Boeing.

B.2.13 Confirmatory Sampling

Confirmatory soil sampling will be performed after the removal action to verify remaining concentrations. Samples from the bottom and sides of the excavation will be submitted to the laboratory for analysis of parameters which exceeded criteria in the initial sampling round. The number of samples to be collected is discussed shown below.

Confirmatory Samples

SWMU	Analytes	Number of Bottom Samples	Number of Sidewall Samples	Comments
SWMU 2-87.65	TPH PCB	2	3	Two bottom samples spaced equidistant down the center. One sample from each sidewall
SWMU 77	PCB	1	4	Two bottom samples spaced equidistant down the center. One sample from each sidewall
SWMU 78.B	TPH PCB	1	4	One bottom sample in the center. One sample from each sidewall
OA 16	Cadmium Chromium Copper Mercury bis(2-Ethylhexyl)phthalate	1	4	One bottom sample in the center. One sample from each sidewall

Discrete side wall and bottom samples will be collected. Sidewall samples will be collected from the middle of the side wall at an elevation one-half the distance from the excavation bottom to ground surface. Bottom samples will be collected equidistant along the bottom centerline.

B.2.14 Laboratory Analytical Methods

Chemical Analysis

Chemical analysis will be performed by Analytical Resources, Incorporated (ARI). ARI is located at 333 Ninth Avenue North, Seattle, Washington 98109-5187. The laboratory project manager/contact for the interim action is Jeff Reiten (phone: 206-621-6490).

ARI is a full-service chemical analytical laboratory participating in the State of Washington Department of Ecology Environmental Laboratory Accreditation Program. ARI and its staff have special expertise in the analysis of various complex matrices for organic and inorganic parameters. Staff have participated in the development and review of organic methods found in the Puget Sound Estuary Protocol (PSEP) guidance. Project experience is demonstrated by participation in the EPA Contact Laboratory Program (CLP), Puget Sound Remedial Investigations and Feasibility Studies supporting the Comprehensive Environmental Response, Compensation, and Liabilities Act of 1980 (CERCLA[Superfund]) activities, and Puget Sound Dredged Disposal Analysis (PSDDA) monitoring projects.

Soil samples collected from SWMU 2-41.33 will be analyzed in accordance to *Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods* (SW-846) (EPA 1986a) and *Methods for Chemical Analysis of Water and Wastes* (EPA 1986b). The list of analytes for each analytical method and the expected detection limits are presented below.

Analytical Methods, Parameters, and Quantitation Limits for Soil Samples

Parameters	Analytical Methods Soil	Quantitation Limits—Soil (mg/kg, wet weight)
Inorganics		
Cadmium	EPA 6010	0.6
Chromium	EPA 6010	1.5
Copper	EPA 6010	0.6
Lead	EPA 6010	6.0
Mercury	EPA 7471A	0.05
Organics		
bis(2-Ethylhexyl)phthalate	EPA 8270C	0.020
PCBs	EPA 8082 Mod.	0.010
TPH (oil and diesel)	NWTPH-Dx	100

B.3 LABORATORY DELIVERABLES AND DATA VALIDATION

A laboratory data package will be submitted to WESTON for each analytical batch. Data deliverables will include:

- Copy of chain-of-custody forms for all samples included in the analytical batch.
- Tabulated sample analytical results with units, data qualifiers, percent solids, sample
 weight or volume, dilution factor, laboratory batch and sample number, WESTON
 sample number, and dates sampled, received, extracted, and analyzed all clearly specified.
 Surrogate percent recoveries will be included for organic analyses.
- Blank summary results indicating samples associated with each blank.
- Matrix spike/matrix spike duplicates result summaries with calculated percent recovery and relative percent differences.
- Laboratory control sample results, when performed, with calculated percent recovery.

In order to ensure that data is of a known and acceptable quality, 100 percent of all analytical data generated for the interim action will undergo a Level I quality review. Raw data (instrument tuning, calibrations, chromatograms, spectra, bench sheets, etc.) will remain on file at the laboratory and will not be routinely examined.

Level I QC Review

Level I data review is a review of data precision and accuracy using quality control summary sheet results provided by the laboratory for each data package. Level I review is based on the same quality control criteria as the more extensive Level II review, except raw data (instrument tuning, calibrations, chromatograms, spectra, instrument printouts, bench sheets and laboratory worksheets) are not reviewed. If outliers occur during calibration or calibration verification, the laboratory will note the incident in the data narrative and professional judgment will be used to determine any necessary actions if any. The following is an outline of a Level I review:

- Verify sample numbers and analyses match the chain-of-custody request.
- Verify sample preservation and holding times.
- Verify that field and laboratory blanks were performed at the proper frequency and that no analytes were present in the blanks.
- Verify field and laboratory duplicates, matrix spikes, and laboratory control samples were run at the proper frequency and that control limits were met.
- Verify surrogate compound analyses have been performed and that results met the QC criteria.
- Verify required limits of detection limits have been achieved.

B.4 REFERENCES

EPA (U.S. Environmental Protection Agency). 1990. Contract Laboratory Program Sampler's Guide

EPA. 1989. Specifications and Guidance for the Preparation of Contaminant-Free Sample Containers. Office of Emergency and Remedial Response. 9240.0-05. July.

EPA. 1986a. Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods (SW-846).

EPA. 1986b. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020.

WA 6819 12-16-98

SWMU 2-87.65 Machine Pit, SWMU 77 PCB Retention Tank, SWMU 78.B Oil/Water Separator, and OA 16 Former Hazardous Waste Storage Facility

Interim Measures Work Plan

Boeing—Plant 2 Seattle/Tukwila, Washington

Submitted To: The Boeing Company Seattle, Washington

December 1998



SWMU 2-87.65 MACHINE PIT, SWMU 77 PCB RETENTION TANK, SWMU 78.B OIL/WATER SEPARATOR, AND OA 16 FORMER HAZARDOUS WASTE STORAGE FACILITY INTERIM MEASURES WORK PLAN

BOEING—PLANT 2 · SEATTLE/TUKWILA, WASHINGTON

Prepared for
The Boeing Company

December 1998

Prepared by

Roy F. Weston, Inc. 700 Fifth Avenue Suite 5700 Seattle, WA 98104-5057

WO 3709-034-480-0030

TABLE OF CONTENTS

Section	<u>on</u>		Page
1.		RODUCTION	
2.	SW	MU/AOC/OA DESCRIPTION	1
3.	BAG	CKGROUND	2
	3.1	SUMMARY OF NATURE AND EXTENT	
	3.2	RATIONALE FOR INTERIM MEASURES	3
4.		ERIM MEASURES OBJECTIVES	
5.	PRO	DJECT PARTICIPANTS AND RESPONSIBILITIES	3
6.	SCC	OPE OF WORK (PLANS AND SPECIFICATIONS)	4
	6.1	HEALTH AND SAFETY PLAN (HASP)	4
	6.2	MOBILIZATION	4
	6.3	SOIL REMOVAL	4
	6.4	CONFIRMATORY SOIL SAMPLING	5
	6.5	DECONTAMINATION	6
	6.6	BACKFILL	6
	6.7	TRANSPORTATION AND DISPOSAL (T&D)	6
	6.8	DEMOBILIZATION	
7.	OPI	ERATION AND MAINTENANCE	7
8.	INT	ERIM MEASURES COMPLETION REPORT	7
9.	SCI	HEDULE	7
10.	INT	ERIM MEASURE CONSTRUCTION QUALITY ASSURANCE	7
11.	REI	PORTING REQUIREMENTS	7
12.	REI	FERENCES	8
		X A—ANALYTICAL DATA X R—CONFIRMATORY SAMPLING PLAN	

LIST OF FIGURES

<u>Figure</u>	Title
1	Facility Map
2	Organization Chart
3	SWMUs 2-87.65 and 78.B Excavation Plan
4	SWMU 77 Excavation Plan
5	OA-16 Excavation Plan
6	Interim Measures Schedule

LIST OF TABLES

Table	<u>Title</u>
1	Soil Cleanup Goals
2	SWMU Excavation Dimensions
3	SWMU 2-87.65 and 78.B Confirmatory Sample Analytics
4	SWMU 77 Confirmatory Sample Analytics
5	OA 16 Confirmatory Sample Analytics
6	Confirmatory Sample Details
7	Stockpile Sampling Requirements
8	QA Checklist

SWMU 2-87.65 MACHINE PIT, SWMU 77 PCB RETENTION TANK, SWMU 78.B OIL/WATER SEPARATOR, AND OA 16 FORMER HAZARDOUS WASTE STORAGE FACILITY INTERIM MEASURES WORK PLAN

BOEING—PLANT 2 SEATTLE, WASHINGTON

1. INTRODUCTION

This plan describes the proposed scope of work to accomplish interim measures (IMs) at the SWMU 2-87.65 (Machine Pit), SWMU 77 (PCB Retention Tank), SWMU 78.B (Oil/Water Separator), and OA 16 (Former Hazardous Waste Storage Facility) located at Boeing Plant 2. This work is being done prior to completion of the Corrective Measures Study (CMS) in order to support redevelopment of the area where Building 2-87 now sits.

This scope of work focuses on soil cleanup only to support building construction in the area where the solid waste management units (SWMUs) and other area (OA) exist. Groundwater remediation is not addressed in this IM work plan. Groundwater remediation, if required, will be addressed during completion of the CMS.

This Interim Measures Work Plan has been prepared to comply with the requirements of the Administrative Order on Consent (Order) issued by the U.S. Environmental Protection Agency (EPA) to The Boeing Company (Boeing) under the authority of Section 3008(h) of the Resource Conservation and Recovery Act of 1976 (RCRA), as amended, 42 USC 6928(h). This Order [RCRA Docket No 1092-01-22-3008(h)] became effective on 18 January 1994.

2. SWMU/AOC/OA DESCRIPTION

The 2-87.65 machine pit was a reinforced concrete trench approximately 3 feet wide by 2.5 feet deep by 26 feet long. The trench has a floor drain and trap in the center. The trench was used to collect oil that dripped from machinery.

SWMU 77 served as secondary containment for PCB-containing transformer oil. The containment was for electrical transformers and consisted of a bermed concrete area. The containment area was connected to an underground storage tank (UST) via piping. The tank and piping have been removed. SWMU 77 is located approximately 50 feet southwest of Cistern 4 (SWMU 79). SWMU 77 consists of three areas. Reference to SWMU 77 within this document refers to the area located north of Building 2-110.

SWMU 78.B is an oil/water separator that collects stormwater runoff to remove oil. Oil from the separator is regularly pumped out and shipped off-site for disposal. SWMU 78.B is located on the south side of Building 2-87.

OA 16 is a former RCRA container storage area (Building 2-104 TSD) that has gone through aboveground closure (WESTON 1994). The former container storage area has since been used for covered parking.

Figure 1 shows the location of these SWMUs.

3. BACKGROUND

3.1 Summary of Nature and Extent

Constituents of concern (CoCs) determined in WESTON 1997 for SWMU 2-87.65 are volatile organic compounds (VOCs), base neutral acids (BNAs), polychlorinated biphenyls (PCBs), inorganics, and total petroluem hydrocarbon (TPH).

CoCs for SWMU 78.B are TPH. CoCs are defined as constituents that may have been released from the unit based on the historical use of the unit. Twelve locations were sampled near the 2-87.65 machine pit and 78.B oil/water separator for soil CoCs. Low concentrations of metals and elevated concentrations of PCBs were found in the immediate vicinity of these SWMUs. CoC for SWMU 77 consisted of PCBs and TPH. Soil samples were collected from six locations around SWMU 77. Soil samples were analyzed for metals, PCBs and total petroleum hydrocarbon. Low concentrations of metals were detected in the soil samples. No PCBs or TPH was detected.

CoCs for OA16 include VOCs, BNAs, PCBs, and inorganics. WESTON conducted near-surface and subsurface soil sampling during closure of the aboveground portion of OA 16 (WESTON 1994). Two samples were collected from near-surface soils immediately beneath the concrete pad of the easternmost storage cell; two samples were collected from depths of 8 to 10 feet below ground surface (bgs) near the same locations. In total, thirteen VOC constituents, two BNA constituents, and twelve metals were detected in one or more of the four samples. Cadmium and copper were detected in both of the near-surface soil samples at elevated concentrations.

Additional soil sampling was conducted at OA 16 based on the exceedances of RFI reference levels for soils reported during the aboveground closure. In total, nine (plus one duplicate) soil samples were collected from three soil borings surrounding the previous soil sampling locations. No metals were detected above RFI reference levels in any of the samples from the later three borings, indicating that the extent of releases to soil from OA 16 were very limited in area. A detailed description of the SWMUs/OAs and their soil quality can be found in WESTON 1998. Appendix A contains a detailed listing of the laboratory analytical information. Soil sampling dates can be found in WESTON 1998.

3.2 Rationale for Interim Measures

Boeing desires to complete these IMs in order to allow facility redevelopment in the area where these units now exist. Removal of soil as IMs will allow redevelopment with the intent of preventing any future soil removal under the new building to be constructed in the area.

Site conditions and data indicate the soil currently presents no immediate risk to human health or the environment.

4. INTERIM MEASURES OBJECTIVES

The objectives of these IMs are to:

- Allow construction of new structures and remove soil to the extent that no potential
 future risks to human health or the environment above accepted guidelines is likely
 given the proposed use of the facility.
- Complete the interim measures in anticipation of a final remedy consistent with the outcome of a CMS evaluation of constituents present.
- Remove impacted soil such that no short-term risks occur to workers during construction of the new facility.

Meeting the objectives above will be determined by the degree to which the proposed action meets cleanup goals (defined later in this work plan).

5. PROJECT PARTICIPANTS AND RESPONSIBILITIES

Three primary participants are anticipated in the performance of this project, including: (1) The Boeing Company, (2) Roy F. Weston, Inc., and (3) An Interim Measure construction subcontractor. The responsibilities of these participants are as follows:

The Boeing Company

Boeing's responsibilities include project direction and oversight, site security, integration of the interim measures with ongoing facility operations, disposal of hazardous wastes, personnel access badges, space allocation, site usage, and other miscellaneous support items associated with planning and performance of the work.

Roy F. Weston, Inc.

WESTON's responsibilities will be to prepare the work plan, ensure project safety, subcontractor management, and construction oversight. WESTON will also perform confirmatory sampling of the remaining soil upon completion of removal. WESTON will prepare the final interim action completion report.

Interim Measure Construction Subcontractor

The interim action construction subcontractor will be responsible for site preparation, soil excavation, truck/roll-off loading, backfill provisions, worker health and safety monitoring, equipment decontamination, exclusion zones, decontamination stations, tarping truck/roll-offs, spill protection, and general labor. The interim action construction subcontractor will report directly to WESTON's on-site construction manager.

An overall organization chart is shown in Figure 2.

6. SCOPE OF WORK (PLANS AND SPECIFICATIONS)

6.1 Health And Safety Plan (HASP)

An OSHA/WISHA-compliant HASP covering all personnel will be prepared. A HASP will be prepared by the interim measure construction subcontractor. The HASP will address protective equipment, a task-by-task risk analysis, safety procedures, and training.

It is anticipated that the work will be performed in modified Level-D personal protective equipment (PPE). This includes the following equipment:

- Hard hats
- Safety glasses
- Steel-toed boots/leather steel-toed work boots
- Tyvek coveralls
- Work gloves

6.2 Mobilization

An exclusion zone will be set up around each work area. Level-D PPE will be required within the exclusion zone. A small decontamination station will be set up adjacent to the exclusion zone which will include PPE, a decontamination tub, brushes, a disposal bin for used PPE, a first aid kit, and other supplies.

6.3 Soil Removal

Limits of excavation will be marked. Preliminary soil removal limits for SWMU 2-87.65, SWMU 77, SWMU 78.B, and OA 16 are shown in Figures 3, 4, and 5. Figures 3, 4, and 5 also show a summary of the maximum constituent concentrations in the soil above the water table (estimated at 10 feet bgs).

The excavation limits were determined based on the estimate of vadose zone soil exceeding the soil cleanup goals listed in Table 1. Table 1 lists the constituents that exceed 100 times Washington State Department of Ecology Model Toxics Control Act (MTCA) Method B surface water criteria. Cleanup goals for PCBs are to achieve nondetectable concentrations using EPA Method 8082. Any impacted soil below the water table will be addressed in the Corrective Measures Study as groundwater remedies.

Soil will be removed using a small excavator or backhoe. Soil will be excavated until the limits of excavation shown in Figures 3, 4, and 5 are reached consistent with Section 6.4. The bottom and sidewalls of the excavation will then be sampled. If confirmatory sampling indicates the cleanup goals are not met, additional excavation will be performed as practical and the newly excavated area re-sampled.

SWMU 77 served as secondary containment for PCBs. No PCBs were detected in soil near this SWMU. However, chrome was detected above performance objectives. Since chrome was not handled in this SWMU, the presence of chrome is believed to be from Cistern 4. Therefore, the limits of excavation for SWMU 77 will be based on its physical features. Chrome exceedances to the north of SWMU 77 will be further investigated during interim measure activities planned for Cistern 4.

Soil removal will proceed to a depth no deeper than groundwater. Soil contaminants below the water table will be addressed in the CMS as a groundwater remediation issue.

Soil will be kept moist as necessary to prevent dusting. Excavated soil will be loaded directly into dump trucks and taken to a stockpile area where it will be placed into a stockpile cell. The cell will consist of jersey barriers or equivalent arranged in a rectangular pattern lined with plastic. A separate stockpile cell will be constructed for each of the SWMUs to prevent comingling of contaminants. The soil stockpile cell will be covered at the end of each day to prevent run-on and runoff.

The area of excavation, depth and estimated volume for each of the units is shown in Table 2.

6.4 Confirmatory Soil Sampling

Post-excavation confirmatory sampling will occur after excavation limits have been reached. The purpose is to document conditions prior to backfill and/or direct additional excavation. These samples will be sent to an off-site laboratory for a quick turnaround. Depending on the rate of excavation, some of the confirmatory samples may be collected upon completing excavation of a portion of the area.

At SWMU 77, soil samples will also be collected in the area of the former tank and piping to characterize the soil remaining after the tank/piping removal. Four soil samples will be collected to characterize the condition of the soil. One discrete sample from the former bottom of the excavation, two discrete samples from opposite former sidewalls, and one discrete sample from the middle of the former pipe run will be collected.

Tables 3, 4, and 5 provide a listing of the confirmatory analyses to be performed on the soil samples. The analytes selected for confirmatory analyses are those pertinent constituents from Table 1 that exceeded the cleanup goals (i.e., 100 times MTCA Method B surface water criteria) for the SWMU/OA. In the case of SWMU 77, confirmatory analysis analytes will be PCBs only since chrome concentrations will be addressed as part of the Cistern 4 investigation.

IM cleanup goals are listed in Table 1. The excavation approach will be to remove soil to the preliminary defined limits and then sample the sidewalls and bottom. If the confirmatory samples exceed 10 times the Table 1 cleanup levels, additional excavation will be performed as practical. If the confirmatory samples are under 10 times the Table 1 cleanup goals, additional excavation in an attempt to meet the cleanup goals may be performed but will not be required. For SWMU 77, excavation to the north and east may be terminated at the limits shown on Figure 4 since impacted soil beyond these boundaries will be addressed as part of Cistern 4.

The sample density and spacing of confirmatory sampling program will depend upon the configuration of the excavated area. Details for confirmatory sampling are shown in Table 6.

Confirmatory sampling is discussed in more detail in Appendix B.

6.5 Decontamination

The hoe bucket and thumb will be the only equipment requiring decontamination. Decontamination will be performed first using dry methods (brush and rags) to remove gross contamination. Subsequent decontamination will be performed using a pressure washer and soap solution. The quantity of decontamination water generated will be kept to a minimum and is expected to be less than 10 gallons per SWMU. Decontamination water will be collected and placed in a temporary storage container prior to proper disposal. Decontamination brushes, PPE, and small quantities of other miscellaneous materials will be disposed with the soil.

6.6 Backfill

Backfill will be placed by an excavator or backhoe. Backfill will consist of a clean (i.e., noncontaminated) granular well compacted fill as specified by Boeing. Compaction requirements will be specified by Boeing.

6.7 Transportation and Disposal (T&D)

The soil stockpiles will be sampled and analyzed prior to disposal. The number of samples from each stockpile will depend upon the quantity of soil generated. Table 7 provides a listing of the number of soil samples based on stockpile size. Discrete samples of the stockpile will be collected.

Soil will be profiled and disposed in accordance with all applicable regulations. Manifests or bills of lading will be generated for all material disposed. Boeing will be responsible for disposal of all materials.

6.8 Demobilization

Demobilization will occur upon completion of the work. Demobilization will consist of removal of the exclusion zones, decontamination stations, portable equipment, and site cleanup. Areas that are visually observed to contain soil from the work will be cleaned as needed.

7. OPERATION AND MAINTENANCE

Because this is a removal action, no long- or short-term operation and maintenance requirements are required.

8. INTERIM MEASURES COMPLETION REPORT

An Interim Measures Post Completion Report will be prepared to document field work performed and conditions present at work completion. The completion report will include sketches of the final areas excavated, show confirmatory sample locations and the resultant analytical data, document field observations and provide an estimate of the soil quantity removed.

9. SCHEDULE

A proposed schedule for the work is shown in Figure 6.

10. INTERIM MEASURE CONSTRUCTION QUALITY ASSURANCE

Construction quality assurance requirements will be implemented and verified per the checklist provided in Table 8.

11. REPORTING REQUIREMENTS

Daily reports will be prepared in the field by the on-site construction engineer during each day work is performed. The reports will be prepared throughout the day and be completed for each day before the construction engineer leaves the site. The reports will be prepared on preprinted forms in ink. The reports will be maintained in a dry secure location. The daily reports will include the following information:

- Construction engineers name
- Date
- Weather (temperature, precipitation, other observations)
- Equipment on-site
- Personnel (contractors, visitors, agency)

SWMU 2-87.65 Machine Pit, SWMU 77 PCB Retention Tank, SWMU 78.B Oil/Water Separator, and OA 16 Former Hazardous Waste Storage Facility—Interim Measures Work Plan—Boeing, Plant 2

- Work start and end time
- Work performed
- Testing/inspections performed
- Problems/issues
- Critical conversations/directions received or given
- Materials brought on-site
- Wastes/debris disposed off-site
- Other pertinent information (sketches, test data, unknown conditions, etc.)

Monthly status reports will be prepared by Boeing for submittal to EPA. Progress updates will be provided to the EPA as requested.


12. REFERENCES

WESTON (Roy F. Weston, Inc.). 1998. Comprehensive RCRA Facility Investigation, Boeing—Plant 2, Seattle/Tukwila, Washington. Prepared for The Boeing Company, Energy and Environmental Affairs, Seattle, WA. Roy F. Weston, Inc., Seattle, WA. August.

WESTON 1997. RFI Soil Investigation Interim Report. Prepared for The Boeing Company, Seattle, WA. August 1997.

WESTON. 1994. Closure Certification Report, TSD Areas 1, 2, and 3, Seattle/Tukwila, Washington. Prepared for The Boeing Company, Seattle, WA.


FIGURES




Facility Map

MANAGERS DESIGNERS/CONSULTIVIT

FIGURE









SWMUs 2-87.65 and 78.B Excavation Plan

FIGURE

3







SWMU 77 Excavation Plan

FIGURE

4







Figure

ID				Finish		1999						
	Task Name	Durati	Start		Finish	Dec	Jan	Feb	Mar	Apr	May	Jun
1	SWMU 78.B, 87.65, 77 & OA 16 Interim Measures	167d	12/18/98	6/2/99	•		OSENS, I			_	•	
2	EPA Approval of IM work Plan	29d	12/18/98	1/15/99								
3	Complete SWMU 78.B, -87.65, -77 & OA16 IM	138d	1/16/99	6/2/99				a bearing to the				

Interim Measures Schedule



Project: Date: 12/17/98 Task
Progress
Milestone

Summary

Rolled Up Task

Rolled Up Milest

Summary

Rolled Up Task

Rolled Up Milestone ♦

FIGURE

Duration in calendar days

TABLES

Table 1—Soil Cleanup Goals

Analyte	Cleanup Criteria (mg/kg) ^{a, t}		
bis(2-Ethylhexyl)phthalate	0.35		
Cadmium	2.0		
Chrome	48.2°		
Copper	266		
Mercury	0.07 ^c		
PCB	Nondetect		
TPH	200 ^d		

^a The listed values are 100 times MTCA Method B surface water criteria.

Table 2—SWMU Excavation Dimensions

SWMU/AOC	Length (feet)	Width (feet)	Depth (feet)	Volume (cubic yards)
SWMU 2-87.65	30	25	5-10	80
SWMU 77	17	13	5	40
SWMU 78.B	10	8	5	15
OA 16	10	10	10	40

Table 3—SWMUs 2-87.65 and 78.B Confirmatory Sample Analytics

Analyte	Cleanup Goal (mg/kg)
TPH	200
PCB	Nondetect

Table 4— SWMU 77 Confirmatory Sample Analytics

Analyte	Cleanup Goal (mg/kg)
PCB	Nondetect

^b Confirmatory samples within a factor of 10 of the listed concentrations will be adequate to terminate further excavation.

^c Based on background.

d Based on MTCA Method A.

Table 5—OA 16 Confirmatory Sample Analytics

Analyte	Cleanup Goal (mg/kg)		
Cadmium	2		
Chromium	48.2		
Copper	266		
Mercury	0.07		
bis(2-Ethylhexyl)phthalate	0.35		

Table 6—Confirmatory Sample Details

SWMU	Excavated Area (square feet)	Number of Bottom Samples	Number of Sidewall Samples	Comments
SWMU 2-87.65	375	2	3	Two bottom samples in the tri- angular excavation (one sample near location 8713 and one under SWMU 2-87.65). One sample from each sidewall
SWMU 77				
Containment Pad	220	2	4	Two bottom samples spaced equidistant down the center. One sample from each sidewall
Former tank/piping		2	2	One bottom sample from former tank excavation, two samples from opposite former excavation sidewalls, one bottom sample from the middle of the former pipe run
SWMU 78.B	80	1	4	One bottom sample in the center. One sample from each sidewall
OA 16	100	1	4	One bottom sample in the center. One sample from each sidewall

Table 7—Stockpile Sampling Requirements

Stockpile Size (cubic yards)	Number of Samples		
0 to 100	3		
101 to 500	5		

Table 8—QA Checklist

SWMU	

		Criteria	Inspection Method	Inspected by	Approved (initial)
1.	Mark Soil Excavation Area	+- 1 foot	Tape measure	Construction Engineer	
2.	Soil Manifesting	NA	visual	Boeing	
3.	Spill Prevention	Place plastic inside stockpile cell	Visual	Construction Engineer	
		Cover stockpile cell	Visual	Construction Engineer	
		No free liquid in soil	Visual	Construction Engineer	
	Verify no soil is spilled in route to stockpile cell	Visual	Construction Engineer		
4.	Sampling	Confirmatory bottom samples and sidewall samples spaced over bottom and sides of excavation as specified in Work Plan	Visual	Construction Engineer	
5.	Decontamination	Decontaminate hoe bucket	Observation	Construction Engineer	17
6.	Backfill	As specified by Boeing	Visual—verify before shipment to site	Boeing Engineer	
7.	Excavation area and depth As delineated based on Work Plan Figures		Measure (using tape measure or equivalent). Measure area and depth in 4 corners and 2 locations in midsection	Construction Engineer	

APPENDIX A ANALYTICAL DATA

Boeing Plant 2 CMS – Exceedances for SWMU 2-87.65 (includes SWMU 78.B)

Station ID:	PL2-109B L09-MW109B-14	PL2-109B L09-MW109B-45	PL2-109B L09-MW109B-9	PL2-109C	PL2-109C	PL2-109C L09-MW109C-6
Sample ID:				L09-MW109C-14	L09-MW109C-45	
Constituent Depth (feet bgs):	14	45	9	14	45	
Pesticides/PCBs (ug/kg)		E E WAYNE TO !				
Total PCB	15.00 UT		15.00 UT	174.00 T		15.00 UT
Total Petroleum Hydrocarbons (mg/kg)		de de la companya de				The second
TPH by Washington HCID 8015	10.00 U		10.00 U	290.00	Marie Company	10.00 U
Volatile Organic Compounds (ug/kg)						
1,1,1-Trichloroethane	20.00	1.30 U	13.00	1.80	1.40 U	2.30
1,1,2,2-Tetrachloroethane	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
1,1,2-Trichloroethane	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
1,1,2-Trichlorotrifluoroethane	8.10 U	2.70 U	2.50 U	4.60	2.80 U	2.40 U
1,1-Dichloroethane	120.00	1.30 U	240.00	4.30	1.40 U	1.20 U
1,1-Dichloroethene	4.00 U	1.30 U	8.10	1.30 U	1.40 U	1.20 U
1,2-Dichloroethane	5.90	1.30 U	35.00	1.30 U	1.40 U	1.20 U
1,2-Dichloropropane	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
2-Butanone	20.00 U	6.70 U	6.30 U	6.40 U	7.00 U	6.10 U
2-Chloroethylvinylether	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
2-Hexanone	20.00 U	6.70 U	6.30 U	6.40 U	7.00 U	6.10 U
4-Methyl-2-Pentanone	20.00 U	6.70 U	6.30 U	6.40 U	7.00 U	6.10 U
Acetone -	20.00 U	14.00 B	24.00	19.00 B	15.00 B	6.90 B
Benzene	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Bromodichloromethane	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Bromoform	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Bromomethane	8.10 U	2.70 U	2.50 U	2.50 U	2.80 U	2.40 U
Carbon Disulfide	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Carbon Tetrachloride	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Chlorobenzene	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Chloroethane	8.10 U	2.70 U	2.50 U	2.50 U	2.80 U	2.40 U

	Station ID: Sample ID:	PL2-109B L09-MW109B-14	PL2-109B L09-MW109B-45 45	PL2-109B L09-MW109B-9	PL2-109C L09-MW109C-14	PL2-109C L09-MW109C-45 45	PL2-109C L09-MW109C-6
Constituent	Depth (feet bgs):	14		9	14		
Chloroform		4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Chloromethane		8.10 U	2.70 U	2.50 U	2.50 U	2.80 U	2.40 U
cis-1,2-Dichloroethene		170.00	1.30 U	780.00	6.70	1.40 U	1.20 U
cis-1,3-Dichloropropene		4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Dibromochloromethane		4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Ethylbenzene		4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
m,p-Xylene Methylene Chloride o-Xylene		8.10 U	2.70 U	2.50 U	1.30 U	3.50 B	1.20 U
Styrene		4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Tetrachloroethene		6.30	1.30 U	3.70	1.60	1.40 U	6.50
Toluene		4.00 U	1.30 U	5.10	1.30 U	1.40 U	2.10
Total Xylene		8.10 U	2.70 U	2.50 U	2.50 U	2.80 U	1.20 J
trans-1,2-Dichloroethene		4.40	1.30 U	43.00	1.30 U	1.40 U	1.20 U
trans-1,3-Dichloropropen	е	4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Trichloroethene		260.00	1.30 U	480.00	24.00	1.40 U	58.00
Trichlorofluoromethane		8.10 U	2.70 U	2.50 U	2.50 U	2.80 U	2.40 U
Vinyl Acetate		4.00 U	1.30 U	1.30 U	1.30 U	1.40 U	1.20 U
Vinyl Chloride		8.10 U	2.70 U	32.00	2.50 U	2.80 U	2.40 U
Semi-Volatile Organic C	Compounds (ug/kg)						
1,2,4-Trichlorobenzene		26.00 U		28.00 U	• 25.00 U		26.00 U
1,2-Dichlorobenzene		26.00 U		28.00 U	25.00 U		26.00 U
1,3-Dichlorobenzene		26.00 U		28.00 U	25.00 U		26.00 U
1,4-Dichlorobenzene	WAR THE WAY TO	26.00 U		28.00 U	25.00 U	5	26.00 U
2,2'-Oxybis(1-Chloroprop	ane)	26.00 U		28.00 U	25.00 U		26.00 U
2,4,5-Trichlorophenol		130.00 U		140.00 U	120.00 U		130.00 U

Station ID:	PL2-109B	PL2-109B	PL2-109B	PL2-109C	PL2-109C	PL2-109C
Sample ID: Constituent Depth (feet bgs):	L09-MW109B-14	L09-MW109B-45	L09-MW109B-9	L09-MW109C-14	L09-MW109C-45	L09-MW109C-6 6
	14	45	9	14	45	
2,4,6-Trichlorophenol	130.00 U		140.00 U	120.00 U		130.00 U
2,4-Dichlorophenol	78.00 U		83.00 U	74.00 U		76.00 U
2,4-Dimethylphenol	52.00 U		56.00 U	49.00 U		51.00 U
2,4-Dinitrophenol	260.00 U		280.00 U	250.00 U		250.00 U
2,4-Dinitrotoluene	130.00 U		140.00 U	120.00 U		130.00 U
2,6-Dinitrotoluene	130.00 U		140.00 U	120.00 U		130.00 U
2-Chloronaphthalene	26.00 U		28.00 U	6700.00		26.00 U
2-Chlorophenol	26.00 U		28.00 U	25.00 U		26.00 U
2-Methylnaphthalene	26.00 U		28.00 U	25.00 U		26.00 U
2-Methylphenol	26.00 U	137 - 47 - 17	28.00 U	25.00 U		26.00 U
2-Nitroaniline	130.00 U		140.00 U	120.00 U		130.00 U
2-Nitrophenol	130.00 U		140.00 U	120.00 U		130.00 U
3,3'-Dichlorobenzidine	130.00 U		140.00 U	120.00 U		130.00 U
3-Nitroaniline	130.00 U		140.00 U	120.00 U		130.00 U
4,6-Dinitro-2-methylphenol	260.00 U		280.00 U	250.00 U		250.00 U
4-Bromophenyl-phenylether	26.00 U		28.00 U	25.00 U		26.00 U
4-Chloro-3-methylphenol	52.00 U		56.00 U	49.00 U		51.00 U
4-Chloroaniline	78.00 U	A FORTING A TOTAL	83.00 U	74.00 U		76.00 U
4-Chlorophenyl-phenylether	26.00 U		28.00 U	25.00 U		26.00 U
4-Methylphenol	26.00 U		28.00 U	25.00 U		26.00 U
4-Nitroaniline	130.00 U		140.00 U	120.00 U		130.00 U
4-Nitrophenol	130.00 U		140.00 U	120.00 U	F - 7 1 15	130.00 U
Benzoic acid	260.00 U		280.00 U	250.00 U		250.00 U
Benzyl alcohol	130.00 U		140.00 U	120.00 U		130.00 U
bis(2-Chloroethoxy)methane	26.00 U		28.00 U	25.00 U		26.00 U
bis(2-Chloroethyl)ether	26.00 U		28.00 U	25.00 U		26.00 U
bis(2-Ethylhexyl)phthalate	26.00 U		28.00 U	41.00		26.00 U

	Station ID:	PL2-109B	PL2-109B L09-MW109B-45	PL2-109B L09-MW109B-9	PL2-109C	PL2-109C	PL2-109C
Constituent	Sample ID:	L09-MW109B-14			L09-MW109C-14	L09-MW109C-45	L09-MW109C-6 6
	Depth (feet bgs):	14	45	9	14	45	
Butylbenzylphthalate		26.00 U		28.00 U	25.00 U		26.00 U
Carbazole		26.00 U		28.00 U	25.00 U		26.00 U
Di-n-butylphthalate		26.00 U		28.00 U	25.00 U		26.00 U
Di-n-octylphthalate		26.00 U	10 TO	28.00 U	25.00 U		26.00 U
Dibenzofuran		26.00 U		28.00 U	25.00 U		26.00 U
Diethylphthalate		26.00 U		28.00 U	25.00 U		26.00 U
Dimethylphthalate		26.00 U		28.00 U	25.00 U		26.00 U
Hexachlorobenzene		26.00 U		28.00 U	25.00 U		26.00 U
Hexachlorobutadiene	9	52.00 U		56.00 U	49.00 U		51.00 U
Hexachlorocyclopent	tadiene	130.00 U		140.00 U	120.00 U		130.00 U
Hexachloroethane		52.00 U		56.00 U	49.00 U		51.00 U
sophorone		26.00 U		28.00 U	25.00 U		26.00 U
N-Nitroso-di-n-propyl	lamine	26.00 U		28.00 U	25.00 U		26.00 U
N-Nitrosodiphenylam	nine	26.00 U		28.00 U	25.00 U		26.00 U
Nitrobenzene		26.00 U		28.00 U	25.00 U		26.00 U
Pentachlorophenol		130.00 U		140.00 U	120.00 U		130.00 U
Phenol		52.00 U		56.00 U	49.00 U		51.00 U
Naphthalene		26.00 U		28.00 U	25.00 U		26.00 U
Acenaphthylene		26.00 U		28.00 U	25.00 U		26.00 U
Acenaphthene		26.00 U		28.00 U	25.00 U		26.00 U
Fluorene		26.00 U		28.00 U	25.00 U		26.00 U
Phenanthrene		26.00 U		28.00 U	23.00 J		26.00 U
Anthracene		26.00 U		28.00 U	25.00 U		26.00 U
Fluoranthene	A Company of the Comp	26.00 U		14.00 J	27.00		26.00 U
Pyrene		26.00 U		14.00 J	26.00		26.00 U
Benzo(a)anthracene		26.00 U		28.00 U	25.00 U		26.00 U
Chrysene		26.00 U		28.00 U	25.00 U		26.00 U

Station ID:	PL2-109B	PL2-109B	PL2-109B	PL2-109C	PL2-109C	PL2-109C L09-MW109C-6
Sample ID:	L09-MW109B-14	L09-MW109B-45	L09-MW109B-9	L09-MW109C-14	L09-MW109C-45	
Constituent Depth (feet bgs):	14	45	9	14	45	6
Benzo(b)fluoranthene	26.00 U		28.00 U	25.00 U		26.00 U
Benzo(k)fluoranthene	26.00 U		28.00 U	25.00 U		26.00 U
Benzo(a)pyrene	26.00 U		28.00 U	25.00 U		26.00 U
ndeno(1,2,3-cd)pyrene	26.00 U		28.00 U	25.00 U		26.00 U
Dibenz(a,h)anthracene	26.00 U		28.00 U	25.00 U		26.00 U
Benzo(g,h,i)perylene	26.00 U		28.00 U	25.00 U		26.00 U
Pesticides/PCBs (ug/kg)						
Aroclor 1248	15.00 U		15.00 U	300.00 U		15.00 U
Aroclor 1254	15.00 U		15.00 U	140.00		15.00 U
Aroclor 1260	15.00 U		15.00 U	34.00		15.00 U
Aroclor 1242						
Aroclor 1016						
Aroclor 1016/1242	15.00 U	the base of	15.00 U	300.00 U		15.00 U
Total Petroleum Hydrocarbons (mg/kg)						
Diesel Range	TO STREET THE PERSON					
Gas Range						
Oil Range						
TPH by 418.1			Marian Company			Marin Comment
norganics (Total) (mg/kg)						And the second
Aluminum						
Antimony						
Arsenic	1.30	1.70	4.00	1.20	1.70	3.20
Barium			600			
Beryllium						
Cadmium	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U

Station ID: Sample ID: Constituent Depth (feet bgs):		PL2-109B L09-MW109B-14	PL2-109B L09-MW109B-45	PL2-109B L09-MW109B-9	PL2-109C L09-MW109C-14	PL2-109C L09-MW109C-45	PL2-109C L09-MW109C-6
	Depth (feet bgs):	14	45	9	14	45	6
Chromium		12.00	13.70	19.50	12.10	13.10	11.80
Chromium VI							
Cobalt							
Copper		10.90	14.20	24.10	9.50	16.50	12.20
Cyanide						1.6	7
Iron							
Lead		3.00 U	3.00 U	8.00	3.00 U	3.00 U	6.00
Magnesium							
Manganese							
Mercury		0.10 U	0.10 U	0.10 U	0.05 U	0.05 U	0.10 U
Nickel							
Potassium							
Selenium		0.10 U	0.10 U	0.10 U	0.20	0.20	0.30
Silver						9	
Sodium		4					
Thallium	the last of the last	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U
Vanadium							
Zinc		21.70	19.80	40.10	20.80	22.50	20.40

Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent Depth (feet bgs):	71.5	9	3 to N/A	3 to N/A	3 to N/A	3 to N/A
Pesticides/PCBs (ug/kg)						
Total PCB		15.00 UT	2000.00 T	1900.00 T	36.00 UT	
Total Petroleum Hydrocarbons (mg/kg)					THE PROPERTY OF THE PARTY OF	
TPH by Washington HCID 8015		10.00 U		Special and the second		H.
Volatile Organic Compounds (ug/kg)			A STATE OF THE STA			
1,1,1-Trichloroethane	1.40 U	1.30 U	1.10 U		1.80	
1,1,2,2-Tetrachloroethane	1.40 U	1.30 U	1.10 U		1.10 U	
1,1,2-Trichloroethane	1.40 U	1.30 U	1.10 U		1.10 U	
1,1,2-Trichlorotrifluoroethane	2.90 U	2.70 U	2.20 U		2.10 U	
1,1-Dichloroethane	1.40 U	6.70	1.10 U		1.10 U	
1,1-Dichloroethene	1.40 U	1.30 U	1.10 U		1.10 U	
1,2-Dichloroethane	1.40 U	1.30 U	1.10 U		1.10 U	
1,2-Dichloropropane	1.40 U	1.30 U	1.10 U		1.10 U	
2-Butanone	7.10 U	6.70 U	5.50 U		5.40 U	
2-Chloroethylvinylether	1.40 U	1.30 U	5.50 U		5.40 U	
2-Hexanone	7.10 U	6.70 U	5.50 U		5.40 U	
4-Methyl-2-Pentanone	7.10 U	6.70 U	5.50 U		5.40 U	
Acetone	12.00 B	16.00 B	5.50 U		5.40 U	
Benzene	1.40 U	1.30 U	1.10 U		1.10 U	
Bromodichloromethane	1.40 U	1.30 U	1.10 U		1.10 U	
Bromoform	1.40 U	1.30 U	1.10 U		1.10 U	
Bromomethane	2.90 U	2.70 U	2.20 U		2.10 U	
Carbon Disulfide	1.40 U	1.30 U	1.10 U	British and the	1.10 U	
Carbon Tetrachloride	1.40 U	1.30 U	1.10 U		1.10 U	
Chlorobenzene	1.40 U	1.30 U	1.10 U		1.10 U	
Chloroethane	2.90 U	2.70 U	2.20 U		2.10 U	

	Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
	Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent D	epth (feet bgs):	71.5	9	3 to N/A	3 to N/A	3 to N/A	3 to N/A
Chloroform		1.40 U	1.30 U	1.10 U		1.10 U	
Chloromethane		2.90 U	2.70 U	2.20 U		2.10 U	
cis-1,2-Dichloroethene		1.40 U	2.40	1.10 U		1.20	
cis-1,3-Dichloropropene		1.40 U	1.30 U	1.10 U		1.10 U	
Dibromochloromethane		1.40 U	1.30 U	1.10 U		1.10 U	
Ethylbenzene		1.40 U	1.30 U	1.10 U		1.10 U	2
m,p-Xylene				1.10 U		1.10 U	
Methylene Chloride		3.20 B	1.30 U	2.20 U		2.10 U	
o-Xylene				1.10 U		1.10 U	
Styrene		1.40 U	1.30 U	1.10 U		1.10 U	
Tetrachloroethene		1.40 U	1.30 U	4.20		7.20	
Toluene		1.40 U	1.30 U	1.10 U		2.00	
Total Xylene		2.90 U	2.70 U				
trans-1,2-Dichloroethene		1.40 U	1.30 U	1.10 U		1.10 U	
trans-1,3-Dichloropropene		1.40 U	1.30 U	1.10 U		1.10 U	
Trichloroethene		1.40 U	18.00	23.00		47.00	
Trichlorofluoromethane		2.90 U	2.70 U	2.20 U		2.10 U	
Vinyl Acetate		1.40 U	1.30 U	5.50 U		5.40 U	est _{ern} of est estate of
Vinyl Chloride		2.90 U	2.70 U	2.20 U		2.10 U	2
Semi-Volatile Organic Com	pounds (ug/kg)			at in the same of the same and		- FR 151 51	1 114
1,2,4-Trichlorobenzene			27.00 U	75.00 U	. 76.00 U	72.00 U	
1,2-Dichlorobenzene	4		27.00 U	75.00 U	76.00 U	72.00 U	
1,3-Dichlorobenzene			27.00 U	75.00 U	76.00 U	72.00 U	
1,4-Dichlorobenzene			27.00 U	75.00 U	76.00 U	72.00 U	
2,2'-Oxybis(1-Chloropropane	9)		27.00 U	75.00 U	76.00 U	72.00 U	
2,4,5-Trichlorophenol			130.00 U	380.00 U	380.00 U	360.00 U	

	Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
	Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent	Depth (feet bgs):	71.5	9	3 to N/A	3 to N/A	3 to N/A	3 to N/A
2,4,6-Trichlorophenol			130.00 U	380.00 U	380.00 U	360.00 U	
2,4-Dichlorophenol			80.00 U	230.00 U	230.00 U	220.00 U	
2,4-Dimethylphenol			53.00 U	230.00 U	230.00 U	220.00 U	
2,4-Dinitrophenol			270.00 U	750.00 U	760.00 U	720.00 U	
2,4-Dinitrotoluene			130.00 U	380.00 U	380.00 U	360.00 U	
2,6-Dinitrotoluene			130.00 U	380.00 U	380.00 U	360.00 U	
2-Chloronaphthalene			27.00 U	75.00 U	76.00 U	72.00 U	
2-Chlorophenol			27.00 U	75.00 U	76.00 U	72.00 U	
2-Methylnaphthalene			27.00 U	75.00 U	76.00 U	72.00 U	
2-Methylphenol	188		27.00 U	150.00 U	150.00 U	140.00 U	
2-Nitroaniline			130.00 U	380.00 U	380.00 U	360.00 U	
2-Nitrophenol			130.00 U	380.00 U	380.00 U	360.00 U	
3,3'-Dichlorobenzidine			130.00 U	380.00 U	380.00 U	360.00 U	ATA STATE
3-Nitroaniline	1		130.00 U	450.00 U	460.00 U	430.00 U	
4,6-Dinitro-2-methylph	enol		270.00 U	750.00 U	760.00 U	720.00 U	
1-Bromophenyl-phenyl	lether		27.00 U	75.00 U	76.00 U	72.00 U	
4-Chloro-3-methylpher	nol		53.00 U	150.00 U	150.00 U	140.00 U	
1-Chloroaniline	3 - C		80.00 U	230.00 U	230.00 U	220.00 U	
1-Chlorophenyl-phenyl	lether		27.00 U	75.00 U	76.00 U	72.00 U	
1-Methylphenol			27.00 U	75.00 U	76.00 U	72.00 U	
1-Nitroaniline			130.00 U	380.00 U	380.00 U	360.00 U	
1-Nitrophenol			130.00 U	380.00 U	380.00 U	360:00 U	191
Benzoic acid			270.00 U	750.00 U	760.00 U	720.00 U	
Benzyl alcohol	Tourself to		130.00 U	380.00 U	380.00 U	360.00 U	
ois(2-Chloroethoxy)me	ethane		27.00 U	75.00 U	76.00 U	72.00 U	
ois(2-Chloroethyl)ether	r		27.00 U	150.00 U	150.00 U	140.00 U	
ois(2-Ethylhexyl)phtha	late		27.00 U	75.00 U	76.00 U	72.00 U	

	Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
	Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030 3 to N/A	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent	Depth (feet bgs):	71.5	9		3 to N/A	3 to N/A	3 to N/A
Butylbenzylphthalate			27.00 U	75.00 U	76.00 U	72.00 U	
Carbazole			27.00 U	75.00 U	76.00 U	72.00 U	
Di-n-butylphthalate			27.00 U	75.00 U	76.00 U	72.00 U	
Di-n-octylphthalate			27.00 U	75.00 U	76.00 U	72.00 U	
Dibenzofuran			27.00 U	75.00 U	76.00 U	72.00 U	
Diethylphthalate			27.00 U	75.00 U	76.00 U	72.00 U	
Dimethylphthalate			27.00 U	75.00 U	76.00 U	72.00 U	
Hexachlorobenzene			27.00 U	75.00 U	76.00 U	72.00 U	
Hexachlorobutadiene			53.00 U	150.00 U	150.00 U	140.00 U	
Hexachlorocyclopenta	tadiene		130.00 U	380.00 U	380.00 U	360.00 U	
Hexachloroethane			53.00 U	150.00 U	150.00 U	140.00 U	
sophorone			27.00 U	75.00 U	76.00 U	72.00 U	
N-Nitroso-di-n-propyla	lamine		27.00 U	150.00 U	150.00 U	140.00 U	
N-Nitrosodiphenylami	nine		27.00 U	75.00 U	76.00 U	72.00 U	
Nitrobenzene			27.00 U	75.00 U	76.00 U	72.00 U	
Pentachlorophenol			130.00 U	380.00 U	380.00 U	360.00 U	
Phenol			53.00 U	150.00 U	150.00 U	140.00 U	
Naphthalene			27.00 U	75.00 U	76.00 U	72.00 U	
Acenaphthylene			27.00 U	75.00 U	76.00 U	72.00 U	4
Acenaphthene			27.00 U	75.00 U	76.00 U	72.00 U	
Fluorene			27.00 U	75.00 U	76.00 U	72.00 U	
Phenanthrene			27.00 U	75.00 U	76.00 U	72.00 U	
Anthracene			27.00 U	75.00 U	76.00 U	72.00 U	
Fluoranthene	The second second		27.00 U	75.00 U	76.00 U	72.00 U	
Pyrene			27.00 U	75.00 U	76.00 U	72.00 U	
Benzo(a)anthracene			27.00 U	75.00 U	76.00 U	72.00 U	
Chrysene			27.00 U	75.00 U	76.00 U	72.00 U	

Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent Depth (feet bgs):	71.5	9	3 to N/A	3 to N/A	3 to N/A	3 to N/A
Benzo(b)fluoranthene		27.00 U	75.00 U	76.00 U	72.00 U	
Benzo(k)fluoranthene		27.00 U	75.00 U	76.00 U	72.00 U	
Benzo(a)pyrene		27.00 U	75.00 U	76.00 U	72.00 U	
Indeno(1,2,3-cd)pyrene		27.00 U	75.00 U	76.00 U	72.00 U	
Dibenz(a,h)anthracene		27.00 U	75.00 U	76.00 U	72.00 U	
Benzo(g,h,i)perylene		27.00 U	75.00 U	76.00 U	72.00 U	
Pesticides/PCBs (ug/kg)						
Aroclor 1248		15.00 U	600.00	700.00	36.00 U	
Aroclor 1254		15.00 U	1400.00	1200.00	36.00 U	
Aroclor 1260		15.00 U	220.00 UI	140.00 UI	36.00 U	
Aroclor 1242			110.00 UI	61.00 UI	36.00 U	
Aroclor 1016			37.00 U	38.00 U	36.00 U	
Aroclor 1016/1242		15.00 U				
Total Petroleum Hydrocarbons (mg/kg)			46.5			
Diesel Range			25.00 U		25.00 U	
Gas Range			20.00 U		20.00 U	
Oil Range			50.00 U		50.00 U	
TPH by 418.1						
Inorganics (Total) (mg/kg)						
Aluminum			12900.00		9410.00	9760.00
Antimony						
Arsenic	1.80	2.00	5.00 U		5.00 U	5.00 U
Barium			38.30	A THE REAL PROPERTY.	25.30	27.10
Beryllium			0.10 U		0.10	0.10
Cadmium	0.30 U	0.30 U	0.20 U		0.20 U	0.20 L
Calcium			5650.00		4500.00	4770.00

	Station ID:	PL2-109C	PL2-109C	SB-08707	SB-08707	SB-08708	SB-08708
	Sample ID:	L09-MW109C-71	L09-MW109C-9	SB-08707-0030	SB-08707-1030	SB-08708-0030	SB-08708-1030
Constituent D	epth (feet bgs):	71.5	9	3 to N/A	3 to N/A	3 to N/A	3 to N/A
Chromium		12.00	15.20	15.50 J		11.00 J	11.00 J
Chromium VI				0.23 UJH		0.22 UJH	
Cobalt				4.20		3.80	4.10
Copper		15.90	15.50	12.50		8.40	8.50
Cyanide							
Iron	Haritan Bur			14200.00		10700.00	11100.00
Lead		3.00 U	3.00 U	5.00 J		7.00 J	8.00 J
Magnesium				2370.00		2200.00	2200.00
Manganese			and the second second second second	117.00	and the second s	101.00	110.00
Mercury		0.10 U	0.05 U	0.06 UJ		0.05 UJ	0.04 UJ
Nickel				10.00 J+		9.00 J+	9.00 J+
Potassium				780.00		710.00	760.00
Selenium		0.40	0.30	5.00 U		5.00 U	5.00 U
Silver	- 1			0.30 U		0.30 U	0.30 U
Sodium				1250.00		830.00	848.00
Thallium		0.10 U	0.10 U	5.00 U		6.00	5.00 U
Vanadium				48.70		35.60	35.40
Zinc		21.50	27.30	26.70	The second second	21.80	22.60

	Station ID: Sample ID:	SB-08711 SB-08711-0020	SB-08711 SB-08711-0070	SB-08711 SB-08711-0100	SB-08712 SB-08712-0020	SB-08712 SB-08712-0065	SB-08712 SB-08712-0085
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
Pesticides/PCBs (u	g/kg)						Tally St. No. 15 Co. No.
Total PCB	188	37.00 UT	47.00 UT	43.00 UT	36.00 UT	47.00 UT	46.00 UT
Total Petroleum Hy	drocarbons (mg/kg)	Colore - Colored			garage and a factories	The same of the sa	
TPH by Washington	HCID 8015						
Volatile Organic Co	mpounds (ug/kg)						Carlo Bases Carlo
1,1,1-Trichloroethane 1,1,2,2-Tetrachloroet 1,1,2-Trichloroethane	thane						
1,1,2-Trichlorotrifluor 1,1-Dichloroethane 1,1-Dichloroethene	roethane						
1,2-Dichloroethane 1,2-Dichloropropane 2-Butanone							
2-Chloroethylvinyleth 2-Hexanone 4-Methyl-2-Pentanon							
Acetone Benzene Bromodichlorometha	ine						
Bromoform Bromomethane Carbon Disulfide							
Carbon Tetrachloride Chlorobenzene Chloroethane			er en igen och Springer och				

	Station ID:	SB-08711	SB-08711	SB-08711	SB-08712	SB-08712	SB-08712
	Sample ID:	SB-08711-0020	SB-08711-0070	SB-08711-0100	SB-08712-0020	SB-08712-0065	SB-08712-0085
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
Chloroform							
Chloromethane							
cis-1,2-Dichloroethene							
cis-1,3-Dichloropropen	e						
Dibromochloromethan	е						
Ethylbenzene							
m,p-Xylene	The Property of the				State of the state		
Methylene Chloride							
o-Xylene							
Styrene							19
Tetrachloroethene							
Toluene							
Total Xylene							
trans-1,2-Dichloroethe	ne						
trans-1,3-Dichloroprop	ene						
Trichloroethene							
Trichlorofluoromethane	9						
Vinyl Acetate							
Vinyl Chloride			Cart B. Cart St.	The second second second			
Semi-Volatile Organic	Compounds (ug/kg)	and the second second second second			- the later was the series		
1,2,4-Trichlorobenzene							
1,2-Dichlorobenzene							
1,3-Dichlorobenzene							
1,4-Dichlorobenzene							
2,2'-Oxybis(1-Chloropr	opane)						
2,4,5-Trichlorophenol							

Station ID:	SB-08711	SB-08711	SB-08711	SB-08712	SB-08712	SB-08712
Sample ID:	SB-08711-0020	SB-08711-0070	SB-08711-0100	SB-08712-0020	SB-08712-0065	SB-08712-0085
Constituent Depth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
2,4,6-Trichlorophenol						
2,4-Dichlorophenol						
2,4-Dimethylphenol						
2,4-Dinitrophenol						
2,4-Dinitrotoluene						
2,6-Dinitrotoluene						
2-Chloronaphthalene	144 7 1 1 1					
2-Chlorophenol						
2-Methylnaphthalene						
2-Methylphenol						
2-Nitroaniline						
2-Nitrophenol						
3,3'-Dichlorobenzidine						
3-Nitroaniline						
4,6-Dinitro-2-methylphenol	TO STATE OF THE STATE OF					file michae
4-Bromophenyl-phenylether						
4-Chloro-3-methylphenol						
4-Chloroaniline						
1-Chlorophenyl-phenylether						
1-Methylphenol						
1-Nitroaniline			A Charles of			Carlo Aggla
-Nitrophenol						
Benzoic acid						
Benzyl alcohol					trape the manager place.	
ois(2-Chloroethoxy)methane						
ois(2-Chloroethyl)ether						
sis(2-Ethylhexyl)phthalate						

	Station ID:	SB-08711	SB-08711	SB-08711	SB-08712	SB-08712	SB-08712
	Sample ID:	SB-08711-0020	SB-08711-0070	SB-08711-0100	SB-08712-0020	SB-08712-0065	SB-08712-0085
Constituent De	epth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
Butylbenzylphthalate			# 38 P P P P				
Carbazole							
Di-n-butylphthalate					and the second of the second	Soft of the second	
Di-n-octylphthalate							
Dibenzofuran							
Diethylphthalate							
Dimethylphthalate	in the						
Hexachlorobenzene							
Hexachlorobutadiene							
Hexachlorocyclopentadiene							
Hexachloroethane							
Isophorone							100
N-Nitroso-di-n-propylamine							
N-Nitrosodiphenylamine							
Nitrobenzene							
Pentachlorophenol							
Phenol							
Naphthalene							
Acenaphthylene							
Acenaphthene							
Fluorene			The state of the s		A SK DA ARE	· Carrier - Carr	
Phenanthrene							
Anthracene							
Fluoranthene					The state of the s		
Pyrene							
Benzo(a)anthracene	The second second						
Chrysene	the second second						1 1 1 1 1 1 1 1 1 1

	Station ID:	SB-08711	SB-08711	SB-08711	SB-08712	SB-08712	SB-08712
	Sample ID:	SB-08711-0020	SB-08711-0070	SB-08711-0100	SB-08712-0020	SB-08712-0065	SB-08712-0085
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
Benzo(b)fluoranthene							
Benzo(k)fluoranthene							
Benzo(a)pyrene							
Indeno(1,2,3-cd)pyre	ne			523000			
Dibenz(a,h)anthracer	ne						
Benzo(g,h,i)perylene	2,4	2 - 18-					
Pesticides/PCBs (ug	g/kg)						The Tolking Control
Aroclor 1248		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1254		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1260		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1242		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1016		37.00 U	47.00 U	43.00 U	36.00 U	47.00 U	46.00 U
Aroclor 1016/1242							
Total Petroleum Hyd	drocarbons (mg/kg)			The State of the S			
Diesel Range							
Gas Range							
Oil Range							
TPH by 418.1						Acceptation in	
Inorganics (Total) (r	ng/kg)						
Aluminum						TO WHAT WAS	
Antimony							
Arsenic	22 Land						
Barium			14 July 1944			A Parallelle	
Beryllium							
Cadmium							
Calcium	-41 -1 -1 -1 -1 -1						

	Station ID: Sample ID:	SB-08711 SB-08711-0020	SB-08711 SB-08711-0070	SB-08711 SB-08711-0100	SB-08712 SB-08712-0020	SB-08712 SB-08712-0065	SB-08712 SB-08712-0085
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	10 to N/A	2 to N/A	6.5 to N/A	8.5 to N/A
Chromium							
Chromium VI							
Cobalt						423112	
Copper							
Cyanide							
Iron	124	W 72472	n tayan arang a				
Lead							
Magnesium							
Manganese							
Mercury							
Nickel				2			12.5
Potassium							
Selenium							
Silver							
Sodium							
Thallium							
Vanadium							
Zinc							

Station ID:	SB-08713	SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
Sample ID:	SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Pesticides/PCBs (ug/kg)						
Total PCB	1050.00 T	47.00 UT	200.00 T	42.00 UT	48.00 UT	43.00 UT
Total Petroleum Hydrocarbons (mg/kg)		and the second second		The second second		and the second s
TPH by Washington HCID 8015						100
Volatile Organic Compounds (ug/kg)		and the second			O granding the state of	
1,1,1-Trichloroethane	THE RESERVE OF THE PERSON OF T				A. Proposition of the second	
1,1,2,2-Tetrachloroethane						
1,1,2-Trichloroethane						
1,1,2-Trichlorotrifluoroethane	Tagasia da Maria da Maria					
1,1-Dichloroethane						
1,1-Dichloroethene						
1,2-Dichloroethane	191 11944	garage and a second				MAC LANGE
1,2-Dichloropropane						
2-Butanone						
2-Chloroethylvinylether		ACTUAL TO MINE				1 154
2-Hexanone						
4-Methyl-2-Pentanone						
Acetone					E - I	
Benzene						
Bromodichloromethane						
Bromoform					1.75 - 16	
Bromomethane						
Carbon Disulfide	A 18 19 19 19 19 19 19 19 19 19 19 19 19 19	A SHE SHE	v File Management of the	And the state of the		
Carbon Tetrachloride						
Chlorobenzene						
Chloroethane						

Station ID:	SB-08713	SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
Sample ID:	SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Chloroform						
Chloromethane						
cis-1,2-Dichloroethene						
cis-1,3-Dichloropropene						
Dibromochloromethane						
Ethylbenzene						
m,p-Xylene						
Methylene Chloride						
o-Xylene						
Styrene						
Tetrachloroethene						
Toluene					2 - 19 3 - 1	
Total Xylene						
trans-1,2-Dichloroethene						
trans-1,3-Dichloropropene						
Trichloroethene						
Trichlorofluoromethane						
Vinyl Acetate	production of the state of the			and the second second		1
Vinyl Chloride				No. of the second secon	·	
Semi-Volatile Organic Compounds (ug/kg)					SALE OF A CARL	The second second
1,2,4-Trichlorobenzene						
1,2-Dichlorobenzene						
1,3-Dichlorobenzene						
1,4-Dichlorobenzene						
2,2'-Oxybis(1-Chloropropane)						
2,4,5-Trichlorophenol						

	Station ID:	SB-08713	SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
	Sample ID:	SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent	Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
2,4,6-Trichlorophenol			NETTER OF				
2,4-Dichlorophenol							
2,4-Dimethylphenol							
2,4-Dinitrophenol	41	The state of the state of					
2,4-Dinitrotoluene							
2,6-Dinitrotoluene							
2-Chloronaphthalene							
2-Chlorophenol							
2-Methylnaphthalene							
2-Methylphenol							
2-Nitroaniline							
2-Nitrophenol							
3,3'-Dichlorobenzidin	ie						
3-Nitroaniline							
4,6-Dinitro-2-methylp	henol						
1-Bromophenyl-phen							
4-Chloro-3-methylphe	enol						
1-Chloroaniline							76-
-Chlorophenyl-phen	ylether						
1-Methylphenol							
-Nitroaniline							- 1
I-Nitrophenol							
Benzoic acid							
Benzyl alcohol		ar di danara balimbir					
ois(2-Chloroethoxy)m	nethane						
ois(2-Chloroethyl)eth	er						
ois(2-Ethylhexyl)phth	alate						

	Station ID:	SB-08713	SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
	Sample ID:	SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent	Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Butylbenzylphthalate							
Carbazole							
Di-n-butylphthalate				According to the second			
Di-n-octylphthalate							
Dibenzofuran							
Diethylphthalate	400				A Agree A. A. C.		
Dimethylphthalate							
Hexachlorobenzene							
Hexachlorobutadiene							
Hexachlorocyclopentadien	е						
Hexachloroethane							
Isophorone	. A. C. Z						
N-Nitroso-di-n-propylamine							
N-Nitrosodiphenylamine							
Nitrobenzene							
Pentachlorophenol							
Phenol							
Naphthalene							
Acenaphthylene							
Acenaphthene							
Fluorene							
Phenanthrene							
Anthracene							
Fluoranthene							
Pyrene							
Benzo(a)anthracene							
Chrysene	Sunty 1				100	1	

	Station ID:	SB-08713	SB-08713	SB-08713	SB-08714	SB-08714	SB-08714
	Sample ID:	SB-08713-0020	SB-08713-0060	SB-08713-0100	SB-08714-0020	SB-08714-0070	SB-08714-0100
Constituent	Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Benzo(b)fluoranthene	9	Park Santa			ENTRE NEW TOTAL		
Benzo(k)fluoranthene	•						
Benzo(a)pyrene	The strain A			27 11 11 11	that the second of		
ndeno(1,2,3-cd)pyrei	ne						
Dibenz(a,h)anthracer	ne						
Benzo(g,h,i)perylene							
Pesticides/PCBs (ug	g/kg)						
Aroclor 1248		38.00 U	47.00 U	43.00 U	42.00 U	48.00 U	43.00 U
Aroclor 1254		800.00	47.00 U	200.00	42.00 U	48.00 U	43.00 U
Aroclor 1260		250.00	47.00 U	43.00 U	42.00 U	48.00 U	43.00 U
Aroclor 1242		38.00 U	47.00 U	43.00 U	42.00 U	48.00 U	43.00 U
Aroclor 1016		38.00 U	47.00 U	43.00 U	42.00 U	48.00 U	43.00 U
Aroclor 1016/1242							
Total Petroleum Hyd	drocarbons (mg/kg)						
Diesel Range							
Gas Range							
Oil Range							
TPH by 418.1					13.00 U	140.00	13.00 U
norganics (Total) (n	mg/kg)				The second second		
luminum							
Antimony	100						
Arsenic	9,4						
Barium	7.00					A STATE OF THE PARTY OF THE PAR	
Beryllium							
admium	100						
Calcium							

	Station ID: Sample ID:	SB-08713 SB-08713-0020	SB-08713 SB-08713-0060	SB-08713 SB-08713-0100	SB-08714 SB-08714-0020	SB-08714 SB-08714-0070	SB-08714 SB-08714-0100
Constituent	Depth (feet bgs):	2 to N/A	6 to N/A	10 to N/A	2 to N/A	7 to N/A	10 to N/A
Chromium							
Chromium VI							
Cobalt		* * * * * * * * * * * * * * * * * * *	· [1] · [1] · [2] · [2] · [3] · [4]				
Copper							
Cyanide							
Iron					and the state of the state of the state of		
Lead							
Magnesium							
Manganese	The same and the same states are seen	Commence of the second	The second second second		and was a second of the second		The same of the same of the
Mercury	非种类。						
Nickel							
Potassium							
Selenium							
Silver							
Sodium							
Thallium							
Vanadium							
Zinc							

	Station ID:	SB-08715	SB-08715	SB-08715	SB-08715	SB-10401	SB-10403
	Sample ID:	SB-08715-0020	SB-08715-0070	SB-08715-0095	SB-08715-1020	W15-SB-10401-0100	W20-SB-10403-0015
Constituent De	epth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Pesticides/PCBs (ug/kg)							
Total PCB	7 7 7 7 7	39.00 UT	50.00 UT	44.00 UT	36.00 UT	78.00 UT	
Total Petroleum Hydrocarbo	ons (mg/kg)					A Commence	
TPH by Washington HCID 80	15						
Volatile Organic Compound	ls (ug/kg)						and the second
1,1,1-Trichloroethane		THE STREET, ST				150.00 U	
1,1,2,2-Tetrachloroethane						150.00 U	
1,1,2-Trichloroethane						150.00 U	
1,1,2-Trichlorotrifluoroethane	REPORTED IN					310.00 U	
1,1-Dichloroethane						150.00 U	
1,1-Dichloroethene						150.00 U	
1,2-Dichloroethane						150.00 U	
1,2-Dichloropropane						150.00 U	
2-Butanone						2000.00 UB	
2-Chloroethylvinylether						770.00 U	
2-Hexanone	1					770.00 U	
4-Methyl-2-Pentanone	The National Association		STATE IN A			770.00 U	
Acetone						770.00 U	
Benzene						150.00 U	
Bromodichloromethane		AT 1 186 to 3 7 6 18		The state of the s		150.00 U	
Bromoform						150.00 U	
Bromomethane						310.00 U	
Carbon Disulfide		A second religions of the				150.00 U	
Carbon Tetrachloride						150.00 U	
Chlorobenzene						150.00 U	
Chloroethane	4500					310.00 U	

	Station ID:	SB-08715	SB-08715	SB-08715	SB-08715	SB-10401	SB-10403
	Sample ID:	SB-08715-0020	SB-08715-0070	SB-08715-0095	SB-08715-1020	W15-SB-10401-0100	W20-SB-10403-0015
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Chloroform						150.00 U	
Chloromethane						310.00 U	
cis-1,2-Dichloroethen	ne					150.00 U	
cis-1,3-Dichloroprope	ene					150.00 U	
Dibromochlorometha	ine					150.00 U	
Ethylbenzene						150.00 U	
m,p-Xylene						11 A 12 A	
Methylene Chloride						310.00 U	
o-Xylene							
Styrene						150.00 U	
Tetrachloroethene						150.00 U	
Toluene						150.00 U	
Total Xylene			KIN THE STATE OF T			310.00 U	
trans-1,2-Dichloroeth	nene					150.00 U	
trans-1,3-Dichloropro	ppene					150.00 U	
Trichloroethene						220.00	
Trichlorofluorometha	ne					310.00 U	
Vinyl Acetate					Control of the second	770.00 U	
Vinyl Chloride						310.00 U	
Semi-Volatile Organ	nic Compounds (ug/kg)					w	
1,2,4-Trichlorobenze	ne					79.00 U	
1,2-Dichlorobenzene						79.00 U	
1,3-Dichlorobenzene						79.00 U	
1,4-Dichlorobenzene			The state of the state of			79.00 U	
2,2'-Oxybis(1-Chloro	propane)					79.00 U	
2,4,5-Trichloropheno						390.00 U	

	Station ID:	SB-08715	SB-08715	SB-08715	SB-08715	SB-10401	SB-10403
	Sample ID:	SB-08715-0020	SB-08715-0070	SB-08715-0095	SB-08715-1020	W15-SB-10401-0100	W20-SB-10403-0015
Constituent Dep	oth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
2,4,6-Trichlorophenol						390.00 U	
2,4-Dichlorophenol						240.00 U	
2,4-Dimethylphenol						160.00 U	
2,4-Dinitrophenol						790.00 U	J. D. T. S. Ha
2,4-Dinitrotoluene						390.00 U	
,6-Dinitrotoluene						390.00 U	
2-Chloronaphthalene						79.00 U	
2-Chlorophenol						79.00 U	
-Methylnaphthalene						79.00 U	
-Methylphenol				and the second second		79.00 U	
2-Nitroaniline						390.00 U	
2-Nitrophenol	112312					390.00 U	
3,3'-Dichlorobenzidine	A STATE OF					390.00 U	
3-Nitroaniline						390.00 U	
1,6-Dinitro-2-methylphenol						790.00 U	
I-Bromophenyl-phenylether				With the David		79.00 U	
-Chloro-3-methylphenol	The World					160.00 U	
I-Chloroaniline						240.00 U	
-Chlorophenyl-phenylether	to the last				Carried March 1972	79.00 U	
-Methylphenol						79.00 U	
-Nitroaniline						390.00 U	
-Nitrophenol						390.00 U	
Benzoic acid	. 1					790.00 U	
Benzyl alcohol						390.00 U	
is(2-Chloroethoxy)methane						79.00 U	
is(2-Chloroethyl)ether						79.00 U	
ois(2-Ethylhexyl)phthalate						79.00 U	

	Station ID:	SB-08715	SB-08715	SB-08715	SB-08715	SB-10401	SB-10403
	Sample ID:	SB-08715-0020	SB-08715-0070	SB-08715-0095	SB-08715-1020	W15-SB-10401-0100	W20-SB-10403-0015
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Butylbenzylphthalate						79.00 U	
Carbazole						79.00 U	
Di-n-butylphthalate						79.00 U	
Di-n-octylphthalate	MA ALL STATE					79.00 U	
Dibenzofuran						79.00 U	
Diethylphthalate						79.00 U	
Dimethylphthalate						79.00 U	
Hexachlorobenzene						79.00 U	
Hexachlorobutadiene	9					160.00 U	
Hexachlorocyclopen	tadiene					390.00 U	
Hexachloroethane						160.00 U	
Isophorone						79.00 U	
N-Nitroso-di-n-propy	lamine					79.00 U	
N-Nitrosodiphenylan	nine					79.00 U	
Nitrobenzene						79.00 U	
Pentachlorophenol						390.00 U	
Phenol						160.00 U	
Naphthalene	2. · · · · · · · · · · · · · · · · · · ·					79.00 U	
Acenaphthylene						79.00 U	
Acenaphthene						79.00 U	
Fluorene						79.00 U	
Phenanthrene						79.00 U	
Anthracene	A Year Print					79.00 U	
Fluoranthene						79.00 U	
Pyrene		April 19 Car				79.00 U	
Benzo(a)anthracene						79.00 U	
Chrysene						79.00 U	

	Station ID:	SB-08715	SB-08715	SB-08715	SB-08715	SB-10401	SB-10403
	Sample ID:	SB-08715-0020	SB-08715-0070	SB-08715-0095	SB-08715-1020	W15-SB-10401-0100	W20-SB-10403-001
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Benzo(b)fluoranther	ne					79.00 U	
Benzo(k)fluoranthen	ie					79.00 U	
Benzo(a)pyrene						79.00 U	
Indeno(1,2,3-cd)pyre	ene					79.00 U	
Dibenz(a,h)anthrace	ene					79.00 U	
Benzo(g,h,i)perylene	e					79.00 U	
Pesticides/PCBs (u	ıg/kg)						
Aroclor 1248		39.00 U	50.00 U	44.00 U	36.00 U	78.00 U	
Aroclor 1254		39.00 U	50.00 U	44.00 U	36.00 U	78.00 U	
Aroclor 1260		39.00 U	50.00 U	44.00 U	36.00 U	78.00 U	
Aroclor 1242	3	39.00 U	50.00 U	44.00 U	36.00 U		
Aroclor 1016		39.00 U	50.00 U	44.00 U	36.00 U		
Aroclor 1016/1242						78.00 U	
Total Petroleum Hy	drocarbons (mg/kg)						
Diesel Range	i de la						
Gas Range							
Oil Range				Name of the state of			
TPH by 418.1		12.00 U	51.00	13.00 U	11.00 U		2
Inorganics (Total) (mg/kg)						a de la como
Aluminum		14 M. T. S.					9270.00
Antimony						6.00 U	5.00 UJ
Arsenic						6.00 U	5.00 U
Barium						25.00	24.20
Beryllium						0.10 U	0.10
Cadmium						0.30	0.20 U
Calcium			A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				5190.00

	Station ID: Sample ID:	SB-08715 SB-08715-0020	SB-08715 SB-08715-0070	SB-08715 SB-08715-0095	SB-08715 SB-08715-1020	SB-10401 W15-SB-10401-0100	SB-10403 W20-SB-10403-0015
Constituent	Depth (feet bgs):	2 to N/A	7 to N/A	9.5 to N/A	2 to N/A		1.5 to N/A
Chromium						11.80	10.90
Chromium VI							
Cobalt							3.50
Copper						10.20	8.60
Cyanide						0.25 U	
ron							10500.00
_ead						5.00	4.00
Magnesium							1980.00
Manganese				Carlo and to supplied			96.50
Mercury						0.05 U	0.05 U
Nickel						9.00	7.00
Potassium		164		19000			650.00
Selenium						6.00 U	5.00 U
Silver						0.40 U	0.30 U
Sodium							849.00
Thallium						0.10 U	5.00 U
Vanadium							36.30
Zinc						23.80	26.80

	Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
	Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent	Depth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
Pesticides/PCBs (u	ıg/kg)						
Total PCB	3		50 TO				
Total Petroleum Hy	/drocarbons (mg/kg)	and the second second	Manage and the Arry of	the file was been been been		The real of the section of	
TPH by Washington	HCID 8015	The same of the sa			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		21
Volatile Organic Co	ompounds (ug/kg)			- Lydrik - Control			
1,1,1-Trichloroethan	ie						
1,1,2,2-Tetrachloroe	ethane						
1,1,2-Trichloroethan	e						
1,1,2-Trichlorotrifluo	roethane	CART CARTER SALE	and the same of th	The state of the s			
1,1-Dichloroethane							
1,1-Dichloroethene						and the same	English War
1,2-Dichloroethane							
1,2-Dichloropropane							
2-Butanone							
2-Chloroethylvinylet	her						
2-Hexanone							
4-Methyl-2-Pentano	ne					The state of the s	
Acetone							
Benzene							
Bromodichlorometha	ane						
Bromoform							
Bromomethane	5.0						
Carbon Disulfide							
Carbon Tetrachlorid	е						
Chlorobenzene							
Chloroethane	7 1						

	Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
	Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent	Depth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
Chloroform				Wales and the first of the second			
Chloromethane							
cis-1,2-Dichloroethene							
cis-1,3-Dichloropropene						- N	
Dibromochloromethane							
Ethylbenzene							
m,p-Xylene							
Methylene Chloride	Charles and						
o-Xylene					and the second second		
Styrene							
Tetrachloroethene							
Toluene							
Total Xylene							
trans-1,2-Dichloroethene							
trans-1,3-Dichloropropene			and the many				
Trichloroethene							
Trichlorofluoromethane							
Vinyl Acetate					de la caractería de la ca		
Vinyl Chloride							
Semi-Volatile Organic C	ompounds (ug/kg)						
1,2,4-Trichlorobenzene					File Care Care		
1,2-Dichlorobenzene							
1,3-Dichlorobenzene							
1,4-Dichlorobenzene	Aug Ballagery						- 4-
2,2'-Oxybis(1-Chloropropa	ane)						
2,4,5-Trichlorophenol							

	Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
	Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent De	epth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
2,4,6-Trichlorophenol	1						
2,4-Dichlorophenol							
2,4-Dimethylphenol							
2,4-Dinitrophenol							
2,4-Dinitrotoluene							
2,6-Dinitrotoluene	1.00						
2-Chloronaphthalene							
2-Chlorophenol							
2-Methylnaphthalene	91113						
2-Methylphenol							
2-Nitroaniline	200						
2-Nitrophenol							
3,3'-Dichlorobenzidine							
3-Nitroaniline							
4,6-Dinitro-2-methylphenol		The second of the second of					
4-Bromophenyl-phenylether							
4-Chloro-3-methylphenol	2.07						
4-Chloroaniline	÷ ,						1
4-Chlorophenyl-phenylether							
4-Methylphenol							
4-Nitroaniline	10, 4	In the entitle		The Carlotte American			
4-Nitrophenol	4.4						
Benzoic acid							
Benzyl alcohol							
bis(2-Chloroethoxy)methane							
bis(2-Chloroethyl)ether							
bis(2-Ethylhexyl)phthalate							

Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent Depth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
Butylbenzylphthalate		Link, Link E. F.W.		The Property of the Property o		
Carbazole						
Di-n-butylphthalate					A CONTRACTOR OF THE PARTY OF TH	
Di-n-octylphthalate						
Dibenzofuran						
Diethylphthalate						`
Dimethylphthalate						
Hexachlorobenzene						
Hexachlorobutadiene						to any last
Hexachlorocyclopentadiene						
Hexachloroethane						
Isophorone						
N-Nitroso-di-n-propylamine						+
N-Nitrosodiphenylamine						
Nitrobenzene						
Pentachlorophenol						
Phenol						
Naphthalene	Mary management of the second					
Acenaphthylene						
Acenaphthene						
Fluorene						
Phenanthrene						
Anthracene						
Fluoranthene						
Pyrene						
Benzo(a)anthracene						
Chrysene						

	Station ID:	SB-10403	SB-10403	SB-10404	SB-10404	SB-10404	
	Sample ID:	W20-SB-10403-0060	W20-SB-10403-0105	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	
Constituent	Depth (feet bgs):	6 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A	
Benzo(b)fluoranthene		the feet of the first					
Benzo(k)fluoranthene							
Benzo(a)pyrene	15 - X - 1/F			Line and William			
ndeno(1,2,3-cd)pyrene	Э						
ibenz(a,h)anthracene							
enzo(g,h,i)perylene			The Age of the Control of the Contro	to the property of the property of	THE PROPERTY OF		
esticides/PCBs (ug/	kg)						
roclor 1248	The state of the s						
roclor 1254							
roclor 1260							
roclor 1242			re de la companya de				
roclor 1016							
Aroclor 1016/1242	1						. To a Shire
otal Petroleum Hydr	ocarbons (mg/kg)						
Diesel Range		PANEL LINE PARE					
as Range	- 7						
Oil Range							
PH by 418.1							
norganics (Total) (m	g/kg)						克克·
luminum		11400.00	10300.00	9420.00	11600.00	9710.00	
ntimony		7.00 UJ	6.00 UJ	5.00 UJ	7.00 UJ	7.00 UJ	
rsenic		7.00 U	6.00 U	5.00 U	7.00 U	7.00 U	
Barium		26.70	30.50	21.50	26.40	33.40	
Beryllium		0.10	0.10 U	0.10	0.20	0.10 U	
Cadmium	0,43	0.30 U	0.30 U	0.20 U	0.30 U	0.30 U	
Calcium	41.0	5530.00	4520.00	4660.00	5560.00	4380.00	

Constituent	Station ID: Sample ID: Depth (feet bgs):	SB-10403 W20-SB-10403-0060 6 to N/A	SB-10403 W20-SB-10403-0105 10.5 to N/A	SB-10404 W20-SB-10404-0015 1.5 to N/A	SB-10404 W20-SB-10404-0065 6.5 to N/A	SB-10404 W20-SB-10404-0105 10.5 to N/A	
Chromium		12.70	13.30	19.50	12.90	10.60	
Chromium VI							
Cobalt		4.10	4.40	3.30	4.20	4.20	
Copper		11.20	10.40	7.50	10.40	9.20	
Cyanide							
Iron		11600.00	13000.00	10100.00	11700.00	13000.00	Y
Lead		4.00	4.00	3.00	5.00	3.00	
Magnesium		2240.00	2070.00	1890.00	2240.00	2050.00	
Manganese		92.80	122.00	86.90	96.60	121.00	
Mercury		0.05 U	0.05 U	0.05 U	0.06 U	0.07 U	
Nickel		9.00	9.00	7.00	9.00	8.00	
Potassium		850.00	670.00	610.00	860.00	640.00	
Selenium		7.00 U	6.00 U	5.00 U	7.00 U	7.00 U	
Silver		0.40 U	0.40 U	0.30 U	0.40 U	0.40 U	
Sodium		1150.00	979.00	919.00	1140.00	983.00	
Thallium		7.00 U	6.00 U	5.00 U	7.00 U	7.00 U	
Vanadium		41.30	46.40	35.80	41.00	39.40	
Zinc		22.80	24.70	20.40	24.00	22.60	

	Station ID:	SB-08704	SB-08704	SB-08704	SB-08705	SB-08705	SB-08705
	Sample ID:	W20-SB-08704-0025	W20-SB-08704-0050	W20-SB-08704-0075	W20-SB-08705-0025	W20-SB-08705-0050	W20-SB-08705-0075
Constituent	Depth (feet bgs):	2.5 to N/A	5 to N/A	7.5 to N/A	2.5 to N/A	5 to N/A	7.5 to N/A
Pesticides/PCBs (ug/kg)			Programme and the			
Total PCB	1,000	71.00 UT	86.00 UT	77.00 UT	73.00 UT	96.00 UT	88.00 UT
Aroclor 1248		71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Aroclor 1254		71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Aroclor 1260		71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Aroclor 1242							
Aroclor 1016							
Aroclor 1016/1242		71.00 U	86.00 U	77.00 U	73.00 U	96.00 U	88.00 U
Total Petroleum H	ydrocarbons (mg/kg)						
Diesel Range							
Gas Range							
Oil Range	*		A American Company	in the state of			4.
Inorganics (Total)	(mg/kg)						- 100 m. S. 100
Aluminum		8640.00	17500.00	9490.00	8990.00	14200.00	19000.00
Antimony		5.00 UJ	6.00 UJ	6.00 UJ	5.00 UJ	6.00 UJ	7.00 UJ
Arsenic		5.00 U	6.00 U	6.00 U	5.00 U	6.00 U	7.00 U
Barium		19.20	61.10	22.50	22.50	39.20	68.10
Beryllium		0.10 U	0.20	0.10	0.10	0.30	0.30
Cadmium		0.20 U	0.30 U	0.20 U	0.20 U	0.20 U	0.30 U
Calcium		3940.00	5390.00	4560.00	4750.00	6840.00	5520.00
Chromium		9.50	34.10	252.00	12.10	115.00	18.80
Chromium VI		0.21 UJH	0.27 UJH	0.23 UJH	0.22 UJH	0.28 UJH	0.28 UJH
Cobalt		3.50	6.50	3.80	3.70	5.60	6.60
		6.90	16.30	9.30	8.30	19.50	21.60
Copper							
Copper Iron		9900.00	19300.00	10800.00	10400.00	15900.00	18500.00

	Station ID: Sample ID:	SB-08704 W20-SB-08704-0025	SB-08704 W20-SB-08704-0050	SB-08704 W20-SB-08704-0075	SB-08705 W20-SB-08705-0025	SB-08705 W20-SB-08705-0050	SB-08705 W20-SB-08705-0075
Constituent	Depth (feet bgs):	2.5 to N/A	5 to N/A	7.5 to N/A	2.5 to N/A	5 to N/A	7.5 to N/A
Magnesium		1950.00	2940.00	2180.00	1880.00	3510.00	3490.00
Manganese		85.40	266.00	97.80	94.40	143.00	238.00
Mercury		0.05 U	0.06 U	0.05 U	0.05 U	0.06	0.05
Nickel		7.00	13.00	8.00	8.00	15.00	15.00
Potassium		690.00	810.00	720.00	550.00	1130.00	990.00
Selenium		5.00 U	6.00 U	6.00 U	5.00 U	6.00 U	7.00 U
Silver		0.30 U	0.40 U	0.30 U	0.30 U	0.40 U	0.40 U
Sodium		1000.00	2610.00	1050.00	847.00	1170.00	1640.00
Thallium		5.00 U	6.00 U	6.00 U	5.00 U	6.00 U	7.00 U
Vanadium		33.90	47.10	36.50	36.40	47.40	53.40
Zinc		19.50	26.00	25.70	20.50	34.00	33.30

	Station ID:	SB-08706	SB-08706	SB-08706	SB-08709	SB-08709	SB-08709
	Sample ID:	W20-SB-08706-0075	W20-SB-08706-0100	W20-SB-08706-0125	SB-08709-0060	SB-08709-0070	SB-08709-0105
Constituent	Depth (feet bgs):	7.5 to N/A	10 to N/A	12.5 to N/A	6 to N/A	7 to N/A	10.5 to N/A
Pesticides/PCBs (u	ug/kg)						
Total PCB		84.00 UT	87.00 UT	87.00 UT	45.00 UT	56.00 UT	43.00 UT
Aroclor 1248		84.00 UJH	87.00 U	87.00 UJH	45.00 U	56.00 U	43.00 U
Aroclor 1254		84.00 UJH	87.00 U	87.00 UJH	45.00 U	56.00 U	43.00 U
Aroclor 1260		84.00 UJH	87.00 U	87.00 UJH	45.00 U	56.00 U	43.00 U
Aroclor 1242					45.00 U	56.00 U	43.00 U
Aroclor 1016					45.00 U	56.00 U	43.00 U
Aroclor 1016/1242		84.00 UJH	87.00 U	87.00 UJH			
Total Petroleum Hy	ydrocarbons (mg/kg)	- 1					
Diesel Range			14.75				
Gas Range							
Oil Range	April Process						
Inorganics (Total) ((mg/kg)		A CONTRACTOR				
Aluminum		11900.00	11100.00	14000.00		CANCELL BE FAIR	
Antimony		6.00 UJ	6.00 UJ	7.00 UJ			
Arsenic		6.00 U	6.00 U	7.00 U			
Barium		40.90	36.30	46.90			
Beryllium		0.20	0.20	0.20			
Cadmium		0.20 U	0.30 U	0.30 U			
Calcium		4270.00	4530.00	5620.00			
Chromium		14.90	14.30	15.80	•		
Chromium VI		0.25 U	0.26 U	0.28 U			
Cobalt	The second that second	5.40	4.90	5.40	- William Into Live		
Copper		14.90	11.50	15.80			
Iron		13900.00	12900.00	11900.00			
Lead		5.00	4.00	6.00		Control Charles of the	

Park .	Station ID: Sample ID:	SB-08706 W20-SB-08706-0075	SB-08706 W20-SB-08706-0100	SB-08706 W20-SB-08706-0125	SB-08709 SB-08709-0060	SB-08709 SB-08709-0070	SB-08709 SB-08709-0105
Constituent	Depth (feet bgs):	7.5 to N/A	10 to N/A	12.5 to N/A	6 to N/A	7 to N/A	10.5 to N/A
Magnesium		2670.00	2180.00	2770.00			
Manganese		143.00	161.00	140.00			
Mercury	And the speed	0.05 U	0.06 U	0.07 U			
Nickel		10.00	9.00	10.00			
Potassium		860.00	760.00	830.00			
Selenium	有意思和	6.00 U	6.00 U	7.00 U			
Silver		0.40 U	0.40 U	0.40 U			
Sodium		858.00	990.00	1310.00			
Thallium		6.00 U	6.00 U	7.00 U			
Vanadium		46.40	46.40	50.80			
Zinc		25.50	23.50	28.10		Fr.	

	Station ID:	SB-08712	SB-08712	SB-08712	SB-11001	SB-11001	SB-11001
	Sample ID:	SB-08712-0020	SB-08712-0065	SB-08712-0085	W20-SB-11001-0015	W20-SB-11001-0060	W20-SB-11001-0095
Constituent	Depth (feet bgs):	2 to N/A	6.5 to N/A	8.5 to N/A	1.5 to N/A	6 to N/A	9.5 to N/A
Pesticides/PCBs (uç	g/kg)						
Total PCB		36.00 UT	47.00 UT	46.00 UT	70.00 UT	90.00 UT	90.00 UT
Aroclor 1248		36.00 U	47.00 U	46.00 U	70.00 U	90.00 U	90.00 U
Aroclor 1254		36.00 U	47.00 U	46.00 U	70.00 U	90.00 U	90.00 U
Aroclor 1260		36.00 U	47.00 U	46.00 U	70.00 U	90.00 U	90.00 U
Aroclor 1242	1 5	36.00 U	47.00 U	46.00 U			
Aroclor 1016		36.00 U	47.00 U	46.00 U			
Aroclor 1016/1242					70.00 U	90.00 U	90.00 U
Total Petroleum Hyd	drocarbons (mg/kg)			KNOW WELL	100		
Diesel Range					25.00 U	25.00 U	25.00 U
Gas Range					20.00 U	20.00 U	20.00 U
Oil Range					50.00 U	50.00 U	50.00 U
Inorganics (Total) (n	mg/kg)						
Aluminum						THE PERSON NAMED IN	
Antimony							
Arsenic							
Barium							
Beryllium							
Cadmium							
Calcium							
Chromium							
Chromium VI							
Cobalt		Care Marie Control	An agent to the same of the			g challed and received	
Copper							
Iron							
Lead	The state of		學別的在 10 1990 共产业	The second	PER METHODOLOGIC	The state of the s	Per Starton

	Station ID:	SB-08712 SB-08712-0020 2 to N/A	SB-08712	SB-08712	SB-11001	SB-11001	SB-11001 W20-SB-11001-0095 9.5 to N/A
	Sample ID:		SB-08712-0065	SB-08712-0085	W20-SB-11001-0015	W20-SB-11001-0060	
Constituent	Depth (feet bgs):		6.5 to N/A	8.5 to N/A	1.5 to N/A	6 to N/A	
Magnesium							
Manganese							
Mercury							
Nickel							
Potassium							
Selenium							
Silver							
Sodium							
Thallium				2 10 10 mm			
Vanadium	and the second s						
Zinc	12/50						

	Station ID:	SB-11001	
	Sample ID:	W20-SB-11001-1095	
Constituent	Depth (feet bgs):	9.5 to N/A	
Pesticides/PCBs (u	ug/kg)		
Total PCB			
Aroclor 1248			일본 회사를 하는 것이 되는 것이 없는 사람들이 되었다. 그리고 그리고 있다.
Aroclor 1254			
Aroclor 1260			
Aroclor 1242			
Aroclor 1016			
Aroclor 1016/1242			
Total Petroleum Hy	ydrocarbons (mg/kg)	San Property Commencer Special	
Diesel Range		25.00 U	
Gas Range		20.00 U	
Oil Range		50.00 U	
Inorganics (Total)	(mg/kg)		
Aluminum			
Antimony			
Arsenic			
Barium			
Beryllium			
Cadmium			
Calcium			
Chromium			
Chromium VI	- Sacra Carlot		
Cobalt			
Copper	The state of the s		
Iron			
Lead	and the second second		

	Station ID:	SB-11001	
	Sample ID:	W20-SB-11001-1095	
Constituent	Depth (feet bgs):	9.5 to N/A	
Magnesium			
Manganese			
Mercury			
Nickel			
Potassium			
Selenium			
Silver			
Sodium			
Thallium			
Vanadium			
Zinc			

	Station ID:	NS-01-104	NS-02-104	SB-10402	SB-10403	SB-10403	SB-10403
	Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060	W20-SB-10403-0105
Constituent De	epth (feet bgs):	4-290-5	and the second		1.5 to N/A	6 to N/A	10.5 to N/A
Pesticides/PCBs (ug/kg)				The state of the state of			
Total PCB		300.00 UT	62.00 UT	90.00 UT			
Volatile Organic Compound	ls (ug/kg)						
1,1,1-Trichloroethane	THE PARTY AND THE	120.00 U	1.10 U	6.70	PART TO SERVE		
1,1,2,2-Tetrachloroethane		120.00 U	1.10 U	1.40 U			
1,1,2-Trichloroethane		120.00 U	1.10 U	3.70			
1,1,2-Trichlorotrifluoroethane		250.00 U	2.20 U	2.80 U			war and the second
1,1-Dichloroethane		120.00 U	1.10 U	210.00			
1,1-Dichloroethene		120.00 U	1.10 U	12.00			
1,2-Dichloroethane		120.00 U	1.10 U	8.10			
1,2-Dichloropropane		120.00 U	1.10 U	1.40 U			
2-Butanone		2300.00 UB	5.40 U	12.00 UB			
2-Chloroethylvinylether		620.00 U	5.40 U	7.00 U		Mark Property of	Office Control
2-Hexanone		620.00 U	5.40 U	7.00 U			
4-Methyl-2-Pentanone	76.4 Te. 1	620.00 U	5.40 U	7.00 U			
Acetone		620.00 U	7.90	54.00			
Benzene		120.00 U	1.10 U	1.40			
Bromodichloromethane		120.00 U	1.10 U	1.40 U			
Bromoform	The state of	120.00 U	1.10 U	1.40 U			
Bromomethane		250.00 U	2.20 U	2.80 U			
Carbon Disulfide	the second	120.00 U	1.10 U	1.70			
Carbon Tetrachloride		120.00 U	1.10 U	1.40 U			
Chlorobenzene		120.00 U	1.10 U	1.40 U			
Chloroethane	CALLED ST.	250.00 U	2.20 U	2.80 U			
Chloroform	1054	120.00 U	1.10 U	1.40 U			
Chloromethane		250.00 U	2.20 U	2.80 U			

Station ID:	NS-01-104	NS-02-104	SB-10402	SB-10403	SB-10403	SB-10403
Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060	W20-SB-10403-0105
Constituent Depth (feet bgs):	Strain of			1.5 to N/A	6 to N/A	10.5 to N/A
cis-1,2-Dichloroethene	120.00 U	1.10 U	530.00 D			
cis-1,3-Dichloropropene	120.00 U	1.10 U	1.40 U			
Dibromochloromethane	120.00 U	1.10 U	1.40 U			
Ethylbenzene	120.00 U	1.10U	1.40 U			
Methylene Chloride	250.00 U	2.20 U	2.80 U			
Styrene	120.00 U	1.10 U	1.40 U			
Tetrachloroethene	120.00 U	1.10 U	170.00			
Toluene	120.00 U	1.10 U	10.00			
Total Xylene	250.00 U	2.20 U	2.80 U			
trans-1,2-Dichloroethene	120.00 U	1.10 U	37.00			
trans-1,3-Dichloropropene	120.00 U	1.10 U	1.40 U			
Trichloroethene	120.00 U	4.60	5900.00 D			
Trichlorofluoromethane	250.00 U	2.20 U	2.80 U			
Vinyl Acetate	620.00 U	5.40 U	7.00 U			
Vinyl Chloride	250.00 U	2.20 U	2.80 U		P. Paris Control of the Control of t	
Semi-Volatile Organic Compounds (ug/kg)						
1,2,4-Trichlorobenzene	69.00 U	62.00 U	90.00 U			
1,2-Dichlorobenzene	69.00 U	62.00 U	90.00 U			
1,3-Dichlorobenzene	69.00 U	62.00 U	90.00 U			
1,4-Dichlorobenzene	69.00 U	62.00 U	90.00 U			
2,2'-Oxybis(1-Chloropropane)	69.00 U	62.00 U	90.00 U			
2,4,5-Trichlorophenol	350.00 U	310.00 U	450.00 U			
2,4,6-Trichlorophenol	350.00 U	310.00 U	450.00 U			
2,4-Dichlorophenol	210.00 U	190.00 U	270.00 U			
2,4-Dimethylphenol	140.00 U	120.00 U	180.00 U			
2,4-Dinitrophenol	690.00 U	620.00 U	900.00 U		16	

Station ID:	NS-01-104	NS-02-104	SB-10402	SB-10403	SB-10403	SB-10403
Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060	W20-SB-10403-0105
Constituent Depth (feet bgs):				1.5 to N/A	6 to N/A	10.5 to N/A
2,4-Dinitrotoluene	350.00 U	310.00 U	450.00 U		an attended a lea	
2,6-Dinitrotoluene	350.00 U	310.00 U	450.00 U			
2-Chloronaphthalene	69.00 U	62.00 U	90.00 U			
2-Chlorophenol	69.00 U	62.00 U	90.00 U			
2-Methylnaphthalene	69.00 U	62.00 U	90.00 U			
2-Methylphenol	69.00 U	62.00 U	90.00 U			
2-Nitroaniline	350.00 U	310.00 U	450.00 U			
2-Nitrophenol	350.00 U	310.00 U	450.00 U			
3,3'-Dichlorobenzidine	350.00 U	310.00 U	450.00 U			
3-Nitroaniline	350.00 U	310.00 U	450.00 U			
4,6-Dinitro-2-methylphenol	690.00 U	620.00 U	900.00 U			
4-Bromophenyl-phenylether	69.00 U	62.00 U	90.00 U			
4-Chloro-3-methylphenol	140.00 U	120.00 U	180.00 U			
4-Chloroaniline	210.00 U	190.00 U	270.00 U			
4-Chlorophenyl-phenylether	69.00 U	62.00 U	90.00 U		Walter St.	seating the best
4-Methylphenol	69.00 U	62.00 U	90.00 U			
4-Nitroaniline	350.00 U	310.00 U	450.00 U			
4-Nitrophenol	350.00 U	310.00 U	450.00 U			
Benzoic acid	690.00 U	620.00 U	900.00 U			
Benzyl alcohol	350.00 U	310.00 U	450.00 U		harding at the	The state of the s
bis(2-Chloroethoxy)methane	69.00 U	62.00 U	90.00 U			
bis(2-Chloroethyl)ether	69.00 U	62.00 U	90.00 U			
bis(2-Ethylhexyl)phthalate	650.00	62.00 U	90.00 U			
Butylbenzylphthalate	69.00 U	62.00 U	90.00 U		Total Singular to See	
Carbazole	69.00 U	62.00 U	90.00 U			
Di-n-butylphthalate	69.00 U	62.00 U	90.00 U		Jan Barrich	
Di-n-octylphthalate	69.00 U	62.00 U	90.00 U		20 6 20 10	5-60

	Station ID:	NS-01-104	NS-02-104	SB-10402	SB-10403	SB-10403	SB-10403
	Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060	W20-SB-10403-0105
Constituent De	epth (feet bgs):				1.5 to N/A	6 to N/A	10.5 to N/A
Dibenzofuran		69.00 U	62.00 U	90.00 U			
Diethylphthalate		69.00 U	62.00 U	90.00 U			
Dimethylphthalate		160.00	62.00 U	90.00 U			
Hexachlorobenzene		69.00 U	62.00 U	90.00 U			
Hexachlorobutadiene		140.00 U	120.00 U	180.00 U			
Hexachlorocyclopentadiene		350.00 U	310.00 U	450.00 U			
Hexachloroethane		140.00 U	120.00 U	180.00 U			
Isophorone		69.00 U	62.00 U	90.00 U			
N-Nitroso-di-n-propylamine		69.00 U	62.00 U	90.00 U			
N-Nitrosodiphenylamine		69.00 U	62.00 U	90.00 U			
Nitrobenzene		69.00 U	62.00 U	90.00 U			
Pentachlorophenol		350.00 U	310.00 U	450.00 U			
Phenol		140.00 U	120.00 U	180.00 U			
Naphthalene		69.00 U	62.00 U	90.00 U			
Acenaphthylene	A. C.	69.00 U	62.00 U	90.00 U			
Acenaphthene		69.00 U	62.00 U	90.00 U			
Fluorene		69.00 U	62.00 U	90.00 U			
Phenanthrene		69.00 U	62.00 U	90.00 U			
Anthracene		69.00 U	62.00 U	90.00 U			
Fluoranthene		69.00 U	62.00 U	90.00 U			
Pyrene		69.00 U	62.00 U	90.00 U			4.
Benzo(a)anthracene		69.00 U	62.00 U	90.00 U			
Chrysene		69.00 U	62.00 U	90.00 U		35.75H	
Benzo(b)fluoranthene		69.00 U	62.00 U	90.00 U			
Benzo(k)fluoranthene	GHAR THE TANK	69.00 U	62.00 U	90.00 U			
Benzo(a)pyrene	- Sea - Silver	69.00 U	62.00 U	90.00 U	And the same of the same	Test to the	
Indeno(1,2,3-cd)pyrene		69.00 U	62.00 U	90.00 U			

Station ID:	NS-01-104	NS-02-104	SB-10402	SB-10403	SB-10403	SB-10403
Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10402-0080	W20-SB-10403-0015	W20-SB-10403-0060	W20-SB-10403-0105
Constituent Depth (feet bgs):				1.5 to N/A	6 to N/A	10.5 to N/A
Dibenz(a,h)anthracene	69.00 U	62.00 U	90.00 U			
Benzo(g,h,i)perylene	69.00 U	62.00 U	90.00 U			
Pesticides/PCBs (ug/kg)						
Aroclor 1248	160.00 UI	62.00 U	90.00 U			
Aroclor 1254	90.00 UI	62.00 U	90.00 U			
Aroclor 1260	69.00 U	62.00 U	90.00 U			477
Aroclor 1016/1242	300.00 UI	62.00 U	90.00 U			
Inorganics (Total) (mg/kg)						
Aluminum				9270.00	11400.00	10300.00
Antimony	6.00	5.00 U	6.00 U	5.00 UJ	7.00 UJ	6.00 UJ
Arsenic	5.00 U	5.00 U	6.00 U	5.00 U	7.00 U	6.00 U
Barium	22.70	21.80	66.10	24.20	26.70	30.50
Beryllium	0.10	0.10	0.40	0.10	0.10	0.10 U
Cadmium	198.00	240.00	0.40	0.20 U	0.30 U	0.30 U
Calcium		AND DATE OF		5190.00	5530.00	4520.00
Chromium	14.20	75.90	28.20	10.90	12.70	13.30
Cobalt				3.50	4.10	4.40
Copper	3430.00	4350.00	42.50	8.60	11.20	10.40
Cyanide	0.20 U	5.50	0.22 U			
Iron				10500.00	11600.00	13000.00
Lead	11.00	4.00	19.00	4.00	4.00	4.00
Magnesium				1980.00	2240.00	2070.00
Manganese				96.50	92.80	122.00
Mercury	0.04 U	0.05 U	0.11	0.05 U	0.05 U	0.05 U
Nickel	11.00	8.00	22.00	7.00	9.00	9.00
Potassium				650.00	850.00	670.00

Constituent	Station ID:	NS-01-104	NS-02-104	SB-10402	SB-10403	SB-10403	SB-10403 W20-SB-10403-0105 10.5 to N/A
	Sample ID:	W15-W1-NS-01	W15-W1-NS-02	W15-SB-10402-0080	W20-SB-10403-0015 1.5 to N/A	W20-SB-10403-0060 6 to N/A	
	Depth (feet bgs):						
Selenium		5.00 U	5.00 U	6.00 U	5.00 U	7.00 U	6.00 U
Silver		0.30 U	0.30 U	0.40	0.30 U	0.40 U	0.40 U
Sodium					849.00	1150.00	979.00
Thallium		0.10	0.10 U	0.60 U	5.00 U	7.00 U	6.00 U
Vanadium					36.30	41.30	46.40
Zinc		49.00	83.60	54.50	26.80	22.80	24.70

	Station ID:	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405	SB-10405
	Sample ID:	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	W20-SB-10405-0065	W20-SB-10405-0105
Constituent	Depth (feet bgs):	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A
Pesticides/PCBs (u	g/kg)						
Total PCB							
Volatile Organic Co	mpounds (ug/kg)						
1,1,1-Trichloroethane						and the second second	
1,1,2,2-Tetrachloroet	thane						
1,1,2-Trichloroethane							
1,1,2-Trichlorotrifluor	oethane	May an error payment	San year of the later of the la			The state of the s	y Tomas a sept. I suffer in the second
1,1-Dichloroethane							
1,1-Dichloroethene							
1,2-Dichloroethane							
1,2-Dichloropropane							
2-Butanone							
2-Chloroethylvinyleth	er						
2-Hexanone							
4-Methyl-2-Pentanor	e						
Acetone							7-6
Benzene							
Bromodichlorometha	ne			The state of the state of			AND STATE
Bromoform							
Bromomethane							
Carbon Disulfide							
Carbon Tetrachloride							
Chlorobenzene							
Chloroethane	4	A Penys Print		white rungs a			Menta lakara 1
Chloroform	- 12	Virus in the little			and and	Ballania veni	Harry Market and
Chloromethane	3. 00.00						

	Station ID:	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405	SB-10405
	Sample ID:	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	W20-SB-10405-0065	W20-SB-10405-0105
Constituent	Depth (feet bgs):	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A
cis-1,2-Dichloroethene							
cis-1,3-Dichloropropene							
Dibromochloromethane							
Ethylbenzene							
Methylene Chloride							20 1
Styrene							
Tetrachloroethene							
Toluene			Same of the same				
Total Xylene							
trans-1,2-Dichloroethene							
trans-1,3-Dichloroproper	ne						
Trichloroethene							
Trichlorofluoromethane							
Vinyl Acetate							
Vinyl Chloride							
Semi-Volatile Organic	Compounds (ug/kg)			51,31			1.5
1,2,4-Trichlorobenzene							
1,2-Dichlorobenzene							
1,3-Dichlorobenzene	1971						
1,4-Dichlorobenzene		August and the second of			the state of the state of		the second
2,2'-Oxybis(1-Chloroprop	pane)						
2,4,5-Trichlorophenol							
2,4,6-Trichlorophenol							
2,4-Dichlorophenol							
2,4-Dimethylphenol							
2,4-Dinitrophenol		The second of the second	No part of the part of the				

	Station ID:	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405	SB-10405
	Sample ID:	W20-SB-10404-0015 1.5 to N/A	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	W20-SB-10405-0065	W20-SB-10405-0105
Constituent	Depth (feet bgs):		6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A
2,4-Dinitrotoluene							
2,6-Dinitrotoluene							
2-Chloronaphthalene							+
2-Chlorophenol							
2-Methylnaphthalene	A LAND						
2-Methylphenol							
2-Nitroaniline							
2-Nitrophenol							
3,3'-Dichlorobenzidine							
3-Nitroaniline							
4,6-Dinitro-2-methylph	nenol						
4-Bromophenyl-phenyl	lether		had the second of the second				A Para Carlo
4-Chloro-3-methylpher	nol						
4-Chloroaniline							
4-Chlorophenyl-phenyl	lether						
4-Methylphenol							
4-Nitroaniline							
4-Nitrophenol			120	. 77			
Benzoic acid							
Benzyl alcohol							
bis(2-Chloroethoxy)me	ethane						
bis(2-Chloroethyl)ether	r				The state of the state of		
bis(2-Ethylhexyl)phtha	late						
Butylbenzylphthalate				harman de la company			
Carbazole	10 110 100						
Di-n-butylphthalate							
Di-n-octylphthalate			The state of the s		The state of the s		

	Station ID:	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405	SB-10405
	Sample ID:	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	W20-SB-10405-0065	W20-SB-10405-0105
Constituent	Depth (feet bgs):	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A
Dibenzofuran					Location and the		
Diethylphthalate							
Dimethylphthalate							
Hexachlorobenzene							
Hexachlorobutadiene							
Hexachlorocyclopentadi	ene						
Hexachloroethane							
Isophorone							
N-Nitroso-di-n-propylam	ine						31
N-Nitrosodiphenylamine							
Nitrobenzene							
Pentachlorophenol							
Phenol							
Naphthalene							
Acenaphthylene							
Acenaphthene							
Fluorene							
Phenanthrene							
Anthracene							
Fluoranthene							
Pyrene							
Benzo(a)anthracene					•		
Chrysene							
Benzo(b)fluoranthene		Mary Arthur	Carlotte Sancar	Prince and record			
Benzo(k)fluoranthene							
Benzo(a)pyrene	The second part of						
Indeno(1,2,3-cd)pyrene	The State of the S	THE YOUR DESIGNATION		The second			

	Station ID:	SB-10404	SB-10404	SB-10404	SB-10405	SB-10405	SB-10405
	Sample ID:	W20-SB-10404-0015	W20-SB-10404-0065	W20-SB-10404-0105	W20-SB-10405-0015	W20-SB-10405-0065	W20-SB-10405-0105
Constituent De	epth (feet bgs):	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A
Dibenz(a,h)anthracene					章以李代之代为"精"	THE RESERVE	Frank Frank
Benzo(g,h,i)perylene			The Manager of the Control of the Co		To also the same of		
Pesticides/PCBs (ug/kg)							
Aroclor 1248							
Aroclor 1254							
Aroclor 1260							
Aroclor 1016/1242	Marie Sept. 4			The second second			
Inorganics (Total) (mg/kg)	and the						
Aluminum		9420.00	11600.00	9710.00	9990.00	17300.00	20600.00
Antimony		5.00 UJ	7.00 UJ	7.00 UJ	5.00 UJ	7.00 UJ	7.00 UJ
Arsenic		5.00 U	7.00 U	7.00 U	5.00 U	7.00	7.00 U
Barium		21.50	26.40	33.40	23.60	46.30	81.90
Beryllium		0.10	0.20	0.10 U	0.10	0.30	0.40
Cadmium	. A . A. W	0.20 U	0.30 U	0.30 U	0.20 U	0.30 U	0.30 U
Calcium		4660.00	5560.00	4380.00	5220.00	6990.00	5580.00
Chromium		19.50	12.90	10.60	12.10	20.50	19.20
Cobalt		3.30	4.20	4.20	3.60	7.00	8.70
Copper		7.50	10.40	9.20	9.00	26.30	25.40
Cyanide							
Iron		10100.00	11700.00	13000.00	11100.00	20800.00	20700.00
Lead		3.00	5.00	3.00	• 3.00	14.00	6.00
Magnesium		1890.00	2240.00	2050.00	2040.00	4030.00	4090.00
Manganese	1	86.90	96.60	121.00	94.80	169.00	417.00
Mercury		0.05 U	0.06 U	0.07 U	0.05 U	0.09	0.06 U
Nickel	100	7.00	9.00	8.00	8.00	16.00	15.00
Potassium		610.00	860.00	640.00	730.00	1490.00	1300.00

	Station ID:	SB-10404 W20-SB-10404-0015	SB-10404 W20-SB-10404-0065	SB-10404 W20-SB-10404-0105	SB-10405 W20-SB-10405-0015	SB-10405 W20-SB-10405-0065	SB-10405 W20-SB-10405-0105
	Sample ID:						
Constituent	Depth (feet bgs):	1.5 to N/A	6.5 to N/A	10.5 to N/A	1.5 to N/A	6.5 to N/A	10.5 to N/A
Selenium		5.00 U	7.00 U	7.00 U	5.00 U	7.00 U	7.00 U
Silver		0.30 U	0.40 U	0.40 U	0.30 U	0.40 U	0.40 U
Sodium		919.00	1140.00	983.00	984.00	1260.00	1350.00
Thallium		5.00 U	7.00 U	7.00 U	5.00 U	7.00 U	7.00 U
Vanadium		35.80	41.00	39.40	41.10	53.60	58.40
Zinc		20.40	24.00	22.60	24.90	44.40	39.30

	Station ID:	SB-10405	
	Sample ID:	W20-SB-10405-1015	
Constituent	Depth (feet bgs):	1.5 to N/A	
Pesticides/PCBs (uç	g/kg)		
Total PCB			
Volatile Organic Cor	mpounds (ug/kg)		
1,1,1-Trichloroethane			
1,1,2,2-Tetrachloroet	thane		
1,1,2-Trichloroethane	•		
1,1,2-Trichlorotrifluoro	oethane		
1,1-Dichloroethane	the rottom of the		
1,1-Dichloroethene			
1,2-Dichloroethane			
1,2-Dichloropropane			
2-Butanone			
2-Chloroethylvinyleth	ner		
2-Hexanone			
4-Methyl-2-Pentanon	ne	그리다는 사람들은 사람이 하는 사람들이 되었다면 하다면 하다는 사람이 되었다면 되었다.	
Acetone			
Benzene	Deal A. 1		
Bromodichlorometha	ne	그는 것이 하는 그 전략하는 것은 것은 사람이들의 그 경험으로 하면 없었다.	
Bromoform		선물이 있다면 그는 가게 되었다. 그는 사람들은 경기가 되었다면 하는데 되었다. 그 그래요?	
Bromomethane			
Carbon Disulfide	V (1)		
Carbon Tetrachloride			
Chlorobenzene			
Chloroethane	1 2 12 7		Broken Belle
Chloroform	1 3		
Chloromethane	27		

	Station ID:	SB-10405	
	Sample ID:	W20-SB-10405-1015	
Constituent	Depth (feet bgs):	1.5 to N/A	
cis-1,2-Dichloroethen	ne		
cis-1,3-Dichloroprope	ene		
Dibromochloromethan	ne		
Ethylbenzene			
Methylene Chloride			
Styrene			
Tetrachloroethene			
Toluene			
Total Xylene			
trans-1,2-Dichloroeth	ene		
trans-1,3-Dichloropro	ppene		
Trichloroethene			
Trichlorofluoromethan	ne		
Vinyl Acetate			
Vinyl Chloride			
Semi-Volatile Organ	nic Compounds (ug/kg)		
1,2,4-Trichlorobenzer	ne		
1,2-Dichlorobenzene			
1,3-Dichlorobenzene			
1,4-Dichlorobenzene		to go to the company of the same and the	
2,2'-Oxybis(1-Chlorop	propane)		
2,4,5-Trichlorophenol			
2,4,6-Trichlorophenol	Literatura de la compansión de la compan		
2,4-Dichlorophenol			
2,4-Dimethylphenol			
2,4-Dinitrophenol			

Station ID:	SB-10405	
Sample ID:	W20-SB-10405-1015	
Constituent Depth (feet bgs):	1.5 to N/A	
2,4-Dinitrotoluene		
2,6-Dinitrotoluene		
2-Chloronaphthalene		
2-Chlorophenol		
2-Methylnaphthalene	그는 그는 사람이 그렇게 얼마나 하는 사람이 되었다면 하는 사람들이 얼마나 하는 것이 없었다면 하는데	
2-Methylphenol		
2-Nitroaniline		
2-Nitrophenol	그리는 그런 그리고 있는 그런 그는 그는 그는 그는 그리고 있다면 하지 않는데 그리고 있다.	
3,3'-Dichlorobenzidine		
3-Nitroaniline		
4,6-Dinitro-2-methylphenol		
4-Bromophenyl-phenylether		
4-Chloro-3-methylphenol		
4-Chloroaniline		
4-Chlorophenyl-phenylether	· 사용 - 이 문문 전 프라이트 시간 사용 보는 보고 보는 사람들이 되는 사용 이 이 물레 프랑스 트라이트 트라이트 스트 스트 보고 보고 있다.	
4-Methylphenol		
4-Nitroaniline		
4-Nitrophenol		
Benzoic acid		
Benzyl alcohol		
bis(2-Chloroethoxy)methane		
bis(2-Chloroethyl)ether	그는 그들은 그들은 그리고 있는 아내는 그들은 그들은 그들은 사람들이 되었다면 하는 그리는 것이다.	
bis(2-Ethylhexyl)phthalate	그는 시마 [1945년 1일 10] 10 10 10 10 10 10 10 10 10 10 10 10 10	
Butylbenzylphthalate		
Carbazole		
Di-n-butylphthalate		
Di-n-octylphthalate		

	Station ID:	SB-10405	
	Sample ID:	W20-SB-10405-1015	
Constituent	Depth (feet bgs):	1.5 to N/A	
Dibenzofuran			
Diethylphthalate			
Dimethylphthalate			
Hexachlorobenzene			
Hexachlorobutadiene			
Hexachlorocyclopentad	diene		
Hexachloroethane			
Isophorone			
N-Nitroso-di-n-propylan	mine		
N-Nitrosodiphenylamine	е		
Nitrobenzene			
Pentachlorophenol			
Phenol			
Naphthalene			
Acenaphthylene			
Acenaphthene			
Fluorene			RATE OF A STOCK OF MARKET CHARGES AND A SHARE A DECOMPOSITION OF THE STOCK OF THE S
Phenanthrene			
Anthracene			
Fluoranthene			
Pyrene			
Benzo(a)anthracene			
Chrysene			
Benzo(b)fluoranthene	4-47-11-9-1		
Benzo(k)fluoranthene	77.4		
Benzo(a)pyrene	1999 224 1770		
Indeno(1,2,3-cd)pyrene	9		

	Station ID:	SB-10405	
	Sample ID:	W20-SB-10405-1015	
Constituent	Depth (feet bgs):	1.5 to N/A	
Dibenz(a,h)anthracene			
Benzo(g,h,i)perylene			그 것이 되었다. 그리아 보고 얼룩하면 가지는 가장 있는데 어린 맛이 어떻게 했다면 하는데 그렇게 되었다.
Pesticides/PCBs (ug/kg)		
Aroclor 1248	- T. W. W. C. C.		
Aroclor 1254			
Aroclor 1260	7 14		
Aroclor 1016/1242			
Inorganics (Total) (mg/k	kg)		
Aluminum		9870.00	
Antimony		5.00 UJ	
Arsenic		5.00 U	
Barium		24.10	
Beryllium		0.20	
Cadmium	· There I	0.20 U	
Calcium		5430.00	
Chromium		12.70	
Cobalt		3.50	^^ - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
Copper		11.60	
Cyanide			
Iron		10900.00	
Lead		3.00	
Magnesium		2010.00	
Manganese		92.90	
Mercury	4 24 24	0.05 U	
Nickel		9.00	
Potassium		710.00	[편집 기회

	Station ID: Sample ID:	SB-10405 W20-SB-10405-1015
Constituent	Depth (feet bgs):	1.5 to N/A
elenium	Fire version	5.00 U
Silver		0.30 U
Sodium		994.00
Thallium		5.00 U
Vanadium		40.60
Zinc		24.00

APPENDIX B CONFIRMATORY SAMPLING PLAN

APPENDIX B SWMU 2-87.65, 77, 78.B, AND OA 16 CONFIRMATORY SAMPLING PLAN

BOEING—PLANT 2 SEATTLE, WASHINGTON

B.1 INTRODUCTION

This Field Sampling Plan (FSP) has been prepared in accordance with WAC 173-340-820 as a field guide for conducting soil sampling in support of the remedial actions at the former Solid Waste Management Units (SWMUs) 2-87.65, 77, 78.B, and OA 16. The plan covers:

Confirmatory soil sampling to verify cleanup has been achieved.


Field procedures are described in Section 2 of this plan. Section 3 describes the methodology.

B.2 PROCEDURES

The procedures to be followed are designed to ensure that the resulting data are representative of conditions in the field, capable of supporting sound remedial decisions, and legally defensible. Samples will be assigned a sample designator as outlined in Section B.2.1, sample stations will be located as provided in Section B.2.2, field and sampling equipment will be decontaminated before and during use as indicated in Section B.2.3, samples will be handled as provided in Section B.2.4 and field activities will be documented per Section B.2.10. Field quality control (QC) and waste management are covered in Sections B.2.11 and B.2.12, respectively.

B.2.1 Sample Designation

For tracking and data management, samples will be assigned a unique 20-character alphanumeric identifier according to the method described in this section. The numbering system will be used to identify each sample collected; to facilitate tracking, retrieval, and data processing; and to maintain relationships between samples. The sample designation scheme is illustrated as follows and defined in the following table.



Each sample number consists of two components separated by a dash (-) that correspond to the location identification and sample type/depth, as described below:

Station —A five-character alphanumeric designation to identify the geographic sample location and station number according to the project area sampling station map:

SB - Soil Boring

Sample Type/Depth —A four-character numeric designation, consisting of a number to indicate sample type:

0### - Field sample (No QA/QC)
1### - Field duplicate
2### - VOC trip blank
3### - Ambient field blank
4### - Equipment rinsate blank

and a three-character field to indicate sample depth in tenths of feet:

#010 - 1 foot #050 - 5 feet #125 - 12.5 feet

Sample depth determinations will be made to the nearest 0.5 foot. The three-character field is a component of the four-character numeric designation.

If a sample is not being collected for QA/QC purposes and does not have an associated depth (e.g., surface soil sample, groundwater sample), the characters of the third component will default to "0000." The third component will be retained in order to accommodate a field duplicate sample.

VOC trip blanks (2###), ambient field blanks (3###), and equipment rinsate blanks (4###) present a unique situation as they are not associated with a sampling depth, nor are they necessarily the same matrix for which they are being collected. Instead of depth, the last three characters of the fourth component will be sequentially numbered, as in the examples below:

Under the sample designation method described above, the identifier will be unique (i.e., no two samples will have the same one), and informative (i.e., will show sampling round, method of collection, location, sample type, and depth interval).

If the data will be entered into an existing database, the sample numbering scheme will be consistent with the existing data. In any event, it will be unique to each sample. This designation scheme will facilitate data management and tracking during the evaluation and reduction of data.

B.2.2 Sample Positioning

Sample coordinates will be surveyed or measured with a graduated tape from a known reference, as appropriate.

B.2.3 Sampling Equipment Decontamination

Soil sampling equipment will be decontaminated between sampling points to prevent contamination of clean areas, to prevent cross-contamination between sampling areas, and to assist in maintaining the health and safety of field personnel and the general public.

Dedicated or disposable sampling equipment will be used where feasible to reduce the possibility of sample cross-contamination. The majority of the sampling equipment will be decontaminated in the field. Equipment that cannot be effectively decontaminated will be disposed of after each sampling event.

The following is a partial list of sampling equipment that will be decontaminated in the field:

- · Stainless-steel trowels or sampling spoons
- Stainless-steel mixing bowls
- Stainless-steel hand augers
- Shovels
- Split-spoon samplers
- Decontamination will consist of the following steps:
- Liquinox[™] detergent wash
- Tap water rinse
- Distilled, carbon-free water rinse

Air dry, away from potential sources of contamination (e.g., splashes, airborne particulates)

B.2.4 Sample Handling

Sample containers will be labeled with the required information on the label. Each label will include the information in Section B.2.7 written in indelible ink. Labels will be affixed to the sample containers in a manner so as to prevent separation of the label from the container. The sample will be preserved as required. Sample chain-of-custody procedures outlined in Section B.2.7 will be observed. Samples will be packaged and prepared for shipping in a manner that will prevent damage.

B.2.5 Sample Preservation and Holding Times

Samples will be preserved as described in specific analytical procedures presented in EPA methods for analysis of solid wastes (EPA 1986a), or water and wastes (EPA 1986b).

B.2.6 Sample Containers

All sample containers will be precleaned following the requirements in EPA guidance documents (EPA 1989).

Container requirements vary according to analyte, sample matrix, and hazard classification. It is anticipated that all samples collected for the project will be low hazard.

B.2.7 Sample Custody

Custody procedures will be performed to provide a documented, legally defensible record that can be used to follow the possession and handling of a sample from collection through analysis. A sample is in custody if it meets at least one of the following conditions:

- · Is in someone's physical possession or view
- · Is secured to prevent tampering
- Is secured in an area restricted to authorized personnel

Sample control and chain-of-custody procedures in the field and during shipment will be performed in accordance with the procedures in the U.S. Environmental Protection Agency's Contract Laboratory Program (CLP) Sampler's Guide (EPA 1990).

Except as noted below, sample containers will be labeled at the time of sampling with the following information:

- Sample number
- Sampling date
- Time
- Analyses required
- Preservation, if any

Person sampling

When sample spillage during collection may obscure the sample labels, the label will be affixed immediately after sample collection but prior to collection of another sample. A chain-of-custody record will be completed for each container of samples (cooler) at the end of each day of sampling. Custody seals will be placed on each cooler or package containing samples so that the package cannot be opened without breaking the custody seals. The completed chain-of-custody forms will be delivered to the recipient laboratory with the respective samples.

The sample custodian at each laboratory will verify that the package custody seals are unbroken. The accompanying chain-of-custody records will be properly signed upon receipt of the samples by the sample custodian. Any questions or observations concerning sample integrity will be noted.

B.2.8 Shipping Requirements

Shipping and handling of samples will be done in a manner that protects both the sample integrity and shipment handlers from the possible hazardous nature of samples. All samples will be hand delivered by a WESTON representative to Analytical Resources, Inc., of Seattle, WA, or other laboratory services, as appropriate. Packaging, marking, labeling, and shipping of samples will comply with all applicable regulations promulgated by the U.S. Department of Transportation (DOT) in the Code of Federal Regulations (49 CFR 171-177).

B.2.9 Laboratory Coordination

Sample shipments, data packages, data validation, and document control will be performed as part of sample management. All scheduling for sample containers, analytical work, and data dispersal will be arranged in close conjunction with the laboratory. The following items will be completed:

- Review the number of samples to be submitted for analysis.
- Review the analytical requirements, number and type of containers needed, blanks requirements, and volumes required.
- Coordinate special analytical requirements with the laboratory QA manager.
- Inform the laboratory of the approximate dates of sampling.
- Schedule shipment of sample containers, labels, chain-of-custody forms.
- Inform the laboratory of the need for analytical results in both hardcopy and electronic formats.
- Scheduling oversight will be conducted by the project chemist.

B.2.10 Documentation

 All field activities will be documented in standard field forms. The following information will be recorded.

- Date and time of entry (24-hour clock)
- Task/activity identification
- Location
- Field measurements
- Weather conditions
- Deviations from the FSP
- Field observations
- Signature of person making entries
- Methods of sample collection and preservation

Additional minimum documentation required for a given investigation (e.g., boring logs, field data sheets) will be completed as required

B.2.11 Quality Assurance/Quality Control Samples

Field QA/QC samples will not be collected though laboratory QC samples including method blanks, laboratory duplicate analysis, and matrix spike sample analysis will be analyzed.

B.2.12 Waste Management

All contaminated or potentially contaminated materials generated will be managed by Boeing.

B.2.13 Confirmatory Sampling

Confirmatory soil sampling will be performed after the removal action to verify remaining concentrations. Samples from the bottom and sides of the excavation will be submitted to the laboratory for analysis of parameters which exceeded criteria in the initial sampling round.

At SWMU 77, soil samples will also be collected in the area of the former tank and piping to characterize the soil remaining after the tank/piping was removed. Four soil samples will be collected to characterize the condition of the soil. One discrete sample will be collected from the former bottom of the excavation, two discrete samples from opposite former sidewalls and one discrete sample from the middle of the former pipe run.

The number of samples to be collected is shown below.

Confirmatory Samples

SWMU	Analytes	Number of Bottom Samples	Number of Sidewall Samples	Comments
SWMU 2-87.65	TPH PCB	2	3	Two bottom samples in the triangular excavation (one sample near location 8713 and one under SWMU 2-87.65). One sample from each sidewall
SWMU 77	PCB	Marin San	a with the little	g interesting the large state of the
Containment Pad	en en efficie de marie Personale de marie Marie de marie de marie	2	4	Two bottom samples spaced equidistant down the center. One sample from each sidewall
Former tank/piping	PCB	2	2	One bottom sample from former tank excavation, two samples from opposite former excavation sidewalls, one bottom sample from the middle of the former pipe run
SWMU 78.B	TPH PCB	1 - 1	4	One bottom sample in the center. One sample from each sidewall
OA 16	Cadmium Chromium Copper Mercury bis(2-Ethylhexyl)phthalate	. 1	4	One bottom sample in the center. One sample from each sidewall

Discrete sidewall and bottom samples will be collected. Sidewall samples will be collected from the middle of the sidewall at an elevation one-half the distance from the excavation bottom to ground surface. Bottom samples will be collected equidistant along the bottom centerline.

B.2.14 Stockpile Sampling

The soil stockpiles will be sampled to determine the appropriate disposal methods. Three discrete samples will be collected from stockpiles 0 to 100 cubic yards in size. Five discrete samples will be collected from stockpiles 101 to 500 cubic yards.

Samples will be taken where there is visual indication of contamination. If no indication of contamination is present, samples will be evenly spaced over the stockpile.

B.2.15 Laboratory Analytical Methods

Chemical Analysis

Chemical analysis will be performed by Analytical Resources, Incorporated (ARI). ARI is located at 333 Ninth Avenue North, Seattle, Washington 98109-5187. The laboratory project manager/contact for the interim action is Jeff Reiten (phone: 206-621-6490).

ARI is a full-service chemical analytical laboratory participating in the State of Washington Department of Ecology Environmental Laboratory Accreditation Program. ARI and its staff have special expertise in the analysis of various complex matrices for organic and inorganic parameters. Staff have participated in the development and review of organic methods found in the Puget Sound Estuary Protocol (PSEP) guidance. Project experience is demonstrated by participation in the EPA CLP, Puget Sound Remedial Investigations and Feasibility Studies supporting the Comprehensive Environmental Response, Compensation, and Liabilities Act of 1980 (CERCLA[Superfund]) activities, and Puget Sound Dredged Disposal Analysis (PSDDA) monitoring projects.

Soil samples collected from SWMU 2-41.33 will be analyzed in accordance to *Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods* (SW-846) (EPA 1986a) and *Methods for Chemical Analysis of Water and Wastes* (EPA 1986b). The list of analytes for each analytical method and the expected detection limits are presented below.

Analytical Methods, Parameters, and Quantitation Limits for Soil Samples

Parameters	Analytical Methods Soil	Quantitation Limits—Soil (mg/kg, wet weight)
Inorganics	女生がいなから其で これを	g Williamster Land Street
Cadmium	EPA 6010	0.6
Chromium	EPA 6010	1.5
Copper	EPA 6010	0.6
Lead	EPA 6010	6.0
Mercury	EPA 7471A	0.05
Organics		The state of the state of
bis(2-Ethylhexyl)phthalate	EPA 8270C	0.020
PCBs	EPA 8082	0.010
TPH (oil and diesel)	NWTPH-Dx	100

B.3 LABORATORY DELIVERABLES AND DATA VALIDATION

A laboratory data package will be submitted to WESTON for each analytical batch. Data deliverables will include:

- Copy of chain-of-custody forms for all samples included in the analytical batch.
- Tabulated sample analytical results with units, data qualifiers, percent solids, sample
 weight or volume, dilution factor, laboratory batch and sample number, WESTON
 sample number, and dates sampled, received, extracted, and analyzed all clearly specified.
 Surrogate percent recoveries will be included for organic analyses.
- Blank summary results indicating samples associated with each blank.
- Matrix spike/matrix spike duplicates result summaries with calculated percent recovery and relative percent differences.
- Laboratory control sample results, when performed, with calculated percent recovery.

In order to ensure that data are of a known and acceptable quality, 100 percent of all analytical data generated for the interim action will undergo a Level I quality review. Raw data (instrument tuning, calibrations, chromatograms, spectra, bench sheets, etc.) will remain on file at the laboratory and will not be routinely examined.

Level I QC Review

Level I data review is a review of data precision and accuracy using quality control summary sheet results provided by the laboratory for each data package. Level I review is based on the same quality control criteria as the more extensive Level II review, except raw data (instrument tuning, calibrations, chromatograms, spectra, instrument printouts, bench sheets and laboratory worksheets) are not reviewed. If outliers occur during calibration or calibration verification, the laboratory will note the incident in the data narrative and professional judgment will be used to determine any necessary actions if any. The following is an outline of a Level I review:

- Verify sample numbers and analyses match the chain-of-custody request.
- Verify sample preservation and holding times.
- Verify that field and laboratory blanks were performed at the proper frequency and that no analytes were present in the blanks.
- Verify field and laboratory duplicates, matrix spikes, and laboratory control samples were run at the proper frequency and that control limits were met.
- Verify surrogate compound analyses have been performed and that results met the QC criteria.
- Verify required limits of detection limits have been achieved.

B.4 REFERENCES

EPA (U.S. Environmental Protection Agency). 1990. Contract Laboratory Program Sampler's Guide

EPA. 1989. Specifications and Guidance for the Preparation of Contaminant-Free Sample Containers. Office of Emergency and Remedial Response. 9240.0-05. July.

EPA. 1986a. Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods (SW-846).

EPA. 1986b. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020.